



Product Catalogue





BEESWIFT
ONLINE

Product Code:
CARC6

Available in Sizes:
38 - 54

Unit of Measure:
Each

Available in Colours:



Navy Blue
CARC6N



Anti Static



Arc Flash Protection



Cat 3 - High Risk



Fire Retardant



Protection for Welding and
Allied Processes

Beeswift ARC Compliant Boilersuit

- Fire retardant, Anti-static, ARC Flash coverall.
- 300gsm 60/40 Modacrylic/cotton blend.
- Triple stitch construction.
- 2 hip pockets.
- Rear patch pocket with hook and loop closure flap.
- Large bellows pocket to each leg with hook and loop closure flap.
- Right leg mobile phone pocket with hook and loop closure flap.
- All pocket flaps with Retro-reflective tape feature.
- Internal knee pad pouches.
- Large qualifying icons on left leg pocket.

- Conforms to:
EN ISO 13688:2013
- EN 1149-5:2018
- EN ISO 11611:2015 (A1 A2 Class 1)
- EN ISO 11612:2015 (A1 A2 B1 C1 F1)
- EN 61482-2:2020 - (ATPV = 17.0 Cal/cm²)
(ELIM = 14.0 Cal/cm²)
(APC = 1)



£95.88
excluding VAT



CLICK
ARC FLASH

Beeswift ARC Compliant Hi-Vis Boilersuit

- Fire Retardant, Hi Vis, Anti-static, ARC Flash coverall.
- 300gsm 60/40 Modacrylic/cotton blend.
- Inherently flame retardant.
- Fire Retardant properties will not diminish with repeated laundering.
- Triple stitch construction.
- 2 hip pockets.
- Large bellows pocket to each leg with hook and loop closure flap.
- Right leg mobile phone pocket with hook and loop closure flap.
- All pocket flaps with Retro-reflective tape feature.
- Internal knee pad pouches.
- Large qualifying icons on left leg pocket.

- Conforms to:
EN ISO 13688:2013
- EN ISO 20471:2013+A1:2016 (Class 3)
- EN 1149-5:2018
- EN ISO 11611:2015 (A1 A2 Class 1)
- EN ISO 11612:2015 (A1 A2 B1 C1 F1)
- EN 61482-2:2020 - (ATPV = 17.0 Cal/cm²)
(ELIM = 14.0 Cal/cm²)
(APC = 1)



£130.78
excluding VAT



BEESWIFT
ONLINE

Product Code:
CARC7

Available in Sizes:
38 - 54

Unit of Measure:
Each

Available in Colours:



Saturn Yellow
CARC7SY



Saturn Yellow / Navy
CARC7SYN



Anti Static



Arc Flash Protection



Cat 3 - High Risk



Fire Retardant



Hi Visibility



Protection for Welding and
Allied Processes



CLICK
ARC FLASH



BEESWIFT
ONLINE

Product Code:
CARC1

Available in Sizes:
S - XXXXXL

Unit of Measure:
Each

Available in Colours:



Navy Blue
CARC1N



Anti Static



Arc Flash Protection



Cat 3 - High Risk



Fire Retardant

Beeswift ARC Compliant Polo Shirt

- Flame Retardant, Anti-Static, ARC long sleeved polo shirt.
- 210gsm 60/40 Modacrylic/cotton blend Pique fabric.
- Inherently flame retardant fabric.
- FR properties will not diminish with repeated laundering.
- For industrial workers exposed to heat.
- Not suitable for fire fighters.
- 3 Button placket.
- Ribbed cuffs.
- Robust yet soft and comfortable to wear.

- Conforms to:
EN ISO 13688:2013

EN 1149-5:2018

EN ISO 11612:2015 (A1 A2 B1 C1)

EN 61482-2:2020 - (EBT50 = 5.2 Cal/cm2)
(ELIM = 4.4 Cal/cm2)
(APC = 1)



BEESWIFT
ONLINE

Product Code:
CARC3

Available in Sizes:
XS - XXXXXL

Unit of Measure:
Each

Available in Colours:



Navy Blue
CARC3N



Anti Static



Arc Flash Protection



Cat 3 - High Risk



Fire Retardant

Beeswift ARC Compliant Sweatshirt

- Fire Retardant, Anti-Static, ARC Flash sweatshirt.
- 300gsm 60/40 Modacrylic/Cotton blend fabric.
- Inherently flame retardant.
- Fire Retardant properties will not diminish with repeated laundering.
- Ribbed cuffs.
- Ribbed waistband.
- For industrial workers exposed to heat.
- Not suitable for fire fighters.

- Conforms to:
EN ISO 13688:2013

EN 1149-5:2018

EN ISO 11611:2015 (A1 A2 Class 1)

EN ISO 11612:2015 (A1 A2 B1 C1)

EN 61482-2:2020 - (ATPV = 10.0 Cal/cm2)
(ELIM = 8.8 Cal/cm2)
(APC = 1)





BEESWIFT
ONLINE

Product Code:
CARC56

Available in Sizes:
S - XXXXXL

Unit of Measure:
Each

Available in Colours:

 Orange
CARC56OR

-  Anti Static
-  Arc Flash Protection
-  Cat 3 - High Risk
-  Fire Retardant
-  Hi Visibility

Beeswift ARC Compliant Hi-Vis Rail Spec Sweatshirt

- Fire Retardant, Anti-Static, Hi-Vis Orange, ARC Flash Sweatshirt.
- GO/RT 3279 issue 8 2013 for use on or around railway lines.
- 260-280gsm 41% Modacrylic, 30% Polyester, 27% Cotton, 2% Carbon.
- Inherently flame retardant.
- Fire Retardant properties will not diminish with repeated laundering.
- Ribbed cuffs.
- Ribbed waistband.
- For industrial workers exposed to heat.
- Not suitable for fire fighters.

EN ISO 13688:2013 - General requirements for protective clothing
EN ISO 20471 : 2013 (Class 3) - GORT 3279 2013 Issue 8
EN 1149-3:2004 - Anti Static - Test methods for measurements of charge decay
EN ISO 11612:2008 (A1 B1 C1) - Protection against heat and flame

ARC FLASH
IEC 61482-2:2009 - Performance requirements and design requirements
EN 61482-1-2 : (Class 1= 4kA) - Box Arc testing
EN 61482-1-1:2009 (ATPV = 12.8 Cal/cm2) - Open Arc testing



£70.24
excluding VAT



Beeswift ARC Compliant Trousers

- Fire retardant, Anti-static, ARC Flash cargo style trousers.
- 300gsm 60/40 Modacrylic/cotton blend.
- Inherently flame retardant.
- Flame retardant qualities will not diminish during life of garment.
- Triple stitch construction.
- 7 belt loop part elastic waistband, double button closure.
- 2 hip pockets.
- Rear patch pocket with hook and loop closure flap.
- Large bellows pocket to each leg with hook and loop closure flap.
- Right leg mobile phone pocket with hook and loop closure flap.
- All pocket flaps with Retro-reflective tape feature.
- Internal knee pad pouches.
- Large qualifying icons on left leg pocket.

Leg length:
Small (S) - 29"
Regular - 31"
Tall (T) - 33"

- Conforms to:
EN ISO 13688:2013
- EN 1149-5:2018
- EN ISO 11611:2015 (A1 A2 Class 1)
- EN ISO 11612:2015 (A1 A2 B1 C1 F1)
- EN 61482-2:2020 - (ATPV = 17.0 Cal/cm2)
(ELIM = 14.0 Cal/cm2)
(APC = 1)



£54.64
excluding VAT



BEESWIFT
ONLINE

Product Code:
CARC4

Available in Sizes:
28 - 52

Unit of Measure:
Each

Available in Colours:

 Navy Blue
CARC4N

-  Anti Static
-  Arc Flash Protection
-  Cat 3 - High Risk
-  Fire Retardant
-  Protection for Welding and Allied Processes





BEESWIFT
ONLINE

Product Code:
CARC5

Available in Sizes:
30 - 50T

Unit of Measure:
Each

Available in Colours:



Saturn Yellow
CARC5SYN



Saturn Yellow / Navy
CARC5SYN



Anti Static



Arc Flash Protection



Cat 3 - High Risk



Fire Retardant



Hi Visibility



Protection for Welding and
Allied Processes

Beeswift ARC Compliant Hi-Vis Trousers

- Fire Retardant, Hi Vis, Anti-static, ARC Flash cargo style trousers.
- 300gsm 60/40 Modacrylic/cotton blend.
- Triple stitch construction.
- 7 belt loop part elastic waistband, double button closure.
- 2 hip pockets.
- Rear patch pocket with hook and loop closure flap.
- Large bellows pocket to each leg with hook and loop closure flap.
- Right leg mobile phone pocket with hook and loop closure flap.
- All pocket flaps with Retro-reflective tape feature.
- Internal knee pad pouches.
- Large qualifying icons on left leg pocket.

- Conforms to:
EN ISO 13688:2013

EN ISO 20471:2013+A1:2016 (Class 2)

EN 1149-5:2018

EN ISO 11611:2015 (A1 A2 Class 1)

EN ISO 11612:2015 (A1 A2 B1 C1 F1)

EN 61482-2:2020 - (ATPV = 17.0 Cal/cm2)
(ELIM = 14.0 Cal/cm2)
(APC = 1)



£75.11
excluding VAT



CLICK
ARC FLASH

Beeswift ARC Compliant Hi-Vis Rail Spec Trousers

- Fire Retardant, Hi Vis, Anti-static, ARC Flash, orange cargo style trousers.
- GO/RT 3279 issue 8 2013 for use on or around railway lines.
- 310gsm 40% Modacrylic, 24% FR Viscose, 20% Polyester, 10% Cotton, 4% Aramid, 2% Anti-static Fibre.
- 7 belt loop part elastic waistband, double button closure.
- 2 hip pockets.
- Rear patch pocket with hook and loop closure flap.
- Large bellows pocket to each leg with hook and loop closure flap.
- Right leg mobile phone pocket with hook and loop closure flap.
- All pocket flaps with Retro-reflective tape feature.
- Internal knee pad pouches.
- Large qualifying icons on left leg pocket.
- Adjustable leg bellows.
- Tall leg sizes available.

- EN ISO 13688:2013 - General requirements for protective clothing
- EN ISO 20471:2013 Class 2 - Test method for high visibility - GORT 3279 Issue 8
- EN 1149-3:2004 - Anti Static - Test methods for measurements of charge decay
- EN 1149-5:2008 - Anti Static - Material performance and design requirements
- EN ISO 11611:2015 (Class 1 A1 A2) - Protective clothing for use in welding
- EN ISO 11612:2015 (A1 A2 B1 C1) - Protection against heat and flame

ARC FLASH

IEC 61482-2:2009 - Performance requirements and design requirements
EN 61482-1-2:2007 (Class 1 = 4kA) - Box Arc testing
EN 61482-1-1:2009 (ATPV = 16 Cal/cm2) - Open Arc testing



£138.20
excluding VAT



CLICK
ARC FLASH



BEESWIFT
ONLINE

Product Code:
CARC52OR

Available in Sizes:
38 - 42T

Unit of Measure:
Each

Available in Colours:



Orange
CARC52OR



Anti Static



Arc Flash Protection



Cat 3 - High Risk



Fire Retardant



Hi Visibility



Protection for Welding and
Allied Processes

Pictogram Key



Anti Static



Arc Flash Protection



Cat 3 - High Risk



Fire Retardant



Hi Visibility



Protection for Welding and Allied Processes



SANDYCROFT WORKWEAR LTD
26 BABBAGE ROAD
ENGINEER PARK
SANDYCROFT
CH5 2QD

t: 01244638747
e: sales@sandycroft-workwear.co.uk