



Product Catalogue





BEESWIFT
ONLINE

Product Code:
CFRASBBS

Available in Sizes:
36 - 46

Unit of Measure:
Each

Available in Colours:



Navy Blue
CFRASBSN



Orange
CFRASBSOR



Garment is anti-static



Cat 2 - Intermediate Risk



Garment is fire retardant



Half Elasticated



Garment is suitable for
welding

Beeswift Burgan Fire Retardant Anti-Static Boilersuit

- 220 gram 99% Cotton, 1% Anti-static fibre
- Flame retardant/Anti static treated fabric
- FR retro-reflective tape. (Nordic Design)
- Concealed zip front to neck
- Two breast pockets, brass zip closure
- Two hip pockets, vertical access
- One rear hip patch pocket with flap
- One plain patch hip pocket
- Rule pocket
- Half elasticated waist
- Plain cuffs and ankles

- Conforms to:
EN ISO 13688:2013

EN 1149-5:2018

EN ISO 11611:2015 (A1 Class 1)

EN ISO 11612:2015 (A1 B1 C1)

- Does NOT conform to EN ISO 20471



£50.74
excluding VAT



CLICK
FLAME RETARDANT

Beeswift Fire Retardant Boilersuit

- 300 gram 100% cotton drill fabric with flame retardant treatment
- Concealed stud front to neck
- One left breast pocket with flap
- Two front hip pockets
- Plain back and hips
- Embroidered 'FR' logo to upper left sleeve

- Conforms to:
EN ISO 13688:2013

EN ISO 11611:2015 (A1 Class 1)

EN ISO 11612:2015 (A1 B1 C1)

- Does NOT conform to EN ISO 20471

1 garment per polybag.
10 garments per carton.



£32.71
excluding VAT



BEESWIFT
ONLINE

Product Code:
CFRBS

Available in Sizes:
36 - 60

Unit of Measure:
Each

Available in Colours:



Navy Blue
CFRBSN



Orange
CFRBSOR



Red
CFRBSRE



Cat 2 - Intermediate Risk



Conforms to the correct EN
Standards



Garment is fire retardant



Garment is suitable for
welding



CLICK
FLAME RETARDANT



BEESWIFT[®]
ONLINE

Product Code:
CFRBSND

Available in Sizes:
36 - 54

Unit of Measure:
Each

Available in Colours:



Navy Blue
CFRBSNDN



Orange
CFRBSNDOR



Red
CFRBSNDRE



Cat 2 - Intermediate Risk



Conforms to the correct EN Standards



Garment is fire retardant



Garment is suitable for welding

Beeswift Nordic Design Fire Retardant Boilersuit

- 300 gram 100% cotton drill fabric with flame retardant treatment
- FR reflective tape. (Nordic Pattern)
- Concealed stud front to neck
- One left breast pocket with flap
- Two front hip pockets
- Knee pad pockets
- Plain back and hips

- Conforms to:
EN ISO 13688:2013

EN ISO 11611:2015 (A1 Class 1)

EN ISO 11612:2015 (A1 B1 C1)
- Does NOT conform to EN ISO 20471



CLICK
FLAME RETARDANT



BEESWIFT[®]
FOCUSED ON SAFETY

Product Code:
HYD043484

Available in Sizes:
34 - 50

Unit of Measure:
Each

Available in Colours:



Grey / Black
HYD043484GYBL



Royal/Black
HYD043484RBL



Anti-static



Arc Protection



Chemical Resistant



Heat Resistant



Welding

Hydrowear Mayen Multi Venture Fire Retardant Anti-Static Coverall

- Concealed zip closure with press studs fastening
- 2 chest pockets complete with flap and press stud closure
- Gas detection loops for positioning of antennas, cables and detector
- Elastic waist
- 2 Side pockets with press stud closure
- Back pocket complete with flap and press stud closure
- Backpleat for free movement
- Thigh pocket with flap and press stud closure
- Ruler pocket
- Adjustable cuffs and leg opening with press stud closure
- Main seams triple stitched
- Reflective striping
- 80% Cotton, 19% Polyester, 1% Antistatic fibre, 260 gsm Twill
- Conforms to the following standards:
- EN ISO 13688:2013 Protective clothing general requirements
- EN ISO 11612:2010 (A1 B1 C1 F1) Protection against heat and flame
- EN ISO 11611:2008 Class 1 Protective clothing for use in welding
- EN 13034:2005+A1:2009 Chemical protective clothing (type 6)
- EN 1149-5:2008 Anti Static material performance and design requirements
- EN 61482-1-2:2008 (Class 1=4kA)- Box arc testing



HYDROWEAR[®]
PROTECTIVE CLOTHING
MULTI VENTURE



BEESWIFT
O N L I N E

Product Code:
CFRLR59

Available in Sizes:
M - 3XL

Unit of Measure:
Each

Available in Colours:



Saturn Yellow
CFRLR59SY



Cat 2 - Intermediate Risk

Beeswift Fire Retardant Anti-Static Bib

- Flame retardant, anti static, hi visibility bib and brace
- High frequency welded seams
- Elasticated shoulder straps with buckles
- Press stud adjustments by the ankles

- EN 343 2003 + A1:2007
- EN 471 2003 + A1:2007
- EN ISO 14116: 2008 INDEX 1
- EN 1149-5 : 2008 EN1149-3 : 2004



CLICK
FLAME RETARDANT

Beeswift Fire Retardant Hi-Vis Anti-Static Jacket

- EN 343 2003 + A1:2007
- EN 471 2003 + A1:2007
- EN ISO 14116 : 2008 Index 1
- EN 1149-5:2008 EN 1149-3:2004
- Flame retardant Anti Static Hi Vis
- High frequency welded seams
- Fixed hood with drawstring
- Concealed stud front zip fastening
- Adjustable press stud on sleeves
- 2 Lower Patch pockets



BEESWIFT
O N L I N E

Product Code:
CFRLR55

Available in Sizes:
S - 5XL

Unit of Measure:
Each

Available in Colours:



Saturn Yellow
CFRLR55SY



Garment has anti static fabric



Cat 2 - Intermediate Risk



Garment conforms To
EN471



Garment is fire retardant



Garment is weather proof



CLICK
FLAME RETARDANT



BEESWIFT
FOCUSED ON SAFETY

Product Code:
HYD065850

Available in Sizes:
S - XXL

Unit of Measure:
Each

Available in Colours:

-  Orange
HYD065850OR
-  Saturn Yellow
HYD065850SY

-  Anti-static
-  Heat Resistant
-  Hi Vis EN ISO 20471
-  Waterproof

Hydrowear Neer Multi Fire Retardant Hi-Vis Anti-Static Waterproof Parka Jacket

- Concealed zip front with storm flap cover and press stud closure
- Fixed hood
- Underarm ventilation
- 2 front pockets with flap
- Adjustable elastic cuffs using press stud closure
- 85cm length offering extensive cover
- Lightweight and durable
- Flame retardant and anti-static
- 170 gsm 53% PU / 47% PES (FR Trevira CS Polyester)
- Conforms to the following standards:
 - EN ISO 14116:2015 Index 1 Protection against limited flame spread
 - EN 1149-5:2008 Anti Static- Material performance and design requirement
 - EN ISO 20471:2013+A1:2016 Class 3 High Visibility
 - EN 343:2003+A1:2007 Class 3 Water Penetration Class 1 Breathability
- EN ISO 13688:2013 General Requirements for protective clothing



£75.87
excluding VAT



FR AST
PROTECTIVE CLOTHING
MULTI HYDROSOFT



BEESWIFT
FOCUSED ON SAFETY

Product Code:
HYD073000

Available in Sizes:
S - XXL

Unit of Measure:
Each

Available in Colours:

-  Orange
HYD073000OR
-  Saturn Yellow
HYD073000SY

-  Anti-static
-  Chemical Resistant
-  Heat Resistant
-  Hi Vis EN ISO 20471
-  Waterproof

Hydrowear Markelo Multi SNS Fire Retardant Hi-Vis Anti-Static Waterproof Parka Jacket

- Concealed zip front with double storm flap cover and press stud closure
- Hood in collar with draw cord
- Hood with innovative fixture for improved hearing through hood
- Napoleon pocket
- Inner pocket
- 2 front pockets with flap
- 2 side pockets
- Adjustable cuffs using hook and loop fastening
- Flame retardant and anti-static
- Used in combination with the Weesp, FR AS quilted lining HYD060350 and Miami trouser HYD073600
- Multi Simply no Sweat (SNS) 260gsm Polyester 99% / 1% Anti-static
- 100% FR Cotton lining
- Highly breathable providing great comfort
- Durable and cost effective
- Smooth textile finish
- Conforms to the following standards:
 - EN1149-5:2008 Anti Static- Material Performance and design requirement
 - EN ISO 14116:2008 Protection against limited spread
 - Outer material Index 1/12H/60
 - Inner material Index 3/5H/60
 - EN ISO 20471:2013 Class 3 High visibility
 - EN343:2003 + A1:2007 Class 3:3 Protection against rain
 - EN 13034:2005+A1:2009 Protection against liquid chemicals (Type 6)
 - EN ISO 13688:2013 General requirements for protective clothing



£129.60
excluding VAT



HYDROWEAR
PROTECTIVE CLOTHING
SIMPLY NO SWEAT MULTI NORM



BEESWIFT
ONLINE

Product Code:
CFRPKJ

Available in Sizes:
S - 7XL

Unit of Measure:
Each

Available in Colours:



Orange
CFRPKJOR



Saturn Yellow
CFRPKJSY



CE Marked Category 2



Conforms to EN ISO 20471
for Hi Visibility



Fire Retardant



Product supplied with retail
tags



Conforms to the correct EN
Standards

Beeswift Fire Retardant Hi-Vis Jerkin

- 100% Polyester Flame Retardant long sleeve jerkin.
- Retro-Reflective tape.
- Hook and loop front fastening

- Conforms to:
EN ISO 13688:2013+A1:2021
EN ISO 20471:2013+A1:2016 (Class 3)
EN 1149-5: 2018
EN ISO 14116:2015 (Index 1)

- Do not wear next to skin.
- Must be worn over Index 2 or 3 garments.



Beeswift Fire Retardant Trousers

- 300 Gram cotton drill fabric with flame retardant treatment
- Brass zip fly
- Button waistband fastening
- 7 Belt loops
- Two vertical side seam access pockets
- Plain backand hips
- FR logo embroidered to left hip

- Conforms to:
EN ISO 13688:2013
EN ISO 11611:2015 (A1 Class 1)
EN ISO 11612:2015 (A1 B1 C1)

- Does NOT conform to EN ISO 20471



BEESWIFT
ONLINE

Product Code:
CFRT

Available in Sizes:
30 - 48

Unit of Measure:
Each

Available in Colours:



Navy Blue
CFRTN



Orange
CFRTOR



Cat 2 - Intermediate Risk



Garment is fire retardant



Garment is suitable for
welding





BEESWIFT
FOCUSED ON SAFETY

Product Code:
HYD043510

Available in Sizes:
30 - 46

Unit of Measure:
Each

Available in Colours:



Black
HYD043510BL



Orange
HYD043510OR



Anti-static



Arc Protection



Chemical Resistant



Heat Resistant



Welding

Hydrowear Meddo Multi CVC Fire Retardant Anti-Static Trousers

- Adjustable elasticated waist
- Side pockets
- Back pocket with press stud closure
- Thigh pocket with press stud closure
- Knee pad pockets
- Nordic design reflective tape
- Chief Value Cotton (CVC)
- 80% cotton, 19% Polyester, 1% Antistatic fibre. 320 gsm Satin weave

- Conforms to the following standards:
- EN ISO 13688:2013 Protective clothing general requirements
- EN ISO 11612:2015 (A1 B1 C1 E3) Protection against heat and flame
- EN ISO 11611:2015 Class 2 A1 Protective clothing for use in welding
- EN ISO 14116:2015 (Index 3)
- EN 13034:2005+A1:2009 Chemical protective clothing (type 6)
- EN 1149-5:2018 Anti Static material performance and design requirements
- EN 61482-1-2:2007 (Class 1=4kA) Box arc testing



£55.38
excluding VAT



BEESWIFT
FOCUSED ON SAFETY

Product Code:
HYD064064

Available in Sizes:
S - XXL

Unit of Measure:
Each

Available in Colours:



Orange
HYD064064OR



Saturn Yellow
HYD064064SY



Anti-static



Heat Resistant



Hi Vis EN ISO 20471



Waterproof

Hydrowear Nagoya Multi Flame Retardant Hi-Vis Anti-Static Waterproof Trousers

- Elasticated waist
- Adjustable leg opening with hook and loop
- Lightweight and durable
- Flame retardant and anti-static
- 170 gsm 53% PU / 47% PES (FR Trevira CS Polyester)
- Conforms to the following standards:
- EN ISO 14116:2015 Index 1 Protection against limited flame spread
- EN 1149-5:2008 Anti Static- Material performance and design requirement
- EN ISO 20471:2013+A1:2016 Class 1 High Visibility
- EN 343:2003+A1:2007 Class 3:1 Protection against rain
- EN ISO 13688:2013 General Requirements for protective clothing



£45.12
excluding VAT





BEESWIFT
FOCUSED ON SAFETY

Product Code:
HYD073600

Available in Sizes:
S - 3XL

Unit of Measure:
Each

Available in Colours:



Orange
HYD073600OR



Saturn Yellow
HYD073600SY



Anti-static



Chemical Resistant



Heat Resistant



Hi Vis EN ISO 20471



Waterproof

Hydrowear Miami Multi SNS Fire Retardant Hi-Vis Anti Static Waterproof Trousers

- Elasticated waist with draw cords
- Side pockets with hook and loop closure
- Adjustable Leg opening with hook and loop closure
- Thigh pocket with flap
- Tool loop
- Leg opening zipper with flap cover
- Used in combination with the Weesp, FR AS quilted lining HYD060350 and Multi SNS Jackets
- Flame retardant and anti-static
- Multi Simply no Sweat (SNS) 260gsm Polyester 99% / 1% Anti-static
- 100% FR Cotton lining
- Highly breathable providing great comfort
- Durable and cost effective
- Smooth textile finish
- Conforms to the following standards:
 - EN1149-5:2008 Anti Static- Material Performance and design requirement
 - EN ISO 14116:2008 Protection against limited spread
- Outer material Index 1/12H/60
- Inner material Index 3/5H/60
- EN ISO 20471:2013 Class 1 High visibility
- EN343:2003 + A1:2007 Class 3:3 Protection against rain
- EN 13034:2005+A1:2009 Protection against liquid chemicals (Type 6)
- EN ISO 13688:2013 General requirements for protective clothing



£86.63
excluding VAT



HYDROWEAR
PROTECTIVE CLOTHING
SIMPLY NO SWEAT MULTI NORM

Beeswift Fire Retardant Hi-Vis Vest

- Flame retardant vest
- Hook and Loop front closure
- 98% Polyester / 2% Antistatic Fibres
- Must be worn over EN ISO 14116 index 2 or 3 garments
- Do not wear next to skin
- Anti Static
- FR retro-reflective hi-vis tape
- FR threads
- Conforms to:
 - EN ISO 13688:2013+A1:2021
 - EN ISO 20471:2013+A1:2016 (Class 2)
 - EN 1149-5: 2018
 - EN ISO 14116:2015 (Index 1)
- Do not wear next to skin.
- Must be worn over Index 2 or 3 garments.



£9.83
excluding VAT



BEESWIFT
ONLINE

Product Code:
CFRWCSY

Available in Sizes:
S - XXXXL

Unit of Measure:
Each

Available in Colours:



Orange
CFRWCOR



Saturn Yellow
CFRWCSY



CE Marked Category 2



Conforms to EN ISO 20471
for Hi Visibility



Fire Retardant



Conforms to the correct EN
Standards

B-SEEN
BY BEESWIFT

Pictogram Key



CE Marked Category 2



Conforms to EN ISO 20471 for Hi Visibility



Fire Retardant



Product supplied with retail tags



Garment is anti-static



Cat 2 - Intermediate Risk



Conforms to the correct EN Standards



Garment is fire retardant



Half Elasticated



Garment is suitable for welding



Garment has anti static fabric



Cat 2 - Intermediate Risk



Garment conforms To EN471



Garment is fire retardant



Garment is weather proof



Anti-static



Arc Protection



Chemical Resistant



Heat Resistant



Hi Vis EN ISO 20471



Waterproof



Welding



SANDYCROFT WORKWEAR LTD
26 BABBAGE ROAD
ENGINEER PARK
SANDYCROFT
CH5 2QD

t: 01244638747
e: sales@sandycroft-workwear.co.uk