



BEESSWIFT®

FOCUSED ON SAFETY



beeswift.com



BEESWIFT
ONLINE

Product Code:
CF8

Available in Sizes:
06 - 13

Unit of Measure:
Each

Available in Colours:



Tan
CF8



Anti Slip Sole



Anti Static Sole



Cat 2 - Intermediate Risk



Leather Upper



Fuel Oil Resistant Sole



Shock Absorber Heel



Steel Midsole



200 Joule Steel Toecap



Conforms to EN ISO 20345
S1P SRC

BEESWIFT PREMIUM RIGGER BOOT

- Dual density PU
- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Slip resistant
- Apollo leather upper
- TPU structured heel support
- Fur lining
- Padded ankle
- Conforms to EN ISO 20345: 2011 S1P SRC



CLICK
FOOTWEAR



BEESWIFT
ONLINE

Product Code:
CTF48

Available in Sizes:
05 - 12

Unit of Measure:
Each

Available in Colours:



Brown
CTF48BR



Anti Slip Sole



Anti Static Sole



Cat 2 - Intermediate Risk



Leather Upper



Fuel Oil Resistant Sole



Shock Absorber Heel



Steel Midsole



200 Joule Steel Toecap



Conforms to EN ISO 20345:2011 S3 SRC HRO

* See the pictogram key for description

Beeswift S3 PUR Rigger Boot

- PU/Rubber
- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Heat resistant sole to 300°C
- Slip resistant
- Water resistant leather upper
- Fur lined
- Conforms to EN ISO 20345:2011 S3 SRC HRO



CLICK
FOOTWEAR



BEESWIFT
ONLINE

Product Code:
RBL5

Available in Sizes:
04 - 13

Unit of Measure:
Each

Available in Colours:



Tan



Anti Slip Sole



Anti Static Sole



Cat 2 - Intermediate Risk



Leather Upper



Fuel Oil Resistant Sole



Shock Absorber Heel



Steel Midsole



200 Joule Steel Toecap



Conforms to EN ISO 20345
S1P SRC

Beeswift Rigger Boot Lined

- Dual Density PU
- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Slip resistant
- Acrylic fur lined.
- Apollo leather upper
- Conforms to EN ISO 20345: 2011 S1P SRC



CLICK
FOOTWEAR



BEESWIFT
ONLINE

Product Code:
RBLSSC

Available in Sizes:
06 - 12

Unit of Measure:
Each

Available in Colours:



Tan



Anti Slip Sole



Anti Static Sole



Cat 2 - Intermediate Risk



Leather Upper



Fuel Oil Resistant Sole



Shock Absorber Heel



Steel Midsole



200 Joule Steel Toecap



Conforms to EN ISO 20345
S1P SRC

Beeswift Lined Rigger Boot with Scuff Cap

- Dual Density PU
- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Slip resistant
- Apollo leather upper
- Scuff cap
- Conforms to EN ISO 20345: 2011 S1P SRC



CLICK
FOOTWEAR



BEESWIFT
O N L I N E

Product Code:
RBUS

Available in Sizes:
04 - 13

Unit of Measure:
Each

Available in Colours:



Tan



Anti Slip Sole



Anti Static Sole



Cat 2 - Intermediate Risk



Leather Upper



Fuel Oil Resistant Sole



Shock Absorber Heel



Steel Midsole



200 Joule Steel Toecap



Conforms to EN ISO 20345
S1P SRC

Beeswift Rigger Boot Unlined

- Dual density PU
- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Slip resistant
- Apollo leather upper
- Conforms to EN ISO 20345: 2011 S1P SRC



CLICK
FOOTWEAR



BEESWIFT
O N L I N E

Product Code:
SRB

Available in Sizes:
06 - 12

Unit of Measure:
Each

Available in Colours:



Brown



Anti Slip Sole



Anti Static Sole



Cat 2 - Intermediate Risk



Leather Upper



Fuel Oil Resistant Sole



Shock Absorber Heel



Steel Midsole



200 Joule Steel Toecap



Conforms to EN ISO 20345:2011 S3 SRC

* See the pictogram key for description

Beeswift Sherpa Dual Density PU Rubber Rigger Boot

- Sherpa PU Rubber
- Fur lining
- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Heat resistant to 300°C
- Slip resistant
- Water resistant leather upper
- Conforms to EN ISO 20345:2011 S3 SRC



CLICK
FOOTWEAR



BEESWIFT
O N L I N E

Product Code:
CS

Available in Sizes:
14.5 - 19

Unit of Measure:
Each

Available in Colours:



Sky Blue
CSB



White
CSW



Cat 1 - Minimal Risk

Beeswift Classic Shirt Long Sleeve

- 65/35% polycotton.
- Stiffened collar.
- Left breast pocket.
- Button Cuffs



CLICK
WORKWEAR



BEESWIFT
O N L I N E

Product Code:
CSSS

Available in Sizes:
14.5 - 19

Unit of Measure:
Each

Available in Colours:



Sky Blue
CSSSB



White
CSSSW



Cat 1 - Minimal Risk

Beeswift Classic Shirt Short Sleeve

- 65/35% polycotton.
- Stiffened collar.
- Left breast pocket.



CLICK
WORKWEAR



BEESWIFT
ONLINE

Product Code:
OXSL5

Available in Sizes:
14.5 - 19

Unit of Measure:
Each

Available in Colours:



Blue
OXSL5B



White
OXSL5W



Cat 1 - Minimal Risk

Beeswift Oxford Shirt Long Sleeve

- 70% cotton/30% polyester.
- Easy care fabric.
- Semi-fitted styling.
- Button down collar.
- Left breast mitred pocket.
- Button fastened cuffs that also fit cufflinks
- Back yoke with two side pleats.
- Curved hem.



BEESWIFT
ONLINE

Product Code:
OXSS5

Available in Sizes:
14.5 - 19

Unit of Measure:
Each

Available in Colours:



Blue
OXSS5B



White
OXSS5W



Cat 1 - Minimal Risk

Beeswift Oxford Shirt Short Sleeve

- 70% cotton/30% polyester.
- Easy care fabric.
- Semi-fitted styling.
- Wrinkle resistant finish.
- Button down collar.
- Left breast mitred pocket.
- Back yoke with two side pleats.
- Curved hem.





BEESWIFT
O N L I N E

Product Code:
PSLS

Available in Sizes:
15.5 - 19.5

Unit of Measure:
Each

Available in Colours:



Sky Blue
PSLSB



White
PSLSW



Cat 1 - Minimal Risk

Beeswift Pilot Shirt Long Sleeve

- 65/35% polycotton
- Shoulder epaulettes
- 2 breast pockets with button fasteners
- Stiffened collar



CLICK
WORKWEAR



BEESWIFT
O N L I N E

Product Code:
PSSS

Available in Sizes:
14.5 - 19

Unit of Measure:
Each

Available in Colours:



Sky Blue
PSSSB



White
PSSSW



Cat 1 - Minimal Risk

Beeswift Pilot Shirt Short Sleeve

- 65/35% polycotton
- Shoulder epaulettes
- 2 breast pockets with button fasteners
- Stiffened collar



CLICK
WORKWEAR



BEESWIFT
ONLINE

Product Code:
KFLGMWD

Available in Sizes:
08 - 10

Unit of Measure:
Each

Available in Colours:



Yellow
KFLGMWD



Cat 2 - Intermediate Risk



Mechanical Handling

Beeswift Reinforced Fingerless Dotted Gloves

- 90% reinforced fiber + 10% PVC
- Medium weight fingerless latex dotted glove.
- Extra density blended yarn.
- Offers exceptional cut protection.
- Good dexterity and comfort to the user.
- Ideal to handle both large and small hazardous components.
- Dotted both sides.

- EN388: 2016
- Level 1 - Abrasion
- Level X - Cut Resistance (Glove blunted the blade, ISO 13997 test required)
- Level 4 - Tear Resistance
- Level X - Puncture
- Level B - ISO 13997 Cut Resistance



CLICK
HAND PROTECTION

Beeswift Kevlar Light Weight Gloves

- 100% reinforced fiber
- Lightweight cut resistant glove.
- Exceptional dexterity for safe handling of the smallest components.
- Extremely successful used as a glove liner in conjunction with traditional work gloves.
- Used this way it can provide additional protection should the outer glove incur laceration.

- EN388: 2016
- Level 1 - Abrasion
- Level X - Cut Resistance (Glove blunted the blade, ISO 13997 test required)
- Level 4 - Tear Resistance
- Level X - Puncture
- Level A - ISO 13997 Cut Resistance



BEESWIFT
ONLINE

Product Code:
KGLW

Available in Sizes:
08 - 10

Unit of Measure:
Each

Available in Colours:



Yellow
KGLW



Cat 2 - Intermediate Risk



Mechanical Handling



CLICK
HAND PROTECTION



BEESWIFT
ONLINE

Product Code:
KGMW

Available in Sizes:
08 - 10

Unit of Measure:
Each

Available in Colours:



Yellow
KGMW



Cat 2 - Intermediate Risk



Mechanical Handling

Beeswift Reinforced Medium Weight Gloves

- 100% reinforced fiber
- Medium weight glove.
- Extra density yarn.
- High level cut protection without the loss of dexterity
- Comfortable for the wearer.
- Ideal where there is a requirement to handle both large and small hazardous components.

- EN388: 2016
- Level 1 - Abrasion
- Level X - Cut Resistance (Glove blunted the blade, ISO 13997 test required)
- Level 4 - Tear Resistance
- Level X - Puncture
- Level B - ISO 13997 Cut Resistance



CLICK
HAND PROTECTION

Beeswift Reinforced Medium Weight Dotted Gloves

- 90% reinforced fiber + 10% PVC
- Medium weight glove.
- Extra density yarn.
- High level cut protection without the loss of dexterity
- Comfortable for the wearer.
- Ideal where there is a requirement to handle both large and small hazardous components.

- EN388: 2016
- Level 1 - Abrasion
- Level X - Cut Resistance (Glove blunted the blade, ISO 13997 test required)
- Level 4 - Tear Resistance
- Level X - Puncture
- Level B - ISO 13997 Cut Resistance



BEESWIFT
ONLINE

Product Code:
KGMWD

Available in Sizes:
08 - 10

Unit of Measure:
Each

Available in Colours:



Yellow
KGMWD



Cat 2 - Intermediate Risk



Mechanical Handling



CLICK
HAND PROTECTION



BEESWIFT
ONLINE

Product Code:
KS13

Available in Sizes:
S - 2XL

Unit of Measure:
Each

Available in Colours:



Amber
KS13



Cat 2 - Intermediate Risk

Beeswift Kutstop Micro Foam Nitrile Amber Cut Level 3 Gloves

- Cut B amber cut protection
- 13g HPPE plus nylon liner
- Black nitrile coated palm
- Excellent dexterity and comfort
- Construction industry, automotive industry, electrical industry and handling materials with sharp edges

- EN388: 2016
- Level 4 - Abrasion
- Level X - Cut Resistance
- Level 4 - Tear Resistance
- Level 2 - Puncture
- Level B - ISO 13997 Cut Resistance



CLICK
HAND PROTECTION

Beeswift Kevlar 14" Sleeve with Thumbslot

- 14" (35cm) Reinforced sleeve with thumb slot.
- 100% reinforced fiber
- Excellent cut resistance.
- Soft and comfortable against the arm during use.
- Extremely lightweight elasticated style allows the sleeve to remain in place during the most rigorous tasks.
- Thumb slot is added to further ensure that the product remains in place.
- Ideal in industries where laceration risks to the arms are prominent.
- Sold as singles.

- EN388: 2016
- Level 1 - Abrasion
- Level X - Cut Resistance (Glove blunted the blade, ISO 13997 test required)
- Level 4 - Tear Resistance
- Level X - Puncture
- Level B - ISO 13997 Cut Resistance



BEESWIFT
ONLINE

Product Code:
KS14

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Yellow
KS14



Cat 2 - Intermediate Risk



Mechanical Handling



CLICK
HAND PROTECTION



BEESWIFT
ONLINE

Product Code:
KS15

Available in Sizes:
S - 2XL

Unit of Measure:
Each

Available in Colours:



Green
KS15



Cat 2 - Intermediate Risk

Beeswift Kutstop Micro Foam Nitrile Green Cut Level 5 Gloves

- Kutstop system
- 15g HPPE plus glass fibre and spandex liner
- Black nitrile coated palm
- Excellent dexterity and comfort
- Ideal for the construction industry, automotive industry, electrical industry and handling glass or sheet metal

- EN ISO 21420:2020
- EN388: 2016+A1:2018
- Level 4 - Abrasion
- Level X - Cut Resistance
- Level 4 - Tear Resistance
- Level 4 - Puncture
- Level C - ISO 13997 Cut Resistance



CLICK
HAND PROTECTION

Beeswift Reinforced 18" Sleeve With Thumbslot

- 18" (45cm) Reinforced sleeve with thumb slot.
- 100% reinforced fiber
- Excellent cut resistance.
- Soft and comfortable against the arm during use.
- Extremely lightweight elasticated style allows the sleeve to remain in place during the most rigorous tasks.
- Thumb slot is added to further ensure that the product remains in place.
- Ideal in industries where laceration risks to the arms are prominent.
- Sold as singles.

- EN388: 2016
- Level 1 - Abrasion
- Level X - Cut Resistance (Glove blunted the blade, ISO 13997 test required)
- Level 4 - Tear Resistance
- Level X - Puncture
- Level B - ISO 13997 Cut Resistance



BEESWIFT
ONLINE

Product Code:
KS18

Available in Sizes:
18"

Unit of Measure:
Each

Available in Colours:



Yellow
KS18



Cat 2 - Intermediate Risk



Mechanical Handling



CLICK
HAND PROTECTION



BEESWIFT
ONLINE

Product Code:
KS3

Available in Sizes:
S - XL

Unit of Measure:
Each

Available in Colours:



Black
KS3



Cat 2 - Intermediate Risk



Mechanical Handling

Beeswift Micro Foam Nitrile Cut Level B Gloves

- Cut resistant Nylon/Spandex glove.
- Nitrile micro foam palm coating.
- Dexterity with comfort.

- EN388: 2016
- Level 4 - Abrasion
- Level X - Cut Resistance
- Level 4 - Tear Resistance
- Level 3 - Puncture
- Level B - ISO 13997 Cut Resistance



CLICK
HAND PROTECTION

Beeswift Micro Foam Nitrile Cut Level 5 Gloves

- High cut resistance.
- Nitrile micro foam palm coating.
- Dexterity with comfort.

- EN388: 2016
- Level 4 - Abrasion
- Level X - Cut Resistance
- Level 4 - Tear Resistance
- Level 2 - Puncture
- Level D - ISO 13997 Cut Resistance



CLICK
HAND PROTECTION



BEESWIFT
ONLINE

Product Code:
KS5

Available in Sizes:
S - XXL

Unit of Measure:
Each

Available in Colours:



Black
KS5



Cat 2 - Intermediate Risk



Mechanical Handling



BEESWIFT
ONLINE

Product Code:
KSPU5

Available in Sizes:
S - XXL

Unit of Measure:
Each

Available in Colours:

Black
KSPU5

CAT. II CE Cat 2 - Intermediate Risk

Mechanical Handling

Beeswift PU Coated Cut Level 5 Gloves

- 65% UHMWPE(Ultra high molecular weight polyethylene) + 35%PU
- 13 Gauge Seamless liner.
- PU coating, palm coated.
- High quality cut resistance.
- Excellent dexterity.
- EN388: 2016
- Level 4 - Abrasion
- Level X - Cut Resistance (Glove blunted the blade, ISO 13997 test required)
- Level 4 - Tear Resistance
- Level 3 - Puncture
- Level C - ISO 13997 Cut Resistance



BEESWIFT
ONLINE

Product Code:
BFHQWN

Available in Sizes:
ONE SIZE

Unit of Measure:
Bx 10

Available in Colours:

Blue
BFHQWN

CAT. II CE Cat 2 - Intermediate Risk

Conforms to the correct EN Standards

Fire Retardant

Mechanical Handling

Beeswift Cat2 High Quality Welders Gauntlet Gloves 16"

- Fully lined.
- Gold leather welts.
- Gold leather reinforced thumb and part palm.
- Reinforced stitching.

- EN388: 2016
- Level 4 - Abrasion
- Level X - Cut Resistance
- Level 4 - Tear Resistance
- Level 4 - Puncture
- Level C - ISO 13997 Cut Resistance

- EN 407:2004
- Level 4 - Burning Behaviour
- Level 3 - Contact Heat
- Level 3 - Convective heat
- Level X - Radiant heat
- Level 4 - Small splashes of Molten Metal
- Level X - Large splashes of Molten Metal

- EN12477: 2001+A1:2005 Type A





BEESWIFT
O N L I N E

Product Code:
BFPGW

Available in Sizes:
ONE SIZE

Unit of Measure:
Bx 10

Available in Colours:



Gold
BFPGW



Cat 2 - Intermediate Risk

Beeswift Premium Golden Welders Gauntlet Gloves 16"

- 16" Gold/Black cow split leather
- Fully lined
- Reinforced stitching
- Hand lining 100% cotton
- Outer in split leather
- EN388: 2016
- Level 4 - Abrasion
- Level X - Cut Resistance
- Level 4 - Tear Resistance
- Level 4 - Puncture
- Level C - ISO 13997 Cut Resistance
- EN 407:2004
- Level 4 - Burning Behaviour
- Level 3 - Contact Heat
- Level 3 - Convective heat
- Level X - Radiant heat
- Level 4 - Small splashes of Molten Metal
- Level X - Large splashes of Molten Metal
- EN12477: 2001+A1:2005 Type A



BEESWIFT
O N L I N E

Product Code:
C2WN

Available in Sizes:
14"

Unit of Measure:
Bx 10

Available in Colours:



Red
C2WN



Cat 2 - Intermediate Risk



Fire Retardant



Mechanical Handling

Beeswift Welders Gauntlet Gloves 14"

- Red Welders Gauntlet 14".
- Finger welts.
- Fully lined hand and cuff.
- EN388: 2016
- Level 3 - Abrasion
- Level X - Cut Resistance
- Level 2 - Tear Resistance
- Level 3 - Puncture
- Level B - ISO 13997 Cut Resistance
- EN407: 2004 4.2.3.X.4.X
- EN 12477:2001+A1:2005 - Type A





BEESWIFT
ONLINE

Product Code:
C2WRPN

Available in Sizes:
14"

Unit of Measure:
Bx 10

Available in Colours:



Red
C2WRPN



Cat 2 - Intermediate Risk



Fire Retardant



Mechanical Handling

Beeswift Welders Gauntlet Gloves 14" Reinforced Palm

- Red Welders Gauntlet 14".
- Reinforced Palm (two layers of leather).
- Finger welts.
- Fully lined including cuff.
- EN ISO 21420:2020
- EN388: 2016+A1:2018
- Level 4 - Abrasion
- Level X - Cut Resistance
- Level 4 - Tear Resistance
- Level 4 - Puncture
- Level C - ISO 13997 Cut Resistance
- EN 407:2020
- Level 4 - Burning Behaviour
- Level 3 - Contact Heat
- Level 3 - Convective heat
- Level X - Radiant heat
- Level 4 - Small splashes of Molten Metal
- Level X - Large splashes of Molten Metal
- EN 12477:2001 +A1:2005 - Type A



CLICK
HAND PROTECTION



BEESWIFT
ONLINE

Product Code:
HRG2N

Available in Sizes:
ONE SIZE

Unit of Measure:
Bx 10

Available in Colours:



Brown
HRG2N



Cat 2 - Intermediate Risk



Fire Retardant



Mechanical Handling



Minimal Risk

Beeswift High Quality Heat Resistant Gauntlet Gloves 18"

- Premium quality heat resistant gauntlet.
- Brown/silver split leather
- Heat resistant leather palm and back.
- Vein patch.
- Wool & canvas lined.
- 18" glove length
- 20cm circumference cuff opening.
- Textile edge binding.
- Reinforced stitching.
- EN388: 2016
- Level 4 - Abrasion
- Level X - Cut Resistance
- Level 4 - Tear Resistance
- Level 3 - Puncture
- Level B - ISO 13997 Cut Resistance
- EN 407:2004
- Level 4 - Burning Behaviour
- Level 1 - Contact Heat
- Level 3 - Convective heat
- Level 2 - Radiant heat
- Level X - Small splashes of Molten Metal
- Level 2 - Large splashes of Molten Metal



CLICK
HAND PROTECTION



BEESWIFT
ONLINE

Product Code:
CARC167OR

Available in Sizes:
38 - 54T

Unit of Measure:
Each

Available in Colours:



Orange
CARC167OR



Anti Static



CE Marked Category 3



Conforms to EN ISO 20471
for Hi Visibility



Fire Retardant



Arc Flash Protection



Garment conforms to
RIS-3279-TOM - Railway



Garment has Knee Pad
Pockets



Garment has a mobile
phone pocket

Beeswift Arc Compliant Hi-Vis Coverall

- Fire Retardant, Hi Vis, Anti-static, ARC Flash orange cargo style coverall
- RIS-3279-TOM issue 2 for use on or around railway lines
- 280gsm 50% Polyester, 26% Modacrylic, 17% Cotton, 7% Aramid with antistatic.
- Mandarin Collar
- 2 hip pockets.
- Rear patch pocket with hook and loop closure flap.
- Large bellows pocket to each leg with hook and loop closure flap.
- Right leg mobile phone pocket with hook and loop closure flap.
- All pocket flaps with Retro-reflective tape feature.
- Internal knee pad pouches.
- Large qualifying icons on left leg pocket.
- Available in Regular, and Tall leg
- As part of the garment qualification process, this garment has undergone testing through 50 wash cycles

- Conforms to:
EN ISO 13688:2013+A1:2021
EN ISO 20471:2013+A1:2016 (Class 3)
RIS-3279-TOM Issue 2:2019
EN 1149-5:2018
EN ISO 11611:2015 (A1 Class 2)
EN ISO 11612:2015 (A1 B1 C1 E1 F1)
EN 61482-2:2020 - (ATPV = 8.1 Cal/cm²)
(ELIM = 6.9 Cal/cm²)
(APC = 1)



CLICK
ARC FLASH

Beeswift Drivers Gloves Velcro Cuff

- High quality soft grain leather.
- knitted cotton back.
- Hook and loop cuff fastening.
- EN388: 2016
• Level 3 - Abrasion
• Level X - Cut Resistance
• Level 2 - Tear Resistance
• Level 1 - Puncture
• Level A - ISO 13997 Cut Resistance



BEESWIFT
ONLINE

Product Code:
DGVC

Available in Sizes:
S - XL

Unit of Measure:
Each

Available in Colours:



Black/White
DGVC



Cat 2 - Intermediate Risk



Mechanical Handling



CLICK
HAND PROTECTION



BEESWIFT
O N L I N E

Product Code:
FGIMP

Available in Sizes:
ONE SIZE

Unit of Measure:
Bx 10

Available in Colours:



Yellow
FGIMPN



Cat 2 - Intermediate Risk



Minimal Risk

BEESWIFT FREEZER GLOVES ONE PIECE BACK

- Full grain soft cowhide leather
- Gun pattern design.
- Elasticated cuff with integral vein patch
- Fully cotton fleece lined
- Robust hard wearing, multi purpose glove ideal for low temperature working.

• GLOVE IS SIZE L/9 •

- EN388: 2016
- Level 3 - Abrasion
- Level X - Cut Resistance
- Level 3 - Tear Resistance
- Level 3 - Puncture
- Level B - ISO 13997 Cut Resistance



CLICK
HAND PROTECTION

Beeswift Quality Lined Drivers Gloves

- Soft grain leather.
- Gun pattern design.
- Half elastication to back of cuff.
- Fleece lined.

- Colour co-ordinated sized cuffs
- L - Green Cuff
- XL - Blue Cuff

- EN388: 2016
- Level 3 - Abrasion
- Level X - Cut Resistance
- Level 4 - Tear Resistance
- Level 4 - Puncture
- Level B - ISO 13997 Cut Resistance



BEESWIFT
O N L I N E

Product Code:
QLDG

Available in Sizes:
L - XL

Unit of Measure:
Bx 10

Available in Colours:



Grey
QLDGPHN



Yellow
QLDGN



Cat 2 - Intermediate Risk



CLICK
HAND PROTECTION



BEESWIFT
O N L I N E

Product Code:
QUDGPHNL

Available in Sizes:
L - XL

Unit of Measure:
Bx 10

Available in Colours:



Gray
QUDGPHN

Beeswift Unlined Drivers Gloves

- Soft grain leather.
- Gun pattern design.
- Half elastication to back of cuff.
- Colour co-ordinated sized cuffs
- L - Green Cuff
- XL - Blue Cuff
- EN ISO 21420:2020
- EN388: 2016+A1:2018
- Level 3 - Abrasion
- Level X - Cut Resistance
- Level 3 - Tear Resistance
- Level 3 - Puncture
- Level B - ISO 13997 Cut Resistance



CLICK
HAND PROTECTION

Beeswift Acrylic Fibre Gloves

- Acrylic fibre knit.
- One size.
- Generous fit.
- Minimal Risk.



BEESWIFT
O N L I N E

Product Code:
ACGBL

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Black
ACG



Minimal Risk



Cat 1 - Minimal Risk



CLICK
HAND PROTECTION



BEESWIFT
O N L I N E

Product Code:
FLM

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Black



Cat 1 - Minimal Risk



Minimal Risk

BEESWIFT FINGERLESS MITTS

- Acrylic fibre knit.
- One size fits all.
- Minimal risk.



CLICK
HAND PROTECTION

MIXED FIBRE GLOVES

- Mixed fibre non specific glove.
- 70/30 cotton / polyester blend.
- One size.
- Can be used as heavyweight liner.
- Minimal Risk



BEESWIFT
O N L I N E

Product Code:
MFG

Available in Sizes:
L

Unit of Measure:
Bx 240

Available in Colours:



Grey
MFGNGY



Cat 1 - Minimal Risk



Minimal Risk



CLICK
HAND PROTECTION



BEESWIFT
O N L I N E

Product Code:
SKWS

Available in Sizes:
M - L

Unit of Measure:
Bx 600

Available in Colours:



White
SKWSN



Cat 1 - Minimal Risk

Beeswift Stockinette Super Knitwrist Gloves

- 100% Cotton
- 600 pairs per case



CLICK
HAND PROTECTION

Beeswift Thinsulate Fleece Gloves

- Fleece glove with 3M Thinsulate underlayer.
- Microfibre technology to keep the hands warm.
- Generously sized.
- One size fits all
- Ideal for winter use.
- Minimal risk, no standards attached.



BEESWIFT
O N L I N E

Product Code:
THFLG

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Black
THFLGBL



Cat 1 - Minimal Risk



CLICK
HAND PROTECTION



BEESWIFT
ONLINE

Product Code:
THG

Available in Sizes:
One Size

Unit of Measure:
Each

Available in Colours:
 Black



Garment has 3M
Thinsulate Lining



Cat 1 - Minimal Risk



Minimal Risk

Beeswift Thinsulate Gloves

- Knitted acrylic with 3M Thinsulate underlayer.
- Microfibre technology to keep the hands warm.
- Effective when wet and dries quickly.
- Ideal for winter use.
- Minimal risk, no standards attached.



CLICK
HAND PROTECTION



BEESWIFT
ONLINE

Product Code:
XXN

Available in Sizes:
XL

Unit of Measure:
Bx 10

Available in Colours:
 Orange
XXN



Cat 2 - Intermediate Risk



Mechanical Handling

Beeswift Criss Cross Gloves

- Yellow/gold knitted base.
- PVC criss cross coating.
- Multi purpose glove offering excellent grip.

- EN388: 2016
- Level 2 - Abrasion
- Level X - Cut Resistance
- Level 3 - Tear Resistance
- Level 1 - Puncture
- Level B - ISO 13997 Cut Resistance



CLICK
HAND PROTECTION



BEESWIFT
O N L I N E

Product Code:
BCTS

Available in Sizes:
S - 4XL

Unit of Measure:
Each

Available in Colours:



Navy Blue
BCTSN



Cat 1 - Minimal Risk

Beeswift Lightweight T-Shirt

- 150gsm polyester lightweight fabric
- Wicking treatment
- Moisture absorbing
- Anti-Perspiring



CLICK
WORKWEAR



BEESWIFT
O N L I N E

Product Code:
CLCTS

Available in Sizes:
S - XXL

Unit of Measure:
Each

Available in Colours:



Black
CLCTSHWBL



Bottle Green
CLCTSHWBG



Navy Blue
CLCTSHWN



Red
CLCTSHWRE



Royal Blue
CLCTSHWR



White
CLCTSHWW

Beeswift Heavyweight T-Shirt

- 100% Cotton
- Twin needle stitching
- Generous sizing
- 180gsm premium weight



CLICK
WORKWEAR



BEESWIFT
ONLINE

Product Code:
CLCTS1

Available in Sizes:
S - XXXL

Unit of Measure:
Each

Available in Colours:



Navy Blue
CLCTSN



Royal Blue
CLCTSR



White
CLCTSW



Cat 1 - Minimal Risk

Beeswift Standard T-Shirt

- 100% Cotton
- Twin needle stitching
- Generous sizing
- 150gsm standard weight



Beeswift Carnoustie Hi-Vis Fleece Jacket

- High density 300gm polyester fabric.
- Angled hand warmer pockets.
- Retro - Reflective tape.
- Drawcord at hip.
- Fully interchangeable with - 'CAR' Carnoustie Jacket (sold separately).
- Conforms to EN ISO 13688:2013
- Conforms to EN ISO 20471:2013+A1:2016
Class 3 High Visibility
- RIS-3279-TOM - Railway use Certified



BEESWIFT
ONLINE

Product Code:
CARF

Available in Sizes:
S - 4XL

Unit of Measure:
Each

Available in Colours:



Orange
CARFOR



Saturn Yellow
CARFSY



CE Marked Category 2



Conforms to EN ISO 20471
for Hi Visibility



Product supplied with retail
tags



Conforms to the correct EN
standards



Fully interactive with
another garment



Garment conforms to
RIS-3279-TOM - Railway





BEESWIFT
ONLINE

Product Code:
DBS

Available in Sizes:
ONE SIZE

Unit of Measure:
Dozen

Available in Colours:



Blue
DBSBL



Brown
DBSBR



Cat 1 - Minimal Risk

Beeswift Disposable Beard Snood

Our 5mm Close Mesh Beard Snood, is made from polypropylene for high moisture transportation and wicking properties. This helps to diffuse the risk of the wearer recycling carbon dioxide on inhalation; when compared to a non-woven Beard Cover.

- This product is Metal Free.
- Complete lower face cover
- Lightweight mesh encloses beards and moustaches
- Ideal method for eliminating loose hair contamination
- Fits comfortably and snugly around the face
- Material is ignition resistant
- Standard size
- Pack size of 12
- Carton of 2400 (200 packs of 12)



CLICK
ONCE

Beeswift Detectable Hairnet

- Metal Detectable
- 5mm mesh size hairnet, which trap both long and short hair effectively, whilst maintaining airflow
- The lay flat double elastic headband distributes pressure evenly to avoid skin indentation and discomfort
- Manufactured with polypropylene for high moisture transportation and wicking properties
- keeps workers cooler and more comfortable and less prone to touching and adjusting headwear
- New, fully recyclable, cardboard packaging
- Keeps product hygienically enclosed until point of use
- Fits in wall mounted glove dispensers



BEESWIFT
ONLINE

Product Code:
DHBDET

Available in Sizes:
ONE SIZE

Unit of Measure:
PK 100

Available in Colours:



Blue
DHBDET



CLICK
ONCE



BEESWIFT
O N L I N E

Product Code:
DHBN

Available in Sizes:
ONE SIZE

Unit of Measure:
PK 100

Available in Colours:



Blue
DHBN

Beeswift Disposable Hairnet

- Metal Free
- 5mm mesh size hairnet, which trap both long and short hair effectively, whilst maintaining airflow
- The lay flat double elastic headband distributes pressure evenly to avoid skin indentation and discomfort
- Manufactured with polypropylene for high moisture transportation and wicking properties
- keeps workers cooler and more comfortable and less prone to touching and adjusting headwear
- New, fully recyclable, cardboard packaging
- Keeps product hygienically enclosed until point of use
- Fits in wall mounted glove dispensers



CLICK
ONCE

DISPOSABLE HAIRNET

- Metal free
- 5mm mesh size hairnet, which trap both long and short hair effectively, whilst maintaining airflow
- The lay flat double elastic headband distributes pressure evenly to avoid skin indentation and discomfort
- Manufactured with polypropylene for high moisture transportation and wicking properties
- Keeps workers cooler and more comfortable and less prone to touching and adjusting headwear
- New, fully recyclable, cardboard packaging
- Keeps product hygienically enclosed until point of use
- Fits in wall mounted glove dispensers



BEESWIFT
O N L I N E

Product Code:
DHWN

Available in Sizes:
ONE SIZE

Unit of Measure:
PK 100

Available in Colours:



White
DHWN



CLICK
ONCE



BEESWIFT
ONLINE

Product Code:
DMC

Available in Sizes:
ONE SIZE

Unit of Measure:
Bx 1Th

Available in Colours:



Blue
DMCB



Green
DMCG



Red
DMCR



White
DMCW



Yellow
DMCY



Cat 1 - Minimal Risk

Beeswift Disposable Mob Cap

- Soft and lightweight hair net
- Fully elasticated cap
- Made from non woven fabric
- Standard size fits all



CLICK
ONCE

BEESWIFT HOUSE HOLD HEAVYWEIGHT GLOVES

- Heavy weight rubber glove.
- Manufactured from neoprene blended natural latex.
- Cotton flock lining.
- Resistant to selected chemicals and acids.

- EN388: 2016
- Level 2 - Abrasion
- Level X - Cut Resistance
- Level 1 - Tear Resistance
- Level 1 - Puncture
- Level 0 - ISO 13997 Cut Resistance

- EN 374-1: 2016 - TYPE C
Chemical - Breakthrough Time
Methanol (A) - More than 10 Mins (Level 1)
Sulphuric Acid 96% (L) - More than 120 Mins (Level 4)
Sodium Hydroxide 40% (K) - More than 480 Mins (Level 6)



BEESWIFT
ONLINE

Product Code:
HWCG

Available in Sizes:
S-XXL

Unit of Measure:
Each

Available in Colours:



Black
HWCGBL



Royal/Yellow
HWCGYR



Cat 3 - High Risk



Chemical Hazards



Mechanical Handling



Micro Organisms



CLICK
HAND PROTECTION



BEESWIFT
ONLINE

Product Code:
CARC163OR

Available in Sizes:
S-4XL

Unit of Measure:
Each

Available in Colours:



Orange
CARC163OR

BEESWIFT ARC COMPLIANT HI-VIS SWEATSHIRT

- Fire Retardant, Anti-Static, Hi-Vis Orange, ARC Flash Sweatshirt.
- RIS-3279-TOM Issue 2:2019 for use on or around railway lines.
- 300gsm Modacrylic/Cotton/Polyester/Aramid/Antistatic.
- Inherently flame retardant.
- Fire Retardant properties will not diminish with repeated laundering.
- Ribbed cuffs.
- Ribbed waistband.
- For industrial workers exposed to heat.
- Not suitable for fire fighters.
- Very robust yet soft and comfortable to wear.
- As part of the garment qualification process, this garment has undergone testing through 25 wash cycles

- Conforms to:
EN ISO 13688:2013+A1:2021

EN ISO 20471:2013+A1:2016 (Class 3)

RIS-3279-TOM Issue 2:2019

EN 1149-5:2018

EN ISO 11612:2015 (A1 B1 C2 F1)

EN 61482-2:2020 - (ATPV = 9.8 Cal/cm2)
(ELIM = 6.9 Cal/cm2)
(APC = 1)



Beeswift Mercury Bomber Jacket

- Polyester/Pongee fabric
- 2 x zipped side pockets with reflective edge
- 1 x zipped security pocket
- Adjustable hook and loop cuffs
- Elasticised waist
- Polar fleece lined
- Zipped logo access
- 2 x internal zipped pockets
- Internal mobile phone pocket
- Taped Seams
- Zip away hood



BEESWIFT
ONLINE

Product Code:
MUBJ

Available in Sizes:
S - 5XL

Unit of Measure:
Each

Available in Colours:



Black
MUBJBL



Navy Blue
MUBJN



Cat 1 - Minimal Risk



Garment has a Fully Elasticated Waistband



Garment has welded or reinforced seams



Garment comes with a hood



Garment has a mobile phone pocket



Garment conforms to EN343





BEESWIFT
FOCUSED ON SAFETY

Product Code:
BSD310R

Available in Sizes:
S - 5XL

Unit of Measure:
Each

Available in Colours:



Orange
BSD310R



CE Marked Category 2



Conforms to EN ISO 20471
for Hi Visibility



UK CA Marked CAT 2

Beeswift Deltic Hi-Vis Softshell Rail Bodywarmer

- 100% Softshell polyester bonded fabric
- 210gsm fabric weight
- Medium weight bodywarmer
- Left breast pocket with zip
- Full length zip for complete closures
- Garment fully fleece lined
- Soft touch zip pulls on all zips
- Heavy duty ykk front zip closure
- Hip pockets
- Shaped design for added styling
- Two internal pockets
- Elasticated hip drawstring with puller
- Shaped back for added comfort
- 60mm segmented tape for greater visibility

• Interactive bodywarmer can be used in combination with the Jacket (BSD21)

- Conforms to EN ISO 13688:2013+A1:2021

- Conforms to EN ISO 20471:2013+A1:2016
Class 2 High Visibility

- RIS-3279-TOM Issue 2 - Railway use certified.



BEESWIFT
FOCUSED ON SAFETY

Product Code:
BSDBWTT

Available in Sizes:
S - 6XL

Unit of Measure:
Each

Available in Colours:



Orange / Black
BSDBWTTORBL



Saturn Yellow / Navy
BSDBWTTTSYN



CE Marked Category 2



Conforms to EN ISO 20471
for Hi Visibility



UK CA Marked CAT 2

Beeswift Deltic Two-Tone Hi-Vis Softshell Rail Bodywarmer

- 100% Softshell polyester bonded fabric
- 210gsm fabric weight
- Medium weight bodywarmer
- Garment fully fleece lined
- 60mm segmented tape for greater visibility
- Hi viz accents for added styling
- Full length heavy duty YKK zip
- Snorkel with fleece lined neck
- Soft touch zip pulls on all zips
- Left breast pocket with zip
- Two hip pockets with zips
- Two internal pockets
- Elasticated hip drawstring with adjustable puller
- Contrast colour in areas that soil most
- Generous sizing to interact with other garments

• Interactive bodywarmer can be used in combination with the Jacket (BSDJTT)

- Conforms to EN ISO 13688:2013+A1:2021

- Conforms to EN ISO 20471:2013+A1:2016
Class 2 High Visibility

- RIS-3279-TOM Issue 2 - Railway use certified.





BEESWIFT
ONLINE

Product Code:
BWENG

Available in Sizes:
S - 6XL

Unit of Measure:
Each

Available in Colours:



Orange / Grey
BWENGOR



Saturn Yellow / Navy
BWENGSY



CE Marked Category 2



Conforms to EN ISO 20471
for Hi Visibility



Product supplied with retail
tags



Conforms to the correct EN
standards



Fully interactive with
another garment



Garment has a mobile
phone pocket



Garment conforms to
RIS-3279-TOM - Railway



Garment is reversible

Beeswift Reversible Hi-Vis Interactive Bodywarmer

Reversible Hi Vis "interactive" Bodywarmer

- PU coating to hi-vis side.
 - Grey polycotton lining on reverse.
 - Heavy duty zip.
 - 2 zipped pockets on both sides.
 - Mobile phone compartment on quilted side.
 - Retro-Reflective tape.
-
- Conforms to EN ISO 13688:2013+A1:2021
 - Conforms to EN ISO 20471:2013+A1:2016
Class 2 High Visibility
 - RIS-3279-TOM Issue 2 - Railway use certified.



BEESWIFT
ONLINE

Product Code:
IWBWENGSY

Available in Sizes:
S - XXXL

Unit of Measure:
Each

Available in Colours:



Saturn Yellow
IWBWENGSY



Garment conforms To
EN471

Initial High Visibility Bodywarmer

- EN471 class 2.
- PU coating to hi-vis side.
- Reversible bodywarmer 'zipout'.
- Knitted collar.
- Heavy duty zip.
- Navy polycotton diamond quilt on reverse.
- 2 patch pockets on quilted side.
- Reflective Material.





BEESWIFT
ONLINE

Product Code:
PBW65

Available in Sizes:
S - 6XL

Unit of Measure:
Each


Available in Colours:

 Orange
PBW65OR

 Saturn Yellow
PBW65SY

Beeswift Mens Bodywarmer

- 100% Polyester, 180gsm
- Heavy duty zip.
- 2 zipped pockets.
- Segmented Retro-Reflective tape.
- Conforms to EN ISO 13688:2013+A1:2021
- Conforms to EN ISO 20471:2013+A1:2016
Class 2 High Visibility



BEESWIFT
ONLINE

Product Code:
PBWTT01

Available in Sizes:
S - 6XL

Unit of Measure:
Each

Available in Colours:

 Orange / Black
PBWTT01ORB

 Saturn Yellow / Navy
PBWTT01SYN

Mens Two-Tone Bodywarmer

- 100% Polyester, 180gsm
- Heavy duty zip.
- 2 zipped pockets.
- Shoulder patches of secondary colour
- Segmented Retro-Reflective tape.
- Conforms to EN ISO 13688:2013+A1:2021
- Conforms to EN ISO 20471:2013+A1:2016
Class 2 High Visibility
- RIS-3279-TOM Issue 2 - Railway use certified.





BEESWIFT
O N L I N E

Product Code:
WBW01

Available in Sizes:
XS - 6XL

Unit of Measure:
Each

Available in Colours:



Orange
WBW01OR



Saturn Yellow
WBW01SY

Beeswift Womens Bodywarmer

- 100% Polyester with PU coating 180gsm
- Heavy duty zip.
- 2 zipped pockets on both sides.
- Mobile phone compartment on inside
- Retro-Reflective tape.
- Conforms to EN ISO 13688:2013+A1:2021
- Conforms to EN ISO 20471:2013+A1:2016
Class 2 High Visibility
- RIS-3279-TOM Issue 2 - Railway use certified.



BEESWIFT
O N L I N E

Product Code:
DO14

Available in Sizes:
ONE SIZE

Unit of Measure:
Bx 2th

Available in Colours:



Blue
DO14B2



Cat 1 - Minimal Risk

Beeswift Disposable Oversleeve 14"

- Elasticated cuffs and upper arm
- Offers secure comfortable fitting
- Ideal for use in the food industry
- 2000 loose (1000 pairs)
- Non compliant to any EN standard





BEESWIFT
ONLINE

Product Code:
COC10

Available in Sizes:
S - 4XL

Unit of Measure:
Each

Available in Colours:



Navy Blue
COC10N



White
COC10W



Garment has breathable fabric



Cat 3 - High Risk



Conforms to the correct EN standards



Chemical Hazards



Limited Chemical Splash Protection



Garment comes with a hood



Noxious Dust



ClickOnce Retail Bag

Beeswift Disposable Coverall Type 5/6

- Protective coverall CE Type 5 & 6
- 50gsm
- For fine dust particles
- Reduced spray and limited splash
- 2 way zip front with adhesive storm flap
- Elasticated cuffs, ankles, waist and hood
- Breathable fabric
- Ideal for hazardous waste removal
- Individually packaged
- Very economical

- Conforms to:
EN ISO 13688:2013+A1:2021
- EN ISO 13982-1:2004+A1:2010 (Type 5)
- EN 13034:2005+A1:2009 (Type 6)
- EN 1073-2:2002 (Class 2)
- EN 1149-5: 2018
- EN 14325:2004



BEESWIFT
ONLINE

Product Code:
COC20

Available in Sizes:
S - 4XL

Unit of Measure:
Each

Available in Colours:



White
COC20W



Anti Static



Garment has breathable fabric



Cat 3 - High Risk



Conforms to the correct EN standards



Chemical Hazards



Limited Chemical Splash Protection



Noxious Dust



ClickOnce Retail Bag

Beeswift Disposable Coverall Microporous Type 5/6

- Protective coverall CE Type 5 & 6
- For fine dust particles, reduced spray and limited splash
- Anti static
- 2 way zip front with storm flap
- Elasticated cuffs, ankles, waist and hood
- Microporous breathable fabric
- Individually packaged
- Very economical

- Conforms to:
EN ISO 13688:2013+A1:2021
- EN ISO 13982-1:2004+A1:2010 (Type 5B)
- EN 13034:2005+A1:2009 (Type 6B)
- EN 1073-2:2002 (Class 1)
- EN 14126:2003+AC:2004
Resistance to Penetration by contaminated liquids under hydrostatic pressure =
Class 6
Resistance to Penetration by infective agents due to mechanical contact with
substances containing contaminated liquids = Class 6
Resistance to penetration by contaminated liquid aerosols = Class 3
Resistance to penetration by contaminated solid particles = Class 3
- EN 1149-5: 2018
- EN 14325:2004





BEESWIFT
ONLINE

Product Code:
COC40

Available in Sizes:
S - 4XL

Unit of Measure:
Each

Available in Colours:



Yellow
COC40Y



* See the pictogram key for description

Beeswift Disposable Coverall Microporous Type 4/5/6

Microporous type 3/4/5/6 disposable coverall

- 90gm 56% SMS polypropylene, 44% polyethylene
- Polyethylene laminated +3 layers of polypropylene
- Ultrasonic taped seams
- Elasticated hood, wrists, ankles and waist
- Zip front with storm flap
- Elasticated thumb loops

Ideal uses:

- Maintenance & Repair
- Powder coating
- Insulation laying
- Pharmaceutical manufacture
- Paint spraying
- Wood & Metal processing
- Low level chemical handling
- Resin application
- Pressure/Steam water cleaning
- Fibreglass manufacture

- Conforms to:

EN ISO 13688:2013+A1:2021

EN 14605:2005+A1:2009 (Type 3B & 4B)

EN ISO 13982-1:2004+A1:2010 (Type 5B)

EN 13034:2005+A1:2009 (Type 6B)

EN 1073-2:2002 (Class 2)

EN 14126:2003+AC:2004

Resistance to Penetration by contaminated liquids under hydrostatic pressure =

Class 6

Resistance to Penetration by infective agents due to mechanical contact with substances containing contaminated liquids = Class 6

Resistance to penetration by contaminated liquid aerosols = Class 3

Resistance to penetration by contaminated solid particles = Class 3

EN 1149-5: 2018



CLICK
ONCE



BEESWIFT
ONLINE

Product Code:
PDBSH

Available in Sizes:
M - XXL

Unit of Measure:
Each

Available in Colours:



Navy Blue
PDBSHN



White
PDBSHW



Garment has a Fully Elasticated Waistband



Garment comes with a hood



Cat 1 - Minimal Risk

Beeswift Polprop Disposable Coverall

- Fabric disposable boilersuit
- Non woven fabric
- 33gsm SMS (spunbond + meltblown + spunbond nonwovens)
- Elasticated hood
- Elasticated waistband and ankles
- No.3 nylon spiral one-way zip front opening
- Zip colour matches garment shell fabric.



CLICK
ONCE



BEESWIFT
O N L I N E

Product Code:
PDVC

Available in Sizes:
M - XXL

Unit of Measure:
Each

Available in Colours:



White
PDVC



Cat 1 - Minimal Risk

Beeswift Polyprop Disposable Visitors Coat

- Non woven polypropylene
- Disposable visitors coat with collar
- Hook and loop fastening



CLICK
ONCE

Beeswift ID Armband

- Visible identification for wearer
- The ID armband is made from tough clear PVC with a protective flap to stop water from entering the pocket
- Adjustable elastic band to allow secure positioning on the upper arm
- Wipe cleanable
- Tough and durable
- Ideal for use by security personnel, doormen, stewards, key members of staff



BEESWIFT
O N L I N E

Product Code:
AB1

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Green
AB1



Cat 1 - Minimal Risk



BEESWIFT



BEESWIFT
O N L I N E

Product Code:
AB2

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Red
AB2



Cat 1 - Minimal Risk

Beeswift ID Armband

- Visible identification for wearer
- The ID armband is made from tough clear PVC with a protective flap to stop water from entering the pocket
- Adjustable elastic band to allow secure positioning on the upper arm
- Wipe cleanable
- Tough and durable
- Ideal for use by security personnel, doormen, stewards, key members of staff



BEESWIFT



BEESWIFT
O N L I N E

Product Code:
AB3

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Yellow
AB3



Cat 1 - Minimal Risk

Beeswift ID Armband

- Visible identification for wearer
- The ID armband is made from tough clear PVC with a protective flap to stop water from entering the pocket
- Adjustable elastic band to allow secure positioning on the upper arm
- Wipe cleanable
- Tough and durable
- Ideal for use by security personnel, doormen, stewards, key members of staff



BEESWIFT



BEESWIFT
ONLINE

Product Code:
CFRASBBS

Available in Sizes:
36 - 46

Unit of Measure:
Each

Available in Colours:



Navy Blue
CFRASBSN



Orange
CFRASBSOR



Garment is anti-static



Cat 2 - Intermediate Risk



Garment is fire retardant



Half Elasticated



Garment is suitable for
welding

Beeswift Burgan Fire Retardant Anti-Static Boilersuit

- 220 gram 99% Cotton, 1% Anti-static fibre
- Flame retardant/Anti static treated fabric
- FR retro-reflective tape. (Nordic Design)
- Concealed zip front to neck
- Two breast pockets, brass zip closure
- Two hip pockets, vertical access
- One rear hip patch pocket with flap
- One plain patch hip pocket
- Rule pocket
- Half elasticated waist
- Plain cuffs and ankles

- Conforms to:
EN ISO 13688:2013

EN 1149-5:2018

EN ISO 11611:2015 (A1 Class 1)

EN ISO 11612:2015 (A1 B1 C1)

- Does NOT conform to EN ISO 20471



CLICK
FLAME RETARDANT

Beeswift Fire Retardant Boilersuit

- 300 gram 100% cotton drill fabric with flame retardant treatment
- Concealed stud front to neck
- One left breast pocket with flap
- Two front hip pockets
- Plain back and hips
- Embroidered 'FR' logo to upper left sleeve

- Conforms to:
EN ISO 13688:2013

EN ISO 11611:2015 (A1 Class 1)

EN ISO 11612:2015 (A1 B1 C1)

- Does NOT conform to EN ISO 20471

1 garment per polybag.
10 garments per carton.



BEESWIFT
ONLINE

Product Code:
CFRBS

Available in Sizes:
36 - 60

Unit of Measure:
Each

Available in Colours:



Navy Blue
CFRBSN



Orange
CFRBSOR



Red
CFRBSRE



Cat 2 - Intermediate Risk



Conforms to the correct EN
Standards



Garment is fire retardant



Garment is suitable for
welding



CLICK
FLAME RETARDANT




BEESWIFT
ONLINE

Product Code:
CFRBSND

Available in Sizes:
36 - 54

Unit of Measure:
Each

Available in Colours:



Beeswift Nordic Design Fire Retardant Boilersuit

- 300 gram 100% cotton drill fabric with flame retardant treatment
- FR reflective tape. (Nordic Pattern)
- Concealed stud front to neck
- One left breast pocket with flap
- Two front hip pockets
- Knee pad pockets
- Plain back and hips

- Conforms to:
EN ISO 13688:2013

EN ISO 11611:2015 (A1 Class 1)

EN ISO 11612:2015 (A1 B1 C1)
- Does NOT conform to EN ISO 20471



BEESWIFT
ONLINE

Product Code:
CO020

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Beeswift Hand Sanitising Cleansing Wipes

- Hand sanitizer wipes
 - Removes dirt and grime
 - Cleans hands
 - No need to use water
 - Tested to EN1276, EN1650 & EN14476
-
- 200 wipes per dispenser.





BEESWIFT
ONLINE

Product Code:
CARC165

Available in Sizes:
28S - 50T

Unit of Measure:
Each

Available in Colours:
 Orange
CARC165OR

Beeswift Arc Compliant Hi-Vis Trousers

- Fire Retardant, Hi Vis, Anti-static, ARC Flash orange cargo style trousers
- RIS-3279-TOM issue 2 for use on or around railway lines
- 280gsm 50% Polyester, 26% Modacrylic, 17% Cotton, 7% Aramid with antistatic.
- 5 belt loop part elastic waistband, double button closure.
- 2 hip pockets.
- Rear patch pocket with hook and loop closure flap.
- Large bellows pocket to each leg with hook and loop closure flap.
- Right leg mobile phone pocket with hook and loop closure flap.
- All pocket flaps with Retro-reflective tape feature.
- Internal knee pad pouches.
- Large qualifying icons on left leg pocket.
- Available in Short, Regular, and Tall leg
- As part of the garment qualification process, this garment has undergone testing through 50 wash cycles

- Conforms to:
EN ISO 13688:2013+A1:2021
EN ISO 20471:2013+A1:2016 (Class 2)
RIS-3279-TOM Issue 2:2019
EN 1149-5:2018
EN ISO 11611:2015 (A1 Class 2)
EN ISO 11612:2015 (A1 B1 C1 E1 F1)
EN 61482-2:2020 - (ATPV = 8.1 Cal/cm²)
(ELIM = 6.9 Cal/cm²)
(APC = 1)



BEESWIFT
ONLINE

Product Code:
2FF2V

Available in Sizes:
ONE SIZE

Unit of Measure:
Bx 20

Available in Colours:
 White
2FF2V

Beeswift Fold Flat P2 Valved Mask

- Vertical fold flat design.
- Comfortable face fit.
- Low breathing resistance.
- Conforms to EN149:2001 + A1:2009 FFP2 NR V

For Hazard Type: Toxic dusts, fumes and water-based mists.
Example: Working with hardwood, glass fibres and plastic (non PVC) and some metalwork.

- Alt Code: WSB550





BEESWIFT
O N L I N E

Product Code:
3FF3V

Available in Sizes:
ONE SIZE

Unit of Measure:
Bx 20

Available in Colours:



White
3FF3V



Cat 3 - High Risk

Beeswift Fold Flat P3 Valved Mask

- Maintenance free particulate respirator.
- Polypropylene (P.P) outer layer provides smooth lining and avoids loose fibres.
- Contour design ensures the compatibility of glasses / goggles and reduces fogging.
- Adjustable nosepiece ensures custom shape and increase the worker comfort and acceptance.

- Conforms to EN149:2001 + A1:2009 FFP3 NR V

For Hazard Type: Fine Toxic dusts, fumes and water-based mists.

Example: Working with hardwood, glass fibres and plastic (non PVC), metalworking and welding.



BEESWIFT
O N L I N E

Product Code:
BB3000A1

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Grey
BB3000A1



Cat 3 - High Risk

Beeswift Respirator A1 Filters (pair)

A1 Filters for BB3000 Respirator Range

Filters organic vapour solvents such as White Spirit Toluene or Carbon Tetrachloride (CCl4)

EN 14387:2008





BEESWIFT
O N L I N E

Product Code:
BB3000A1P2

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Grey
BB3000A1P2



Cat 3 - High Risk

Beeswift Respirator A1P2 Filters (pair)

A1P2 Filters for BB3000 Respirator Range

Filters:

- Organic Vapour solvents such as White Spirit Toluene or Carbon Tetrachloride (CCl₄).
- Fine Toxic Dust, Water and Oil based Mists/Aerosols.

EN 14387:2008



BEESWIFT
O N L I N E

Product Code:
BB3000ABEK

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Grey
BB3000ABEK



Cat 3 - High Risk

Beeswift Respirator ABEK1 Filters (pair)

- For protection against organic gases and vapours with a boiling point > 65 deg c.
- Inorganic gases and vapours, Sulphur Dioxide and other acidic gases and vapours as well as against ammonia and organic ammonia derivatives.

- Filter type and Class : ABEK1

EN 14387:2008





BEESWIFT
ONLINE

Product Code:
BB3000L

Available in Sizes:
L

Unit of Measure:
Each

Available in Colours:



Blue
BB3000L



Cat 3 - High Risk

Beeswift Twin Filter Respirator Large

- Face piece produced from soft non-allergic TPE material
- Provides excellent fit to aid with protection
- Low profile design offers improved field of vision
- Soft adjustable strap ensures a perfect fit to wide range of contours
- Can be fitted with A1, ABEK, and P3 filter cartridges
- Gas filters can be fitted with replaceable pre-filters and retainer adapters

EN 140:1998



B-SAFE
BY BEESWIFT

Beeswift Twin Filter Respirator Medium

- Face piece produced from soft non-allergic TPE material
- Provides excellent fit to aid with protection
- Low profile design offers improved field of vision
- Soft adjustable strap ensures a perfect fit to wide range of contours
- Can be fitted with A1, ABEK, and P3 filter cartridges
- Gas filters can be fitted with replaceable pre-filters and retainer adapters

EN 140:1998



BEESWIFT
ONLINE

Product Code:
BB3000M

Available in Sizes:
M

Unit of Measure:
Each

Available in Colours:



Grey
BB3000M



Cat 3 - High Risk



B-SAFE
BY BEESWIFT



BEESWIFT
O N L I N E

Product Code:
BB3000P3

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Grey
BB3000P3



Cat 3 - High Risk

Beeswift Respirator P3R Filters (Pair)

- P3 Filters for BB3000 Respirators

Filters Fine Toxic Dust, Fumes, Water and Oil based Mists/Aerosols.

- EN143:2007



Beeswift Respirator Pre Filters (5 Pair Pack)

Pre Filters for BB3000 Respirators



BEESWIFT
O N L I N E

Product Code:
BB3000PF

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Blue
BB3000PF



Cat 3 - High Risk





BEESWIFT
O N L I N E

Product Code:
BB3000RET

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Grey
BB3000RET



Cat 3 - High Risk

Beeswift Respirator Cartridge Retainer (Pair)

Cartridge Retainers for BB3000 Respirators



BEESWIFT
O N L I N E

Product Code:
BB3020

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Grey
BB3020



Cat 3 - High Risk

Beeswift Twin Filter Complete Pre-Assembled Respirator with A1P2 Filters

- Pre-assembled ready mask c/w A1P2 filters
- Face piece produced from soft non-allergic TPE material
- Provides excellent fit to aid with protection
- Low profile design offers improved field of vision
- Soft adjustable strap ensures a perfect fit to a wide range of contours
- Can be fitted with A1, ABEK and P3 filter cartridges
- Gas filters can be fitted with replaceable pre-filters and retainer adapters.

Provided filters protect against:

- Organic Vapour Solvents such as White Spirit Toluene or Carbon Tetrachloride (CCl₄)
- Particulate Fine Toxic Dust, Water and Oil based Mists/ Aerosols.

- Half Mask Conforms to EN140:1998
- Filters Conform to EN14387:2001





BEESWIFT
O N L I N E

Product Code:
BB3030

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Grey
BB3030



Cat 3 - High Risk

Beeswift Twin Filter Complete Pre-Assembled Respirator with ABEK Filters

- Pre-assembled ready mask c/w ABEK filters
- Face piece produced from soft non-allergic TPE material
- Provides excellent fit to aid with protection
- Low profile design offers improved field of vision
- Soft adjustable straps ensures a perfect fit to a wide range of contours
- Can be fitted with A1, ABEK and P3 filter cartridges.
- Gas filters can be fitted with replaceable pre-filters and retainer adapters.
- Provided filters for protection against organic gases and vapours with boiling point >65c inorganic gases and vapours sulphur dioxide ammonia and organic ammonia derivatives.
- Half Mask Conforms to EN140:1998
- Filters Conform to EN14387:2001



Beeswift P3 Fold Flat Valved Mask

- Maintenance free particulate respirator.
- Polypropylene (P.P) outer layer provides smooth lining and avoids loose fibres.
- Latex free synthetic rubber head strap.
- Contour design ensures the compatibility of glasses / goggles and reduces fogging.
- Soft close-cell nose foam and adjustable nosepiece ensure custom shape and increase the worker comfort and acceptance.
- Soft inner face-seal ring
- Conforms to EN149:2001 + A1:2009 FFP3 NR

For Hazard Type: Fine Toxic dusts, fumes and water-based mists.
Example: Working with hardwood, glass fibres and plastic (non PVC), metalworking and welding.



BEESWIFT
O N L I N E

Product Code:
BBFFP3V

Available in Sizes:
ONE SIZE

Unit of Measure:
Bx 20

Available in Colours:



White
BBFFP3VN



Cat 3 - High Risk



B-Brand P3 Mask



BEESWIFT
ONLINE

Product Code:
BBMMP2CVDN

Available in Sizes:
ONE SIZE

Unit of Measure:
Bx 10

Available in Colours:



Black
BBMMP2CVDN



Cat 3 - High Risk



B-Brand P2 Mask

Beeswift Charcoal P2 Premium Mesh Cup Mask

- Soft foam nose seal for added comfort.
- Mesh shell for more durability and resists collapsing.
- Adjustable clip strap for simple and quick release.
- Dolomite clogging tested, gives better breathing resistance and for a longer time period.
- Easy breathe exhale valve.
- All carbon (charcoal) helps absorb smell and odours.
- Premium mask for the more demanding applications.

- EN149:2001+A1:2009 FFP2 NR D

For Hazard Type: Toxic dusts, fumes and water-based mists.

Example: Working with hardwood, glass fibres and plastic (non PVC) and some metalwork.



B-SAFE
BY BEESWIFT

Beeswift Vented P2 Premium Mesh Cup Mask

- Soft foam nose seal for added comfort.
- Mesh shell for more durability and resists collapsing.
- Adjustable clip strap for simple and quick release.
- Dolomite clogging tested, gives better breathing resistance and for a longer time period.
- Easy breathe exhale valve.

- EN149:2001+A1:2009 FFP2 NR D

For Hazard Type: Toxic dusts, fumes and water-based mists.

Example: Working with hardwood, glass fibres and plastic (non PVC) and some metalwork.



BEESWIFT
ONLINE

Product Code:
BBMMP2VDN

Available in Sizes:
ONE SIZE

Unit of Measure:
Bx 10

Available in Colours:



White
BBMMP2VDN



B-Brand P2 Mask



B-SAFE
BY BEESWIFT





BEESWIFT
ONLINE

Product Code:
BBMMP3VDN

Available in Sizes:
ONE SIZE

Unit of Measure:
Bx 5

Available in Colours:



White
BBMMP3VDN



B-Brand P3 Mask

Beeswift Vented P3 Premium Mesh Cup Mask

- Soft foam nose seal for added comfort.
- Mesh shell for more durability and resists collapsing.
- Adjustable clip strap for simple and quick release.
- Dolomite clogging tested, gives better breathing resistance and for a longer time period.
- Easy breathe exhale valve.

- EN149:2001+A1:2009 FFP3 NR D

For Hazard Type: Toxic dusts, fumes and water-based mists.

Example: Working with hardwood, glass fibres and plastic (non PVC), metalwork and welding.



BEESWIFT
ONLINE

Product Code:
BBP1V

Available in Sizes:
ONE SIZE

Unit of Measure:
Bx 10

Available in Colours:



White
BBP1VN



B-Brand P1 Mask

Beeswift Contour P1 Valved Mask

- Collapse resistant double shell construction made to withstand hot and humid conditions.
- Embossed fringe seal avoids fluffy open layers around the edges.
- Latex free synthetic rubber head strap.
- Contour design ensures the compatibility of glasses / goggles and reduces fogging.
- Soft nose foam and adjustable nosepiece ensure custom shape and increase the worker comfort and acceptance.

- Conforms to EN149:2001 +A1:2009 FFP1 NR

For Hazard Type: Toxic dusts.

Example: Working with plastic (non PVC) and some metalwork.





BEESWIFT
ONLINE

Product Code:
BBP2CVN

Available in Sizes:
ONE SIZE

Unit of Measure:
Bx 10

Available in Colours:



Gray
BBP2CVN



B-Brand P2 Mask

Beeswift P2 Valved Charcoal Mask

- Polypropylene (P.P) outer layer provides smooth lining and avoids loose fibres.
- Embossed fringe seal avoids fluffy open layers around the edges.
- Latex free synthetic rubber head strap.
- Contour design ensures the compatibility of glasses / goggles and reduces fogging.
- Soft close-cell nose foam and adjustable nosepiece ensure custom shape and increase the worker comfort and acceptance.

- Conforms to EN149:2001 + A1:2009 FFP2 NR

For Hazard Type: Toxic dusts, fumes and water-based mists.
Example: Working with hardwood, glass fibres and plastic (non PVC) and some metalwork.



B-SAFE
BY BEESWIFT



BEESWIFT
ONLINE

Product Code:
BBP2N

Available in Sizes:
ONE SIZE

Unit of Measure:
Bx 20

Available in Colours:



White
BBP2N



B-Brand P2 Mask

Beeswift P2 Contour Mask

- Polypropylene (P.P) outer layer provides smooth lining and avoids loose fibres.
- Embossed fringe seal avoids fluffy open layers around the edges.
- Latex free synthetic rubber head strap.
- Contour design ensures the compatibility of glasses / goggles and reduces fogging.
- Soft close-cell nose foam and adjustable nosepiece ensure custom shape and increase the worker comfort and acceptance.

- Conforms to EN149:2001 + A1:2009 FFP2 NR

For Hazard Type: Toxic dusts, fumes and water-based mists.
Example: Working with hardwood, glass fibres and plastic (non PVC) and some metalwork.



B-SAFE
BY BEESWIFT





BEESWIFT
ONLINE

Product Code:
BBP2VN

Available in Sizes:
ONE SIZE

Unit of Measure:
Bx 10

Available in Colours:



White
BBP2VN



B-Brand P2 Mask

Beeswift P2 Contour Valved Mask

- Polypropylene (P.P) outer layer provides smooth lining and avoids loose fibres.
- Embossed fringe seal avoids fluffy open layers around the edges.
- Latex free synthetic rubber head strap.
- Contour design ensures the compatibility of glasses / goggles and reduces fogging.
- Soft close-cell nose foam and adjustable nosepiece ensure custom shape and increase the worker comfort and acceptance.

- Conforms to EN149:2001 + A1:2009 FFP2 NR

For Hazard Type: Toxic dusts, fumes and water-based mists.

Example: Working with hardwood, glass fibres and plastic (non PVC) and some metalwork.



BEESWIFT
ONLINE

Product Code:
BBP3VD

Available in Sizes:
ONE SIZE

Unit of Measure:
Bx 5

Available in Colours:



White
BBP3VDN



B-Brand P3 Mask

Beeswift Premium P3 Dolomite Valved Mask

- Soft foam nose seal for added comfort.
- Adjustable elastic straps.
- High quality construction.
- Dolomite clogging tested, gives better breathing resistance and for a longer time period.
- Comfortable face fit.
- Easy breathe exhale valve.

- Conforms to EN149:2001 + A1:2009 FFP3 NR D

For Hazard Type: Toxic dusts, fumes and water-based mists.

Example: Working with hardwood, glass fibres and plastic (non PVC), metalwork and welding

The moulded polythene nose bridge creates a stronger seal when compared with metal nose crimps, leading to consistently superior fit-test results





BEESWIFT
ONLINE

Product Code:
BBP3VN

Available in Sizes:
ONE SIZE

Unit of Measure:
Bx 5

Available in Colours:



White
BBP3VN



B-Brand P3 Mask

Beeswift P3 Valved Mask

Unique "Big Eye" design provides very low breathing resistance due to the increased filtration area.

- Polypropylene (P.P) outer layer provides smooth lining and avoids loose fibres.
- Embossed fringe seal avoids fluffy open layers around the edges.
- Adjustable head strap ensures the best facial seal with minimum leakage.
- Contour design ensures the compatibility of glasses/goggles reducing fogging.
- Full facial close-cell foam seal for improved fit.
- Adjustable nosepiece ensures increased worker comfort and acceptance.
- Protection level FFP3 with exhalation valve.

• Conforms to EN149:2001 + A1:2009 FFP3 NR

- Excellent face fit test results.

For Hazard Type: Toxic dusts, fumes and water-based mists.

Example: Working with hardwood, glass fibres and plastic (non PVC), metalwork and welding.



BEESWIFT
ONLINE

Product Code:
BEE-PCX710

Unit of Measure:
Each

BEESWIFT FFA1P3 MAINTENANCE FREE HALF MASK

- The Beeswift PCX-700 is a ready to use maintenance free half mask with integrated filters supplied in a resealable bag for hygienic storage and transportation.
- Available in three versions offering differing levels of respiratory protection in accordance with EN 405:2001+A1:2009.
- Half mask body
- The lightweight facial body is made of hypoallergenic thermoplastic. The design and flexible material provide a highly efficient close-fitting seal.
- The main body houses two non-replaceable filters. Their position offers a wide visual field of view and are ergonomically designed to be compatible with eyewear and hearing protection.

Exhalation valve

- For optimal exhalation there is a large diameter valve, allowing for excellent breathing comfort. The Exhalation valve also allows the wearer to stay cool and reduces moisture build up within the mask.

Fastening harness

- Thanks to its easylock system the neck and head strap can be easily adjusted to the appropriate length providing the user with maximum comfort.

Service Life

- Once removed from its original packaging, the mask should be replaced every six

months at the most. Replace the mask if it retains any

characteristic of the contaminant (smell, taste, irritation)

an increase in resistance to breathing is observed. Make





BEESWIFT
ONLINE

Product Code:
BEE-PCX720

Unit of Measure:
Each

Beeswift FFA2P3 Maintenance Free Half Mask

- The Beeswift PCX-700 is a ready to use maintenance free half mask with integrated filters supplied in a resealable bag for hygienic storage and transportation.
- Available in three versions offering differing levels of respiratory protection in accordance with EN 405:2001+A1:2009.
- Half mask body
- The lightweight facial body is made of hypoallergenic thermoplastic. The design and flexible material provide a highly efficient close-fitting seal.
- The main body houses two non-replaceable filters. Their position offers a wide visual field of view and are ergonomically designed to be compatible with eyewear and hearing protection.

Exhalation valve

- For optimal exhalation there is a large diameter valve, allowing for excellent breathing comfort. The Exhalation valve also allows the wearer to stay cool and reduces moisture build up within the mask.

Fastening harness

- Thanks to its easylock system the neck and head strap can be easily adjusted to the appropriate length providing the user with maximum comfort.

Service Life

- Once removed from its original packaging, the mask should be replaced every six months at the most. Replace the mask if it retains any characteristic of the contaminant (smell, taste, irritation) or an increase in resistance to breathing is observed. Make

sure you leave the contaminated area first before

changing your mask for a new one.

FFA2P3 RD



Beeswift FFABEK1P3 Maintenance Free Half Mask

- The Beeswift PCX-700 is a ready to use maintenance free half mask with integrated filters supplied in a resealable bag for hygienic storage and transportation.
- Available in three versions offering differing levels of respiratory protection in accordance with EN 405:2001+A1:2009.
- Half mask body
- The lightweight facial body is made of hypoallergenic thermoplastic. The design and flexible material provide a highly efficient close-fitting seal.
- The main body houses two non-replaceable filters. Their position offers a wide visual field of view and are ergonomically designed to be compatible with eyewear and hearing protection.

Exhalation valve

- For optimal exhalation there is a large diameter valve, allowing for excellent breathing comfort. The Exhalation valve also allows the wearer to stay cool and reduces moisture build up within the mask.

Fastening harness

- Thanks to its easylock system the neck and head strap can be easily adjusted to the appropriate length providing the user with maximum comfort.


Service Life

- Once removed from its original packaging, the mask should be replaced every six

months at the most. Replace the mask if it retains any

characteristic of the contaminant (smell, taste, irritation)

an increase in resistance to breathing is observed. Make



BEESWIFT
ONLINE

Product Code:
BEE-PCX730

Unit of Measure:
Each



BEESWIFT
ONLINE

Product Code:
BBKP08

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:

 Black
BBKP08

 Cat 1 - Minimal Risk

Beeswift Foldable Trouser Knee Pads

- Moulded EVA Foam
- Universal sizing.
- Ergonomic design.
- Easily moulds around knee and can be trimmed to size.
- For use with all knee pad type work trousers.
- Protects against basic mechanical risks
- For minimal risks only



BEESWIFT
ONLINE

Product Code:
BBLCS

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:

 White
BBLCS

 Cat 1 - Minimal Risk

Beeswift Lens Cleaning Station

- Contains 600 tissues
- 250ml bottle of lens cleaning fluid in pump dispenser.
- Tissues dispense from left and right sides
- Stands freely or wall mountable
- Not to be used with contact lenses





BEESWIFT
ONLINE

Product Code:
BET

Available in Sizes:
S - XXXL

Unit of Measure:
Each

Available in Colours:



Orange / Navy
BETORN



Saturn Yellow / Navy
BETSYN



Garment has breathable
fabric



Cat 2 - Intermediate Risk



Conforms to the correct EN
standards



Garments conforms to EN
ISO 20471



Garment has a Fully
Elasticated Waistband



Garment has welded or
reinforced seams



Garment is weather proof

Beeswift Belfry Two-Tone Hi-Vis Waterproof Trousers

Belfry two-tone breathable overtrousers

- 100% polyester with breathable PU coating
- Elasticated waist
- 30cm gusset at ankles with hook and loop closure
- 2 x side access pockets
- Fully taped seams
- Retro-reflective tape
- Conforms to EN ISO 13688:2013+A1:2021
- Conforms to EN ISO 20471:2013+A1:2016
Class 2 High Visibility
- Conforms to EN343:2019
Class 3 Water Penetration
Class 4 Air Permeability
Class X Readymade water tower test



BEESWIFT
ONLINE

Product Code:
BIT

Available in Sizes:
S - XXXL

Unit of Measure:
Each

Available in Colours:



Orange
BITOR



Saturn Yellow
BITSY



Garment has breathable
fabric



Cat 2 - Intermediate Risk



Conforms to the correct EN
standards



Garments conforms to EN
ISO 20471



Garment has a Fully
Elasticated Waistband



Garment conforms to
RIS-3279-TOM - Railway



Garment has welded or
reinforced seams



Garment is weather proof

Beeswift Birkdale Hi-Vis Waterproof Breathable Trousers

- Hi visibility breathable overtrousers
- 100% polyester with breathable PU coating
- Elasticated waist
- 30cm gusset at ankles with hook and loop closure
- 2 x side pockets access
- Fully taped seams
- Retro-reflective tape
- Conforms to EN ISO 13688:2013+A1:2021
- Conforms to EN ISO 20471:2013+A1:2016
Class 2 High Visibility
- Conforms to EN343:2019
Class 3 Water Penetration
Class 4 Air Permeability
Class X Readymade water tower test
- RIS-3279-TOM Issue 2 - Railway use certified.





BEESWIFT
ONLINE

Product Code:
BSDSTR

Available in Sizes:
S - 5XL

Unit of Measure:
Each

Available in Colours:

 Orange
BSDSTROR
 Saturn Yellow
BSDSTRSY

Beeswift Stormwear Mens Hi-Vis Overtrouser

100% Polyester stretch 150D PU transfer membrane
180gsm outer fabric weight
Fully taped seams
50mm segmented tape for greater visibility
Fully Elasticated waist
Two angled hip zipped access pockets
One Cargo pocket to each thigh for additional storage
Thigh pockets are hook and loop closure
Lower leg opening leg bellows for ease of removal
Additional reflective accents to pocket flaps
Generous sizing to interact with other garments

Conforms to EN ISO 13688:2013+A1:2021

Conforms to EN ISO 20471:2013+A1:2016
Class 2 High Visibility

Conforms to EN343:2019
Class 4 Water Penetration
Class 4 Air Permeability
Class X Readymade water tower test

- RIS-3279-TOM Issue 2 - Railway use certified.



BEESWIFT
FOCUSED ON SAFETY

Product Code:
BSDTOR

Available in Sizes:
S - 5XL

Unit of Measure:
Each

Available in Colours:

 Orange
BSDTOR

Beeswift Deltic Hi-Vis Ripstop Breathable and Waterproof Rail OverTrousers

75% Ripstop Polyester with a 25% PU Laminated
210gsm fabric weight
Medium weight trouser.
Level 4 breathability with an Ret of 9.55
Water penetration tested to hydrostatic pressure of 177,000 Pa
Fully taped seams
60mm segmented tape for greater visibility
Two hi viz accents for styling
Two hip storm flap pockets for internal pocket access
Two combat pockets to each leg
Hook and loop closed like bellows
Generous sizing to interact with other garments

- Conforms to EN ISO 13688:2013+A1:2021
- Conforms to EN ISO 20471:2013+A1:2016
Class 2 High Visibility
- RIS-3279-TOM Issue 2 - Railway use certified.
- Conforms to EN343:2019
Class 4 Water Penetration
Class 4 Air Permeability
Class X Readymade water tower test



 CE Marked Category 2

 Conforms to EN ISO 20471
for Hi Visibility

 Conforms to EN343 for
Water Penetration and

 UK CA Marked CAT 2



BEESWIFT
FOCUSED ON SAFETY

Product Code:
BSDTRTT

Available in Sizes:
S - 6XL

Unit of Measure:
Each

Available in Colours:



Orange / Black
BSDTRTTORBL



Saturn Yellow / Navy
BSDTRTTSYN



CE Marked Category 2



Conforms to EN ISO 20471
for Hi Visibility



Conforms to EN343 for
Water Penetration and



UK CA Marked CAT 2

Beeswift Deltic Hi-Vis Two-Tone Ripstop Breathable and Waterproof Rail OverTrousers

75% Ripstop Polyester with a 25% PU Laminatate
210gsm fabric weight
Medium weight trouser.
Level 4 breathability with an Ret of 9.55
Water penetration tested to hydrostatic pressure of 177,000 Pa
Fully taped seams
60mm segmented tape for greater visibility
Two hi viz accents for styling
Two hip storm flap pockets for internal pocket access
Two combat pockets to each leg
Hook and loop closed like bellows
Contrast colour in areas that soil most
Generous sizing to interact with other garments

- Conforms to EN ISO 13688:2013+A1:2021
- Conforms to EN ISO 20471:2013+A1:2016
Class 2 High Visibility
- Conforms to EN343:2019
Class 4 Water Penetration
Class 4 Air Permeability
Class X Readymade water tower test



B-SEEN
BY BEESWIFT

Beeswift Stormwear Womens Hi-Vis Overtrouser

100% Polyester stretch 150D PU transfer membrane
180gsm outer fabric weight
Fully taped seams
50mm segmented tape for greater visibility
Fully Elasticated waist
Two angled hip zipped access pockets
One Cargo pocket to each thigh for additional storage
Thigh pockets are hook and loop closure
Lower leg opening leg bellows for ease of removal
Additional reflective accents to pocket flaps
Generous sizing to interact with other garments

Conforms to EN ISO 13688:2013+A1:2021

Conforms to EN ISO 20471:2013+A1:2016
Class 2 High Visibility

Conforms to EN343:2019
Class 4 Water Penetration
Class 4 Air Permeability
Class X Readymade water tower test

- RIS-3279-TOM Issue 2 - Railway use certified.



B-SEEN
BY BEESWIFT



BEESWIFT
ONLINE

Product Code:
BSDWSTR

Available in Sizes:
08 - 18

Unit of Measure:
Each

Available in Colours:



Orange
BSDWSTROR



Saturn Yellow
BSDWSTRSY



BEESWIFT
ONLINE

Product Code:
BSJB

Available in Sizes:
S - XXXXL

Unit of Measure:
Each

Available in Colours:



Orange
BSJBOR



Saturn Yellow
BSJBSY



Product supplied with retail tags



Cat 2 - Intermediate Risk



Garments conforms to EN ISO 20471



Garment has a Fully Elasticated Waistband



Garment conforms to RIS-3279-TOM - Railway

Beeswift Fleece Jogger Hi-Vis Trousers

Rail Specification Hi Visibility Jogging Bottoms / Trousers

Comfortable, warm anti pill fleece jogging bottoms provide temperature relief from cold environments and allows a much more free range of movement compared to standard trousers. Various pockets, some with zips are available to store valuables such as mobile phones and wallets safely without fear of loss.

- 280gsm Anti pill fleece fabric.
- Fully elasticated waist, with drawcord.
- 2 Hip pockets with zip closure.
- Cargo pocket with hook and loop flap on both legs.
- 1 rear patch pocket with hook and loop flap.
- Re-inforced nylon knee patches
- 2 bands retro reflective tape to mid thigh.
- Elasticated ankles.
- Comfortable to wear allowing maximum movement without restriction.

- Conforms to EN ISO 13688:2013+A1:2021

- Conforms to EN ISO 20471:2013+A1:2016
Class 1 High Visibility



Beeswift Guardian Hi-vis Safety Combat Trousers

- 240gsm 65% Polyester, 35% Cotton. Twill Fabric
- Multi pocket design
- 2 Side hip pockets
- 2 rear pocket with hook and loop flap
- Metal YKK zip and teeth
- 8 belt loops, with D-ring on the front
- 2 hook and loop closure thigh pockets
- Internal knee pad pouches (Doesn't include knee pads)
- Triple stitched inside leg and crutch seam for increased reinforcement
- Available in short (S), regular, and tall fit (T)

- Conforms to EN ISO 13688:2013+A1:2021

- Conforms to EN ISO 20471:2013 +A1:2018
Class 1 high visibility





BEESWIFT
ONLINE

Product Code:
LPCTEN

Available in Sizes:
26 - 34

Unit of Measure:
Each

Available in Colours:



Saturn Yellow
LPCTENSY



Garment has 3M Scotchlite tape



Garments conforms to EN ISO 20471



Garment has pockets for knee pad access



Cat 2 - Intermediate Risk

Beeswift Ladies Hi-Vis Trousers

- 80-20 polyester cotton.
- Seven loop belt waistband.
- 2 hip pockets.
- 1 left leg cargo pocket.
- 1 rear jetted pocket.
- Knee pad pouch pockets
- Hard wearing and durable.
- Double sewn main seams for extra strength.
- Teflon treatment to aid soil release when washing.
- 3M Scotchlite tape.

EN ISO 20471 Class 1



CLICK
WORKWEAR

Beeswift Ladies Hi-Vis Rail Spec Trousers

- 280gsm 80-20 Polyester cotton.
- Teflon coated for improved soil release.
- 7 Belt loop waistband.
- Limited inside leg length.
- Cargo pockets.
- Knee pad pocket.
- Durable hard wearing whilst remaining soft and comfortable.
- 3 x 3M Scotchlite - retroreflective leg bands.

• Conforms to EN ISO 13688:2013+A1:2021

• Conforms to EN ISO 20471:2013+A1:2016
Class 2 High Visibility

• RIS-3279-TOM Issue 2 - Railway use certified.



BEESWIFT
ONLINE

Product Code:
LRST

Available in Sizes:
26 - 34

Unit of Measure:
Each

Available in Colours:



Orange
LRST



Garment has 3M Scotchlite tape



Cat 2 - Intermediate Risk



Conforms to the correct EN standards



Garments conforms to EN ISO 20471



Garment has pockets for knee pad access



Garment conforms to RIS-3279-TOM - Railway



Garment has welded or reinforced seams



B-SEEN
BY BEESWIFT



BEESWIFT
ONLINE

Product Code:
MJB01

Available in Sizes:
XS - 5XL

Unit of Measure:
Each

Available in Colours:



Orange
MJB01OR



Saturn Yellow
MJB01SY



CE Marked Category 2



Conforms to EN ISO 20471
for Hi Visibility

MENS HI-VIS WORK JOGGERS

- 180gsm 92% Recycled Polyester, 8% Spandex
- Lightweight 4-way stretch fabric for increased freedom of movement
- Water repellent fabrics for protection against wind and moisture
- Contrast coloured elasticated waist for ultimate wearer comfort
- Adjustable drawcord for the perfect fit
- Faux Fly.
- Two Angled hip pockets for storage
- Right rear zipped pocket for secure storage
- Cargo pockets with hook & loop fastened flaps to left and right leg
- Right leg cargo pocket has pen holders and an additional zip pocket over the top
- Hi-Vis reflective segmented tape stretches with the garment
- Reinforced knee panels for durability
- Elasticated ankle hems
- Tapered leg for a comfortable fit

- Conforms to EN ISO 13688:2013+A1:2021

- Conforms to EN ISO 20471:2013+A1:2016
Class 1 High Visibility

- RIS- 3279-TOM Issue 2 (when worn with a conforming class 2 upper garment)



B-SEEN
BY BEESWIFT



BEESWIFT
ONLINE

Product Code:
PCTENSY

Available in Sizes:
28 - 46S

Unit of Measure:
Each

Available in Colours:



Saturn Yellow
PCTENSY



Garment has 3M Scotchlite
tape



Cat 2 - Intermediate Risk



Conforms to the correct EN
standards



Garments conforms to EN
ISO 20471



Garment has welded or
reinforced seams

Beeswift Hi-Vis Poly Cotton Trousers

- 80-20 polyester cotton
- Seven loop belt waistband
- 2 x hip pockets
- 1 x left leg cargo pocket
- 1 x rear jetted pocket
- Knee pad pouch pockets
- Hard wearing and durable
- Triple sewn main seams for extra strength
- Teflon treatment to aid soil release when washing
- 3M Scotchlite retro reflective hi vis tape
- Available in regular, short and tall leg fit (T)

- Conforms to EN ISO 13688:2013+A1:2021

- Conforms to EN ISO 20471:2013+A1:2016
Class 1 High Visibility



B-SEEN
BY BEESWIFT



BEESWIFT
ONLINE

Product Code:
PTEN

Available in Sizes:
S - 3XL

Unit of Measure:
Each

Available in Colours:



Orange
PTENOR



Conforms to the correct EN standards



Garments conforms to EN ISO 20471



Garment has a Fully Elasticated Waistband



Garment has welded or reinforced seams



Garment is weather proof

Beeswift Hi-Vis Padded Thermal Lined Rain Trousers

- Heavyweight PVC coated polyester
- 150 gsm polyester filling
- Elasticated waist
- 2 position stud adjustment to legs
- 2 side pockets
- Fully taped seams
- Retro-reflective tape - 2 bands around each leg
- Conforms to EN ISO 13688:2013+A1:2021
- Conforms to EN ISO 20471:2013+A1:2016
Class 1 High Visibility
- Conforms to EN343:2019
Class 3 Water Penetration
Class 1 Air Permeability
Class X Readymade water tower test



BEESWIFT
ONLINE

Product Code:
PUT

Available in Sizes:
S - 4XL

Unit of Measure:
Each

Available in Colours:



Orange
PUTOR



Garment has breathable fabric



Cat 2 - Intermediate Risk



Conforms to the correct EN standards



Garments conforms to EN ISO 20471



Garment is weather proof

Beeswift Hi-Vis PU Overtrousers

- Breathable fabric
- Polyester with PU coating
- Overtrousers with elasticated waist
- Studded ankles
- 3M retro-reflective tape
- Conforms to EN ISO 13688:2013+A1:2021
- Conforms to EN ISO 20471:2013+A1:2016
Class 2 High Visibility
- Conforms to EN343:2019
Class 4 Water Penetration
Class 1 Air Permeability
Class X Readymade water tower test





BEESWIFT
ONLINE

Product Code:
PUT471

Available in Sizes:
S - XXXXL

Unit of Measure:
Each

Available in Colours:



Saturn Yellow
PUT471SY



Garment has breathable
fabric



Cat 2 - Intermediate Risk



Conforms to the correct EN
standards



Garments conforms to EN
ISO 20471



Garment is weather proof

Beeswift Hi-Vis PU Overtrousers

- Breathable fabric
- Polyester with PU coating
- Overtrousers with elasticated waist
- Studded ankles
- 3M retro-reflective tape
- Conforms to EN ISO 13688:2013+A1:2021
- Conforms to EN ISO 20471:2013+A1:2016
Class 2 High Visibility
- Conforms to EN343:2019
Class 4 Water Penetration
Class 1 Air Permeability
Class X Readymade water tower test



BEESWIFT
ONLINE

Product Code:
RST

Available in Sizes:
30 - 30S

Unit of Measure:
Each

Available in Colours:



Orange
RST



Garment has 3M Scotchlite
tape



Cat 2 - Intermediate Risk



Conforms to the correct EN
standards



Garments conforms to EN
ISO 20471



Garment comes in a
Euroslot retail bag



Garment has pockets for
knee pad access



Garment conforms to
RIS-3279-TOM - Railway



Garment has welded or
reinforced seams

Beeswift Hi-Vis Rail Spec Trousers

- "Railspec" trousers
- 280gsm 80-20 polyester cotton
- Teflon treatment coated for improved soil release
- Durable hard wearing whilst remaining soft and comfortable
- Triple sewn seams for extra strength
- 7 Belt loop waistband
- 2 x cargo pockets
- Knee pad pockets
- 3 x 3M Scotchlite - Retro-reflective leg bands
- Tall and short leg option available
- Conforms to EN ISO 13688:2013+A1:2021
- Conforms to EN ISO 20471:2013+A1:2016
Class 2 High Visibility
- RIS-3279-TOM Issue 2 - Railway use certified.





BEESWIFT
O N L I N E

Product Code:
TEN

Available in Sizes:
S - XXXXL

Unit of Measure:
Each

Available in Colours:



Orange
TENOR



Saturn Yellow
TENSU



Cat 2 - Intermediate Risk



Conforms to the correct EN standards



Garments conforms to EN ISO 20471



Garment has a Fully Elasticated Waistband



Garment has welded or reinforced seams



Garment is weather proof

Beeswift Hi-Vis Waterproof Traffic Trousers

- Heavyweight PVC coated polyester
- Elasticated waist
- 2 position stud adjustment to legs
- 2 x Side pockets with storm flaps
- Fully taped seams
- Retro-reflective tape
- Conforms to EN ISO 13688:2013+A1:2021
- Conforms to EN ISO 20471:2013+A1:2016
Class 1 High Visibility
- Conforms to EN343:2019
Class 3 Water Penetration
Class 1 Air Permeability
Class X Readymade water tower test



BEESWIFT
O N L I N E

Product Code:
VT005

Available in Sizes:
30R - 46T

Unit of Measure:
Each

Available in Colours:



Orange
VT005

Beeswift Vital Hi-Vis Rail Spec Trousers

The Beeswift Vital hi-vis Railspec trousers are designed to ensure rail workers are seen and safe when working in hazardous situations on or around the line. The three retro reflective bands give the garment greater visibility and help in getting the class 2 level of visibility. Thanks to the minimalist ergonomic design these trousers give a high level of user comfort.

- "Railspec" trousers
- 250gsm 80-20 polyester cotton
- 7 Belt loop waistband
- 2 side pockets
- Internal access knee pad pockets
- 3 x Retro-reflective leg bands
- Available in regular, and tall leg fit
- Conforms to EN ISO 13688:2013+A1:2021
- Conforms to EN ISO 20471:2013+A1:2016
Class 2 High Visibility
- RIS-3279-TOM Issue 2 - Railway use certified.






BEESWIFT
O N L I N E

Product Code:
WBIT

Available in Sizes:
XS - 3XL

Unit of Measure:
Each

Available in Colours:



Beeswift Womens Hi-vis Birkdale Over Trouser

- Hi visibility breathable overtrousers
- 100% polyester with breathable PU coating
- Elasticated waist
- 30cm gusset at ankles with hook and loop closure
- 2 x side pockets access
- Fully taped seams
- Retro-reflective tape
- Conforms to EN ISO 13688:2013+A1:2021
- Conforms to EN ISO 20471:2013+A1:2016
Class 2 High Visibility
- Conforms to EN343:2019
Class 3 Water Penetration
Class 4 Air Permeability
Class X Readymade water tower test
- RIS-3279-TOM Issue 2 - Railway use certified.




BEESWIFT
O N L I N E

Product Code:
WJB01

Available in Sizes:
XS-3XL

Unit of Measure:
Each

Available in Colours:



WOMENS HI-VIS WORK JOGGERS

- Class 1 High Visibility
- 180gsm 92% Recycled Polyester, 8% Spandex
- Lightweight 4-way stretch fabric for increased freedom of movement
- Water repellent fabrics for protection against wind and moisture
- Engineered with a women's specific cut for optimal fit and performance
- Contrast coloured elasticated waist for ultimate wearer comfort
- Adjustable drawcord for the perfect fit
- Faux Fly.
- Two Angled hip pockets for storage
- Right rear zipped pocket for secure storage
- Cargo pockets with hook & loop fastened flaps to left and right leg
- Right leg cargo pocket has pen holders and an additional zip pocket over the top
- Hi-Vis reflective segmented tape stretches with the garment
- Reinforced knee panels for durability
- Elasticated ankle hems
- Tapered leg for a comfortable fit
- Conforms to EN ISO 13688:2013+A1:2021
- Conforms to EN ISO 20471:2013+A1:2016
- Conforms to RIS - 3279 - TOM Issue 2 - Railway use Certified (THIS POINT ORANGE PRODUCT ONLY)



CE Marked Category 2

Conforms to EN ISO 20471
for Hi Visibility



BEESWIFT
ONLINE

Product Code:
BD75

Available in Sizes:
S - XXXXL

Unit of Measure:
Each

Available in Colours:



Saturn Yellow
BD75SY



CE Marked Category 2



Conforms to EN ISO 20471
for Hi Visibility



Conforms to EN343 for
Water Penetration and



Product supplied with retail
tags



Conforms to the correct EN
standards



Garment comes with a
hood



Garment has a pocket for
easy ID access



Garment has a mobile
phone pocket

Beeswift Super Bomber Hi-Vis Waterproof Jacket

- 300 Denier Heavyweight polyester with PU coating.
 - Two-way heavy duty zip front with storm flap.
 - Fleece lined collar.
 - 2 lower bellows pockets with flaps.
 - Security and phone pockets.
 - Rear hem access for ease of logo applications.
 - Knitted storm cuffs.
 - Concealed Hood.
 - Retro-Reflective tape.
- Conforms to EN ISO 13688:2013+A1:2021
 - Conforms to EN ISO 20471:2013+A1:2016
Class 3 High Visibility
 - Conforms to EN343:2019
Class 3 Water Penetration
Class 1 Air Permeability
Class X Readymade water tower test



BEESWIFT
ONLINE

Product Code:
CBJFL

Available in Sizes:
S - 5XL

Unit of Measure:
Each

Available in Colours:



Orange
CBJFLOR



Saturn Yellow
CBJFLSY



CE Marked Category 2



Conforms to EN ISO 20471
for Hi Visibility



Conforms to EN343 for
Water Penetration and



Product supplied with retail
tags



Conforms to the correct EN
standards



Garment comes with a
hood



Garment has a mobile
phone pocket



Garment has welded or
reinforced seams

Beeswift Hi-Vis Fleece Lined Bomber Jacket

- Heavyweight Polyester Oxford outer shell with PU coating.
 - Fleece lining, including fleece collar
 - Press stud flap.
 - Fully taped seams.
 - 2 Lower front pockets with flaps.
 - Internal breast pocket plus separate phone pocket
 - Concealed hood/drawcord in collar.
- Conforms to EN ISO 13688:2013+A1:2021
 - Conforms to EN ISO 20471:2013+A1:2016
Class 3 High Visibility
 - Conforms to EN343:2019
Class 3 Water Penetration
Class 1 Air Permeability
Class X Readymade water tower test





BEESWIFT
ONLINE

Product Code:
CBJTT

Available in Sizes:
S - 4XL

Unit of Measure:
Each

Available in Colours:



Orange / Navy
CBJTTORN



Saturn Yellow / Navy
CBJTTSYN



Conforms to EN ISO 20471
for Hi Visibility



Conforms to EN343 for
Water Penetration and



Product supplied with retail
tags



Garment has breathable
fabric



Garment comes with a
hood



Taped Seams



Garment Possesses
Weather Resistant

Beeswift Two-Tone Hi-Vis Constructor Bomber Jacket

- Heavyweight two tone Polyester Oxford outer shell with PU coating.
- Press stud flap.
- Fully taped seams.
- 2 Lower front pockets with flaps.
- Internal breast pocket plus separate phone pocket
- Concealed hood/drawcord in collar.
- External phone pocket

- Conforms to EN ISO 13688:2013+A1:2021

- Conforms to EN ISO 20471:2013+A1:2016
Class 3 High Visibility

- Conforms to EN343:2019
Class 3 Water Penetration
Class 1 Air Permeability
Class X Readymade water tower test



BEESWIFT
ONLINE

Product Code:
EBJ

Available in Sizes:
S - 6XL

Unit of Measure:
Each

Available in Colours:



Orange / Navy
EBJORN



Saturn Yellow / Navy
EBJSYN



CE Marked Category 2



Conforms to EN ISO 20471
for Hi Visibility



Conforms to EN343 for
Water Penetration and



Product supplied with retail
tags



Conforms to the correct EN
standards



Garment has a pocket for
easy ID access



Garment has a mobile
phone pocket

Beeswift Two-tone Hi-vis Europa Bomber Jacket

- 100% polyester with non-breathable coating
- Removable sleeves
- Detachable fleece liner
- Unlined hood with draw cord
- Plastic zip with internal storm flap
- Pen pocket to upper left sleeve
- Exposed ribbed cuffs and waist band
- Mobile phone pocket to right breast
- 2 lower front bellows pockets
- 2 hand warmer pockets
- Retro-Reflective tape

- Conforms to EN ISO 13688:2013+A1:2021

- Conforms to EN ISO 20471:2013+A1:2016
Class 3 High Visibility
Class 2 with sleeves removed

- Conforms to EN343:2019
Class 3 Water Penetration
Class 1 Air Permeability
Class X Readymade water tower test





BEESWIFT
ONLINE

Product Code:
BBEVSH

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:

-  Black
BBEVSHBL
-  Blue
BBEVSHB
-  Green
BBEVSHG
-  Orange
BBEVSHO
-  Red
BBEVSHRE
-  White
BBEVSHW
-  Yellow
BBEVSHY

 Cat 2 - Intermediate Risk

Beeswift Economy Vented Safety Helmet

- Modern Stylish Design
- ABS Shell
- Vents to crown
- Lightweight
- Plastic harness c/w sweatband
- Slots for attachments
- Conforms to EN397



BEESWIFT
ONLINE

Product Code:
BBFK

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:

-  Orange

 Cat 3 - High Risk

Beeswift Forestry Kit

Kit contains
1 x ABS Safety Helmet.
1 x Set of Clip-on Ear Defenders. (SNR: 24.5dB H:
27.4dB M:22.2dB L:14dB)
1 x Chin Strap.
1 x Mesh Face Shield with Mount.

Suitable for Forestry, Strimming and Agricultural.
Conforms to the following standards.
EN397, EN352-3, EN1731.

- Conform to EN166:
- Optical Class:1
- F - (Low impact energy)





BEESWIFT
O N L I N E

Product Code:
BBSBC

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Black
BBSBCBL



Green
BBSBCG



Grey
BBSBCGY



Navy Blue
BBSBCN



Red
BBSBCRE



Royal Blue
BBSBCR



Cat 2 - Intermediate Risk

Beeswift Safety Baseball Cap

Stylish fashionable 100% cotton baseball cap with ventilation holes. Fitted over a plastic shell providing lightweight head protection.

Fits 54cm - 59cm Circumference

Conforms to EN812: 2012



BEESWIFT
O N L I N E

Product Code:
BBSBCOR

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Orange
BBSBCOR



Cat 2 - Intermediate Risk

Beeswift Safety Baseball Cap with Retro Reflective Tape

- Stylish fashionable baseball cap with mesh side panels & ventilation holes.
- Fitted over an ABS durable plastic shell, providing lightweight head protection.
- 65/35% Polyester cotton hi viz cap with reflective tape
- Fits 54cm - 59cm Circumference
- Conforms to EN812: 2012

- Does not conform to EN ISO 20471





BEESWIFT
O N L I N E

Product Code:
BBSBCY

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Saturn Yellow
BBSBCY



Cat 2 - Intermediate Risk

Beeswift Safety Baseball Cap with Retro Reflective Tape

- Stylish fashionable baseball cap with mesh side panels & ventilation holes.
 - Fitted over an ABS durable plastic shell, providing lightweight head protection.
 - 65/35% Polyester cotton hi viz cap with reflective tape
 - Fits 54cm - 59cm Circumference
 - Conforms to EN812: 2012
- Does not conform to EN ISO 20471



Beeswift Reduced Peak Safety Helmet

- Reduced peak industrial safety helmet.
 - ABS vented shell to improve long period wear.
 - Comfort fit sweatband.
 - 6 point webbing harness.
 - Ratchet adjustment.
 - Complete with 4 point chinstrap.
 - 30mm slot fixing point for attachments
- EN397:2012+ A1:2012



BEESWIFT
O N L I N E

Product Code:
BBSHRP

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Black
BBSHRPBL



White
BBSHRPW



Cat 2 - Intermediate Risk





BEESWIFT
O N L I N E

Product Code:
BBSPSBC

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Navy Blue
BBSPSBCN



Cat 2 - Intermediate Risk

Beeswift Short Peak Safety Baseball Cap

- Stylish fashionable 100% cotton baseball cap with ventilation holes. Fitted over a plastic shell providing lightweight head protection.
- Short peak
- Fits 53cm - 62cm Circumference
- Conforms to EN812 - 2012



BEESWIFT
O N L I N E

Product Code:
BBVHCSN

Available in Sizes:
ONE SIZE

Unit of Measure:
Bx 10

Available in Colours:



Black
BBVHCSN



Cat 1 - Minimal Risk

Beeswift Vented Safety Helmet Chin Strap

- Comfortable and easy to adjust





BEESWIFT
O N L I N E

Product Code:
BBVHSBN

Available in Sizes:
ONE SIZE

Unit of Measure:
Bx 10

Available in Colours:



Black
BBVHSBN



Cat 1 - Minimal Risk

Beeswift Vented Safety Helmet Sweatband

- Sweatband for use with Vented Safety Helmets (BBVSH/BBEVSH).
- Comfortable when worn over long periods



BEESWIFT
O N L I N E

Product Code:
BBVSH

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Black
BBVSHBL



Blue
BBVSHB



Green
BBVSHG



Orange
BBVSHO



Saturn Yellow
BBVSHSY



White
BBVSHW



Yellow
BBVSHY



Cat 2 - Intermediate Risk

Beeswift Comfort Vented Safety Helmet

- Modern Stylish Design
- ABS Shell
- Vents to crown
- Lightweight
- 6 point webbing harness
- Slip-ratchet headband adjustment
- Slots for attachments
- Complete with terry towelling sweatband
- Available in 7 colours
- Conforms to EN397





BEESWIFT
ONLINE

Product Code:
BBVSHRH

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Blue
BBVSHRHB



White
BBVSHRH-W



Cat 2 - Intermediate Risk

Beeswift Wheel Ratchet Vented Safety Helmet

- Modern Stylish Design
- ABS Shell
- Vents to crown
- Lightweight
- Wheel ratchet adjustment harness
- Slots for attachments
- Complete with terry towelling sweatband
- Conforms to EN397



Beeswift Baseball Cap

- 100% Cotton
- Standard peaked cap
- Comfortable to wear over long periods
- 5 Panel Cap
- Pull down buckram
- Plastic Snap Adjuster
- One size fits all



BEESWIFT
ONLINE

Product Code:
BC

Available in Sizes:
One Size

Unit of Measure:
Each

Available in Colours:



Black
BCBL



Grey
BCGY



Navy Blue
BCN



Royal Blue
BCR



Cat 1 - Minimal Risk





BEESWIFT
ONLINE

Product Code:
RB405

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:
 Navy Blue

 Cat 1 - Minimal Risk

Beeswift Winter Safety Helmet Liner

- Two Layers.
- 100% cotton shell with fleece lining.
- Regular length.
- Colour: Shell - Navy, Lining - Red.
- 2 internal ear pockets for use with warmer pads.
- Hook and loop fastening chin strap



BEESWIFT
ONLINE

Product Code:
TBDN

Available in Sizes:
S - XL

Unit of Measure:
Bx 10

Available in Colours:
 White
TBDN

 Cat 2 - Intermediate Risk

 Mechanical Handling

Beeswift Tronix Blue Dot Gloves - Pack of 10

- Nylon fibre knitted glove.
- Comfort fit.
- Offering excellent dexterity.
- PVC Dots to palm area for added grip.

- EN388: 2016
- Level 1 - Abrasion
- Level X - Cut Resistance
- Level 4 - Tear Resistance
- Level 1 - Puncture
- Level B - ISO 13997 Cut Resistance





BEESWIFT
ONLINE

Product Code:
BSHSSEN

Available in Sizes:
S - XXXL

Unit of Measure:
Each

Available in Colours:



Orange
BSHSSENOR



Saturn Yellow
BSHSSENSY



CE Marked Category 2



Conforms to EN ISO 20471
for Hi Visibility



Product supplied with retail
tags



Conforms to the correct EN
standards



Garment comes with a
hood



Garment conforms to
RIS-3279-TOM - Railway



Beeswift Essential Hi-Vis Zipped Hoodie

- Hooded sweatshirt
- 280 gsm fleece fabric
- 100% polyester
- Anti pill (the fabric has been treated to prevent little balls (or pills) of thread appearing on the surface of the fabric)
- Full length front zip.
- Handwarmer pockets.
- Retro-reflective sew on tape.
- Two band & brace

- Conforms to EN ISO 13688:2013+A1:2021

- Conforms to EN ISO 20471:2013+A1:2016
Class 3 High Visibility

- RIS-3279-TOM Issue 2 - Railway use certified.



BEESWIFT
ONLINE

Product Code:
BSSEN

Available in Sizes:
S - 5XL

Unit of Measure:
Each

Available in Colours:



Orange
BSSENOR



Saturn Yellow
BSSENSY



CE Marked Category 2



Conforms to EN ISO 20471
for Hi Visibility



Product supplied with retail
tags



Conforms to the correct EN
standards



Garment conforms to
RIS-3279-TOM - Railway

Beeswift Essential Sweatshirt Hi-Vis Jumper

- Hi Vis sweatshirt
- 280 gsm fleece fabric
- 100% polyester
- Anti pill (the fabric has been treated to prevent little balls (or pills) of thread appearing on the surface of the fabric)
- Retro-reflective sew on tape
- 2 band & brace

- Conforms to EN ISO 13688:2013+A1:2021

- Conforms to EN ISO 20471:2013+A1:2016
Class 3 High Visibility

- RIS-3279-TOM Issue 2 - Railway use certified.





BEESWIFT
ONLINE

Product Code:
BSSSH25

Available in Sizes:
S - 4XL

Unit of Measure:
Each

Available in Colours:



Orange
BSSSH25OR



Saturn Yellow
BSSSH25SY



CE Marked Category 2



Conforms to EN ISO 20471
for Hi Visibility



Product supplied with retail
tags



Garment conforms to
RIS-3279-TOM - Railway

Beeswift Essential Pull-Over Hi-Vis Hoodie

- 280 gsm fleece fabric
- 100% polyester
- Anti pill (the fabric has been treated to prevent little balls (or pills) of thread appearing on the surface of the fabric)
- Handwarmer pocket.
- Retro-reflective sew on tape.
- Two band & brace

• Conforms to EN ISO 13688:2013+A1:2021

• Conforms to EN ISO 20471:2013+A1:2016
Class 3 High Visibility

• RIS-3279-TOM Issue 2 - Railway use certified.



BEESWIFT
ONLINE

Product Code:
BSZSSEN

Available in Sizes:
S - XXXL

Unit of Measure:
Each

Available in Colours:



Orange
BSZSSENOR



Saturn Yellow
BSZSSENSY



CE Marked Category 2



Conforms to EN ISO 20471
for Hi Visibility



Product supplied with retail
tags



Conforms to the correct EN
standards



Garment conforms to
RIS-3279-TOM - Railway

Beeswift Essential Quarter Zip Sweatshirt Hi-Vis Jumper

- Hi Vis quarter zip sweatshirt.
- 280 gsm fleece fabric
- 100% polyester
- Anti pill (the fabric has been treated to prevent little balls (or pills) of thread appearing on the surface of the fabric)
- Retro-reflective sew on tape.
- 2 band & brace

• Conforms to EN ISO 13688:2013+A1:2021

• Conforms to EN ISO 20471:2013+A1:2016
Class 3 High Visibility

• RIS-3279-TOM Issue 2 - Railway use certified.





BEESWIFT
O N L I N E

Product Code:
WSSSEN

Available in Sizes:
S - 4XL

Unit of Measure:
Each

Available in Colours:



Orange
WSSSENOR



Saturn Yellow
WSSSENSY

Beeswift Womens Hi-vis Sweatshirt

- 280 gsm fleece fabric
- 100% polyester
- Anti pill (the fabric has been treated to prevent little balls (or pills) of thread appearing on the surface of the fabric)
- Retro-reflective sew on tape
- 2 band & brace

- Conforms to EN ISO 13688:2013+A1:2021

- Conforms to EN ISO 20471:2013+A1:2016
Class 2 High Visibility

- RIS-3279-TOM Issue 2 - Railway use certified.



BEESWIFT
O N L I N E

Product Code:
BESOS200

Available in Sizes:
506X414X364MM

Unit of Measure:
Each


Available in Colours:



White
BESOS200

Beeswift Oil Only Pads 50CM X 40CM Pack of 200

- Double sided coverstock
- High absorbency of up to 1L per pad
- High strength when saturated.
- Extreme low lint capabilities compared to normal meltblown absorbents
- Units in Pack:200
- Size:50cm x 40cm
- Absorbency 1L Per Pad
- Absorbs: Oils and selective recovery of oils and oil based fluids whilst repelling water, this can include fuels, lubricants (mineral and vegetable) and other hydrocarbon based fluids.





BEESWIFT
ONLINE

Product Code:
BBICHG

Available in Sizes:
S - XXL

Unit of Measure:
Each

Available in Colours:



Black
BBICHG



Cat 1 - Minimal Risk

Beeswift Letz-U-Grip Heel Grips with Spikes

- LETZ -U-GRIP Heel Grips
- TPE Material
- Tungsten Spikes
- Cold Resistant to -40 degrees C
- Improves traction in slippery conditions.



BEESWIFT
ONLINE

Product Code:
BBICT

Available in Sizes:
S - XXL

Unit of Measure:
Each

Available in Colours:



Black
BBICT



Cat 1 - Minimal Risk

Beeswift Letz-U-Grip Snow and Ice Grips

- LETZ-U-GRIP boot grips
- Improves traction in slippery conditions
- Increased stability
- Reduces slipping or falling
- Available in sizes 7-10
- Please don't wear whilst driving.





BEESWIFT
ONLINE

Product Code:
CF1000

Available in Sizes:
03 - 13

Unit of Measure:
Each

Available in Colours:



Black
CF1000



Cat 1 - Minimal Risk



Non-Safety

BEESWIFT GEL INSOLES

- High elastic E.V.A insole footbed with soft latex
- Shock absorption honeycomb heel
- Excellent comfort
- Offers cushioning and support for the feet over extended walking and standing time periods
- Protects the foot from impact with the ground and helps to lessen the stress on joints and ligaments in the foot
- Helps prevent injury
- Friction reducing top fabric
- Fits in most shoes with a removable insole



CLICK
FOOTWEAR



BEESWIFT
ONLINE

Product Code:
BESCSK20

Available in Sizes:
20L

Unit of Measure:
Each

Available in Colours:



Clear
BESCSK20

Beeswift Chemical Spill Kit 20L

- Absorbs acids, caustics and strong chemicals.
- Fast acting sorbent pads and socks.
- Fine-fibre finish for minimal linting.
- Bonded and perforated for strength and economy.
- Handy, resealable, clip-top bag.

Kit Includes:

- 12 x double weight chemical absorbent pads
- 2 x 120cm chemical socks
- 1 x disposal bag and tie



BEESWIFT



BEESWIFT
ONLINE

Product Code:
BESGSK20

Available in Sizes:
20L

Unit of Measure:
Each

Available in Colours:

 Black
BESGSK20

Beeswift General Purpose Spill Kit 20L

P5090610 - 610w x 480h x 140mm gusset
Plastic 600mm Clip-top Bag Clear. (x1 each)
SK-A0110003 - Black Cable Tie per tie. (x1 each)
SK-A0110509 - 46cm x 90cm Dark Blue
Hazardous Waste Disposable Bag. (x1 each)
SK-M7014538 - 45cm x 38cm x Maintenance
Lightweight Pad. (x12 each)
SK-M0430712 - 7.5cm x 1.2cm Maintenance
Sock pr Sock (Spunbound). (x2 each)



BEESWIFT

Beeswift Oil Only Spill Kit 20L

OIL & FUEL SPILL KIT 20LTR

- Suitable for oils, fuels, petroleum, petrol based solvents
- Fast acting absorbent pads and socks
- Absorbs up to 20 litres
- Conforms to BS7959
- Kit Contains:
 - 12 x Premier oil & fuel absorbent pads
 - 2 socks x 1.2m
 - 1 hazardous waste bag and tie



BEESWIFT
ONLINE

Product Code:
BESOSK20

Available in Sizes:
20L

Unit of Measure:
Each

Available in Colours:

 White
BESOSK20



BEESWIFT



BEESWIFT
ONLINE

Product Code:
CFRT

Available in Sizes:
30 - 48

Unit of Measure:
Each

Available in Colours:



Navy Blue
CFRTN



Orange
CFRTOR



Cat 2 - Intermediate Risk



Garment is fire retardant



Garment is suitable for
welding

Beeswift Fire Retardant Trousers

- 300 Gram cotton drill fabric with flame retardent treatment
- Brass zip fly
- Button waistband fastening
- 7 Belt loops
- Two vertical side seam access pockets
- Plain backand hips
- FR logo embroidered to left hip

- Conforms to:
EN ISO 13688:2013

EN ISO 11611:2015 (A1 Class 1)

EN ISO 11612:2015 (A1 B1 C1)

- Does NOT conform to EN ISO 20471



CLICK
FLAME RETARDANT

Initial Soft Shell Jacket

- High Stretch water resistant, windproof and breathable fabric.
- Fleece lined with internal pockets and weatherguard front flaps.
- 3 zipped front pockets.
- Adjustable cuffs.
- Warm fleece lined collar.
- Cordura® tear resistant trim.
- Hip drawcord.



BEESWIFT
ONLINE

Product Code:
IFSSJ

Available in Sizes:
XS - XXXL

Unit of Measure:
Each

Available in Colours:



Navy Blue
IFSSJN



BEESWIFT



BEESWIFT
ONLINE

Product Code:
LSSJ

Available in Sizes:
XS - XXL

Unit of Measure:
Each

Available in Colours:



Black
LSSJBL



Navy Blue
LSSJN



Cat 1 - Minimal Risk

Beeswift Ladies Soft Shell Jacket

- High Stretch water resistant, windproof and breathable fabric
- Windproof and breathable fabric
- Fleece lined with internal pockets and weatherguard front flaps
- 3 zipped front pockets
- Adjustable cuffs
- Warm fleece lined collar
- Cordura® tear resistant trim on cuffs and bottom of garment
- Hip drawcord



Beeswift Flex Softshell Jacket

96% Polyester, 4% Spandex with TPU
320gsm fabric weight
Medium weight Softshell Jacket
High Stretch water repellent and windproof fabric
Hard wearing fabric to elbows for great durability and garment life
Flex stretchable fabric side panels to help fit and comfort.
Full front zip closure
Warming fleece lined snorkle collar
Hi viz accents and tagging for style
Soft touch zip pullers
Two zipped front hip pockets
One coloured zipped right breast pocket
Two internal access pockets
Adjustable cuff



BEESWIFT
FOCUSED ON SAFETY

Product Code:
SFSJ

Available in Sizes:
S - 5XL

Unit of Measure:
Each

Available in Colours:



Black
SFSJBL



Black/Grey
SFSJBLGY



Bottle Green
SFSJBGBL



Grey / Black
SFSJGYBL



Navy Blue
SFSJN



White/Grey
SFSJWHGY




CE Marked Category 1



Product supplied with retail
tags



UK CA Marked CAT 1



FLEX®



BEESWIFT
ONLINE

Product Code:
SSJ

Available in Sizes:
S - XXXXXL

Unit of Measure:
Each

Available in Colours:



Black
SSJBL



Navy Blue
SSJN



Cat 1 - Minimal Risk

Beeswift Soft Shell Jacket

- High Stretch water resistant, windproof and breathable fabric.
- Fleece lined with internal pockets and weatherguard front flaps.
- 3 zipped front pockets.
- Adjustable cuffs.
- Warm fleece lined collar.
- Cordura® tear resistant trim.
- Hip drawcord.



CLICK
WORKWEAR



BEESWIFT
ONLINE

Product Code:
BF3

Available in Sizes:
8 - 11

Unit of Measure:
Each

Available in Colours:



Orange
BF3OR



Saturn Yellow
BF3SY



Cat 2 - Intermediate Risk

Beeswift Latex Thermo-Star Fully Dipped Gloves

- 7G Brushed polyester heavyweight knitted liner with Latex coated to palm area.
- Double dip to fingers for added protection.
- Vented back
- Highly visible fleece liner.
- Ideal for refrigeration, coldstore, and winter conditions.
- Thick latex coating for durability and grip.

- EN388: 2016
- Level 2 - Abrasion
- Level X - Cut Resistance
- Level 4 - Tear Resistance
- Level 1 - Puncture
- Level B - ISO 13997 Cut Resistance

- EN 511: 2006
- Level 1 - Convective Cold
- Level 4 - Contact Cold
- Level X - Water Permeability

- EN 407: 2004
- Level X - Burning Behaviour
- Level 2 - Contact Heat
- Level X - Convective heat
- Level X - Radiant heat
- Level X - Small splashes of Molten Metal
- Level X - Large splashes of Molten Metal



CLICK
HAND PROTECTION



BEESWIFT
ONLINE

Product Code:
EC8

Available in Sizes:
M - XL

Unit of Measure:
Bx 10

Available in Colours:



Green
EC8NG



Orange
EC8NOR



Cat 2 - Intermediate Risk



Mechanical Handling

Beeswift Economy Multipurpose Grip Gloves

- Economy multi-purpose glove.
- Natural rubber coated palm.
- Knitted area on back of glove aids breathability comfort.

- EN388: 2016
- Level 1 - Abrasion
- Level X - Cut Resistance
- Level 2 - Tear Resistance
- Level 1 - Puncture
- Level A - ISO 13997 Cut Resistance



CLICK
HAND PROTECTION

Beeswift Household Medium Weight Gloves

- Manufactured from natural rubber latex.
- Cotton flock lined.
- Flexible and comfortable to wear
- Offers a high degree of sensitivity.
- Suitable for food handling

- Minimal risk.



BEESWIFT
ONLINE

Product Code:
HHMW

Available in Sizes:
S - XL

Unit of Measure:
Each

Available in Colours:



Blue
HHMWB



Pink
HHMWP



Yellow
HHMW



Minimal Risk



Cat 1 - Minimal Risk



CLICK
HAND PROTECTION



BEESWIFT
ONLINE

Product Code:
LFCGGB

Available in Sizes:
L - XL

Unit of Measure:
Each

Available in Colours:



Blue
LFCGGB



Cat 2 - Intermediate Risk



Minimal Risk

Beeswift Latex Fully Coated Gripper Gloves

- Fully coated Gripper glove.
- 100% interlock cotton liner
- Natural rubber latex coating - crinkle finish

- EN388: 2016
- Level 3 - Abrasion
- Level X - Cut Resistance
- Level 2 - Tear Resistance
- Level 1 - Puncture
- Level B - ISO 13997 Cut Resistance



CLICK
HAND PROTECTION

Beeswift Multi Purpose Gloves

- Multi-purpose glove.
- Latex rubber coated palm.
- Knitted base construction to allow air passage and aid comfort.
- Excellent dexterity.
- Ideal for construction and steel handling.

- EN388: 2016
- Level 2 - Abrasion
- Level X - Cut Resistance
- Level 4 - Tear Resistance
- Level 3 - Puncture
- Level A - ISO 13997 Cut Resistance



BEESWIFT
ONLINE

Product Code:
MP1

Available in Sizes:
S - XXL

Unit of Measure:
Each

Available in Colours:



Black
MP1BL



Green
MP1G



Orange
MP1OR



Cat 2 - Intermediate Risk



Mechanical Handling



CLICK
HAND PROTECTION



BEESWIFT
ONLINE

Product Code:
MP4

Available in Sizes:
S - XL

Unit of Measure:
Each

Available in Colours:



Black
MP4BL



Cat 2 - Intermediate Risk



Mechanical Handling

Beeswift Multi Purpose Poly Gloves

- Multi-purpose glove.
- Polyester knitted liner for comfort.
- Natural latex rubber coating to palm and fingers.
- Open back to help hand breath and limit moisture.

- EN388: 2016
- Level 2 - Abrasion
- Level X - Cut Resistance
- Level 2 - Tear Resistance
- Level 1 - Puncture
- Level A - ISO 13997 Cut Resistance



CLICK
HAND PROTECTION

Beeswift Multi Purpose Fully Coated Poly Gloves

- Multi-purpose fully coated latex glove
- Polyester knitted seamless shell for comfort.
- Excellent protection, comfort and grip with minimal perspiration

- EN388: 2016
- Level 2 - Abrasion
- Level X - Cut Resistance
- Level 2 - Tear Resistance
- Level 1 - Puncture
- Level A - ISO 13997 Cut Resistance



BEESWIFT
ONLINE

Product Code:
MP4FC

Available in Sizes:
M - XL

Unit of Measure:
Each

Available in Colours:



Black
MP4FC



Cat 2 - Intermediate Risk



Mechanical Handling



CLICK
HAND PROTECTION



BEESWIFT
O N L I N E

Product Code:
SBDT

Available in Sizes:
S - XXXL

Unit of Measure:
Each

Available in Colours:



Navy Blue
SBDTN



Olive Green
SBDTO



Saturn Yellow
SBDTSY



Cat 1 - Minimal Risk



Conforms to the correct
EN Standards



Garment has a Fully
Elasticated Waistband



Garment conforms to
EN343

Beeswift Super PU Trousers

- Polyester with PU coating
- Overtrousers with elasticated waist
- Studded ankles



B-DRI
BY BEESWIFT

Beeswift Springfield Trousers

- Tasoft PU breathable nylon
- Elasticated waist
- Lightweight
- Flexible
- Gusset at ankles with zip closure
- Fabric Conforms to EN343 Class 3 Water Penetration
- Fabric Conforms to EN343 Class 2 Breathability



BEESWIFT
O N L I N E

Product Code:
STN

Available in Sizes:
XXL - XXXL

Unit of Measure:
Each

Available in Colours:



Navy Blue
STN



Garment has breathable
fabric



Cat 1 - Minimal Risk



Garment has a Fully
Elasticated Waistband



Garment conforms to
EN343



B-DRI
BY BEESWIFT



BEESWIFT
O N L I N E

Product Code:
BBAMG

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Clear
BBAMG



Cat 2 - Intermediate Risk

Beeswift Anti-Mist Goggles

- Polycarbonate lens.
- Direct vent.
- Soft pvc frame.
- Fits over most prescription glasses.
- Adjustable strap.

- Conform to EN166:
- Optical Class:1
- B T - (Medium impact energy at extreme temperatures)
- 2C-1.2 - UV Filter

Fields of use:
- 4 Large dust particles
- 9 Molten metal and hot solids



B-SAFE
BY BEESWIFT

Beeswift Boston Glasses

- Wraparound clear visitors spectacle.
- Polycarbonate lens.
- Ventilated side arms.
- Low impact
- Width 157mm.

- Conform to EN166:
- Optical Class:1
- F - (Low impact energy)
- 2-1.2 - UV Filter



BEESWIFT
O N L I N E

Product Code:
BBBS

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Clear
BBBS



Cat 2 - Intermediate Risk



B-SAFE
BY BEESWIFT



BEESWIFT
O N L I N E

Product Code:
BBCFG

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Clear
BBCFG



Cat 2 - Intermediate Risk

Beeswift Comfort Fit Goggles

- Wide vision goggle
- Blue tint pvc frame
- Indirect vent
- Wrap around style provides excellent panoramic vision
- Foam surround for extra comfort and improved seal
- Adjustable strap

- Conform to EN166:
- Optical Class:1
- B T - (Medium impact energy at extreme temperatures)
- 2C-1.2 - UV Filter
- K - Resistance to damage by fine particles
- N - Resistance to fogging

Fields of use:
- 3 Liquids
- 4 Large dust particles
- 9 Molten metal and hot solids



Beeswift Chemical Goggles

- Polycarbonate lens
- PVC frame.
- Comfortable.
- Lightweight.
- Indirect vents.

- Conform to EN166:
- Optical Class:1
- B - (Medium impact energy)
- 2C-1.2 - UV Filter

Fields of use:
- 3 Liquids



BEESWIFT
O N L I N E

Product Code:
BBCG

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Clear
BBCG



Cat 2 - Intermediate Risk



BEESWIFT
ONLINE

Product Code:
BBCS

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Clear
BBCS



Grey
BBCSS2GY



Yellow
BBCSS2Y



Cat 2 - Intermediate Risk

Beeswift Colorado Safety Glasses

- Wrap around single lens.
- Nylon frame.
- Polycarbonate lens.
- Adjustable side arms.

- Conform to EN166:
- Optical Class:1
- F - (Low impact energy)
- 2-1.2 - UV Filter



Beeswift Diego Safety Glasses

- Ultra lightweight.
- Polycarbonate curved lens and side shield.
- Fully adjustable nylon side arms.
- Low impact
- 5 Position temple ratchet.

- Conform to EN166:
- Optical Class:1
- F - (Low impact energy)
- 2-1.2 - UV Filter



BEESWIFT
ONLINE

Product Code:
BBDS

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Clear



Cat 2 - Intermediate Risk





BEESWIFT
ONLINE

Product Code:
BBFV7

Available in Sizes:
UNIVERSAL

Unit of Measure:
Each

Available in Colours:



Clear
BBFV7



Cat 2 - Intermediate Risk

Beeswift Standard Face Visor 7.5"

- To be used in conjunction with the Beeswift Headgear System - BBHG.
- Transparent Visor 8"
- Conform to EN166 (when worn with appropriate headgear):
 - Optical Class:1
 - F - (Low impact energy)
 - 2C-1.2 - UV Filter



BEESWIFT
ONLINE

Product Code:
BBGPG

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Clear
BBGPG



Cat 2 - Intermediate Risk

Beeswift General Purpose Goggles

- Polycarbonate lens with PVC frame.
- Comfortable.
- Light weight.
- Direct vent.
- Conform to EN166:
 - Optical Class:1
 - B - (Medium impact energy)
 - 2C-1.2 - UV Filter

Fields of use:
- 3 Liquids





BEESWIFT
O N L I N E

Product Code:
BBH50

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Clear
BBH50



Smoke
BBH50S



Yellow
BBH50Y

Beeswift H50 Anti-Mist ERGO Temple Glasses

- Ergonomic temple for comfort fit.
- Temple tip locking catch.
- Temple ratchet adjustment.
- Hard coated polycarbonate lens.
- Anti-fog and anti-scratch.
- Soft nose pad.

Ergonomic temple provides comfortable, self-adjusting and a more secure fit to the users head. The swaying ergo temple pieces will spread the pressure evenly across the users temple area.

Temple ratchet adjustment works closely with the ergo temple to help the user wearing the product with different pantoscopic angles, suitable for all head shapes.

- Conform to EN166:
- Optical Class:1
- F T - (Low impact energy at extreme temperatures)
- 2C-1.2 - UV Filter
- K - Scratch Resistant
- N - Fog Resistant



BEESWIFT
O N L I N E

Product Code:
BBHG

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Yellow

CAT. 1
CE Cat 1 - Minimal Risk

Beeswift Head Gear Carriage

Headgear carriage can be used with Beeswift Face Guards and visors (sold separately).

- Fully adjustable
- Ratchet fastening.
- Soft nylon padded browguard.

- Conforms to EN 166 (When worn with appropriate visor)
 - 3 = Liquids
 - B = Medium Energy

Impact (120 m/s)

- Conforms to EN 1731 (When worn with appropriate visor)
 - F =Low Energy

Impact (45m/s)

Compatible Beeswift Faceguards:
BBFV7 - Standard Transparent Face Visor
BBMV7 - Steel Mesh Visor
BBMEFV8 - Metal Edge Face Visor





BEESWIFT
ONLINE

Product Code:
BBKS

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Clear



Cat 2 - Intermediate Risk

Beeswift Kansas Anti-Mist Safety Glasses

- Wrap around spectacle.
- Anti fog polycarbonate lens.
- Scratch resistant
- Adjustable side arms
- Low impact and 99.9% UV protected
- Nylon frame.

- Conform to EN166:
- Optical Class:1
- F - (Low impact energy)
- 2C-1.2 - UV Filter



Beeswift Metal Edge Face Visor 8"

To be used in conjunction with Beeswift Headgear system BBHG.

- Conforms to EN 166 (When worn with appropriate headgear)
- Optical Class:1
- B - (Medium impact energy)



BEESWIFT
ONLINE

Product Code:
BBMEFV8

Available in Sizes:
UNIVERSAL

Unit of Measure:
Each

Available in Colours:



Clear
BBMEFV8



Cat 2 - Intermediate Risk





BEESWIFT
O N L I N E

Product Code:
BBMV7

Available in Sizes:
UNIVERSAL

Unit of Measure:
Each

Available in Colours:



Black
BBMV7



Cat 2 - Intermediate Risk

Beeswift Steel Mesh Visor 8"

Steel mesh visor suitable for slot fixing to Beeswift headgear.
To be used in conjunction with Beeswift Headgear system BBHG.

- Conforms to EN 1731 (When worn with appropriate Headgear)
- S = Reinforced Solidity (12m/s)

can also be used with BBFK



Beeswift Safety Glasses Neck Cord

Neck cord for use with spectacles and safety glasses.

The Beeswift safety glasses neck cord is elasticated and designed to attach to a variety of spectacle / safety glasses arms. The cord can be adjusted to ensure it is as comfortable as possible for the wearer.

The cord enables the safety glasses to be worn around the neck when not in use but easily accessible for the user to re-apply to their face when needed.

Wearing the cord helps prevent against damage to the glasses or losing them in the workplace environment.



BEESWIFT
O N L I N E

Product Code:
BBNC

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Blue
BBNC



Cat 1 - Minimal Risk





BEESWIFT
O N L I N E

Product Code:
BBNFG

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Clear
BBNFG



Cat 2 - Intermediate Risk

Beeswift Low Profile Safety Goggles

- Comfortable
- Lightweight
- Polycarbonate lens
- Clear PVC frame
- Conform to EN166:
- Optical Class:1
- B T - (Medium impact energy at extreme temperatures)
- 2C-1.2 - UV Filter

Fields of use:
- 3 Liquids
- 4 Large dust particles



BEESWIFT
O N L I N E

Product Code:
BBPG

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Blue
BBPGBF



Orange
BBPGAF



Cat 2 - Intermediate Risk

Beeswift Premium Safety Goggles

- Wide vision lens.
- Unvented.
- Soft and flexible for extra comfort.
- Adjustable wide headband.
- Available in 2 frame colours.

- Conform to EN166:
- Optical Class:1
- B - (Medium impact energy)
- 2-1.2 - UV Filter

Fields of use:
- 9 Molten metal and hot solids





BEESWIFT
O N L I N E

Product Code:
BBPS

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Clear



Cat 2 - Intermediate Risk

Beeswift Portland Safety Glasses

- Wrap around spectacle.
- Adjustable side arms.
- Nylon frame.
- Conform to EN166:
- Optical Class:1
- F - (Low impact energy)
- 2C-1.2 - UV Filter



Beeswift Safety Glasses Protective Case

- Wide opening PVC pouch with easy access
- Large ABS hook



BEESWIFT
O N L I N E

Product Code:
BBSC

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Black
BBSC



Cat 1 - Minimal Risk





BEESWIFT
O N L I N E

Product Code:
BBSG31

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Clear
BBSG31



Cat 2 - Intermediate Risk

Beeswift Overglasses SG31 Safety Goggles

- Polycarbonate Lens
 - Ideal for wearing over spectacles
 - Complete Contoured Face Seal
 - Indirect Four Point Ventilation
-
- Conform to EN166:
 - Optical Class:1
 - BT - (Medium impact energy at extreme temperatures)

Fields of use:
- 3 Liquids
- 4 Large dust particles
- 9 Molten metal and hot solids



Beeswift Seattle Safety Glasses

- Wraparound clear cover spectacle.
- Polycarbonate lens.
- Ventilated side arms.
- Width 165mm.

- Conform to EN166:
- Optical Class:1
- F - (Low impact energy)
- 2-1.2 - UV Filter



BEESWIFT
O N L I N E

Product Code:
BBSS

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Clear



Cat 2 - Intermediate Risk





BEESWIFT
O N L I N E

Product Code:
BBTXS

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Clear
BBTXS



Grey
BBTXS2GY



Yellow
BBTXS2Y

Beeswift Texas Safety Glasses

- Lightweight spectacles with ultra soft nose bridge
- 10 Curve single Poly Carbonate lens
- Fully adjustable side arms with temple ratchet.
- Adjustable Neck Cord.
- Conform to EN166:
- Optical Class:1
- F T - (Low impact energy at extreme temperatures)
- 2C-1.2 - UV Filter



BEESWIFT
O N L I N E

Product Code:
BBUTS

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Clear / Blue
BBUTSBF



Clear / Grey
BBUTSGYF



Grey
BBUTSS2GY

 Cat 2 - Intermediate Risk

Beeswift Utah Safety Glasses

- 8 Curve optically correct lens.
- Super tough GREY nylon frame.
- Fully adjustable side arms with temple ratchet.
- Low impact and 99.9% UV protected.
- Complete with unique neck clip and cord.
- Conform to EN166:
- Optical Class:1
- F - (Low impact energy)
- 2C-1.2 - UV Filter





BEESWIFT
ONLINE

Product Code:
BBVS

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Clear
BBVS



Grey
BBVSS2GY



Yellow
BBVSS2Y



Cat 2 - Intermediate Risk

Beeswift Vegas Safety Glasses

- Ultra lightweight
- Polycarbonate wrap around lens
- Low impact
- One piece side arm
- Conform to EN166:
- Optical Class:1
- F - (Low impact energy)
- 2-1.2 - UV Filter



Beeswift Wide Vision Safety Goggles

- 1mm Polycarbonate lens.
- Wide vision lens.
- Comfortable soft PVC frame.
- All round ventilation.
- Wide contoured face seal.
- Fits over spectacles.
- Comfortable wide head band.
- Conform to EN166:
- Optical Class:1
- F - (Low impact energy)



BEESWIFT
ONLINE

Product Code:
BBWVG

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Clear
BBWVG



Cat 2 - Intermediate Risk



BEESWIFT
ONLINE

Product Code:
BBYS

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Clear
BBYS



Grey
BBYSS2GY



Cat 2 - Intermediate Risk

Beeswift Yale Lightweight Safety Glasses

- Ultra lightweight
- Wrap around design
- Contoured shape
- Polycarbonate lens (PC lens)
- Soft nose bridge
- Non slip coloured rubber tips

- Conform to EN166:
- Optical Class:1
- F - (Low impact energy)
- 5-2.5 - UV Filter



BEESWIFT
ONLINE

Product Code:
CTAS

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Clear
CTAS



Grey
CTASS2GY



Yellow
CTASS2Y



Cat 2 - Intermediate Risk

Beeswift Ancona Wraparound Safety Glasses

- Ultra lightweight
- Polycarbonate wrap around lens
- Low impact
- One piece side arm

- Conform to EN166:
- Optical Class:1
- F T - (Low impact energy at extreme temperatures)
- 2C-1.2 - UV Filter





BEESWIFT
ONLINE

Product Code:
CTMS

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Clear
CTMS



Cat 2 - Intermediate Risk



Garment comes in a
Euroslot retail bag

Beeswift Milano Metal Safety Glasses

- Wrap around protective eyewear
- Stylish design
- Metal frame and spring hinges
- Soft, comfortable nose bridge
- Low impact and 99.9% UV protected
- Individually packaged with Euro slot

- Conform to EN166:
- Optical Class:1
- F T - (Low impact energy at extreme temperatures)
- 2C-1.2 - UV Filter



B-SAFE
BY BEESWIFT

Beeswift Roma Ratchet Safety Glasses

- Wrap around protective eyewear
- Black frame
- Rubber nose bridge and temple tips for added comfort
- Orange ratchet inclination system (Allows lens angle modification)
- Low impact and 99.9% UV protected
- Individually packaged with Euro slot

- Conform to EN166:
- Optical Class:1
- F T - (Low impact energy at extreme temperatures)
- 2C-1.2 - UV Filter



BEESWIFT
ONLINE

Product Code:
CTRS

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Clear
CTRS



Grey
CTRSS3GY



Cat 2 - Intermediate Risk



Garment comes in a
Euroslot retail bag



B-SAFE
BY BEESWIFT



BEESWIFT
O N L I N E

Product Code:
ZZ0010

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Clear
ZZ0010

Beeswift Adjustable Safety Glasses

- Lightweight
- Adjustable arms
- Polycarbonate lens (PC lens)
- Soft nose bridge
- Conform to EN166:
- Optical Class:1
- F T - (Low impact energy at extreme temperatures)
- 2C-1.2 - UV Filter
- Complete with spec cord



BEESWIFT
O N L I N E

Product Code:
ZZ0020

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Clear
ZZ0020

Beeswift High Performance Lens Adjustable Safety Glasses

- Lightweight
- Adjustable arms
- Polycarbonate lens (PC lens)
- Soft and adjustable nose bridge
- Conform to EN166:
- Optical Class:1
- F T - (Low impact energy at extreme temperatures)
- 2C-1.2 - UV Filter
- K - Scratch Resistant
- N - Fog Resistant
- Complete with spec cord





BEESWIFT
O N L I N E

Product Code:
ZZ0040

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Clear
ZZ0040



Grey
ZZ0040

Beeswift Sports Style Safety Glasses

- Lightweight
- Polycarbonate lens (PC lens)
- Soft nose bridge
- Conform to EN166:
- Optical Class:1
- F T - (Low impact energy at extreme temperatures)
- 2C-1.2 - UV Filter
- Complete with spec cord



BEESWIFT
O N L I N E

Product Code:
ZZ0050

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Clear
ZZ0050



Grey
ZZ0050



Yellow
ZZ0050

Beeswift High Performance Lens Sports Style Safety Glasses

- Lightweight
- Polycarbonate lens (PC lens)
- Soft nose bridge
- Conform to EN166:
- Optical Class:1
- F T - (Low impact energy at extreme temperatures)
- 2C-1.2 - UV Filter
- K - Scratch Resistant
- N - Fog Resistant
- Complete with spec cord





BEESWIFT
O N L I N E

Product Code:
ZZ0060

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:

 Clear
ZZ0060

Beeswift Adjustable Safety Glasses

- Lightweight
- Adjustable/Flexible arms
- Polycarbonate lens (PC lens) with intergrated nose bridge

- Conform to EN166:
- Optical Class:1
- F T - (Low impact energy at extreme temperatures)
- 2C-1.2 - UV Filter
- Complete with spec cord



Beeswift Wraparound Safety Glasses

- Lightweight
- Polycarbonate lens (PC lens) with intergrated nose bridge

- Conform to EN166:
- Optical Class:1
- F T - (Low impact energy at extreme temperatures)
- 2C-1.2 - UV Filter
- Complete with spec cord



BEESWIFT
O N L I N E

Product Code:
ZZ0080

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:

 Clear
ZZ0080





BEESWIFT
ONLINE

Product Code:
ZZ0090

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Clear
ZZ0090

Beeswift Performance Lens Wraparound Safety Glasses

- Lightweight
- Polycarbonate lens (PC lens) with integrated nose bridge

- Conform to EN166:
- Optical Class:1
- F T - (Low impact energy at extreme temperatures)
- 2C-1.2 - UV Filter
- K - Scratch Resistant
- N - Fog Resistant
- Complete with spec cord



Beeswift Fire Retardant Hi-Vis Vest

- Flame retardant vest
- Hook and Loop front closure
- 98% Polyester / 2% Antistatic Fibres
- Must be worn over EN ISO 14116 index 2 or 3 garments
- Do not wear next to skin
- Anti Static
- FR retro-reflective hi-vis tape
- FR threads

- Conforms to:
EN ISO 13688:2013+A1:2021
EN ISO 20471:2013+A1:2016 (Class 2)
EN 1149-5: 2018
EN ISO 14116:2015 (Index 1)

- Do not wear next to skin.
- Must be worn over Index 2 or 3 garments.



BEESWIFT
ONLINE

Product Code:
CFRWCSY

Available in Sizes:
S - XXXXL

Unit of Measure:
Each

Available in Colours:



Orange
CFRWCOR



Saturn Yellow
CFRWCSY



Cat 2 - Intermediate Risk



Conforms to the correct EN Standards



Garment conforms EN ISO 20471



Garment is fire retardant





BEESWIFT
ONLINE

Product Code:
7IN1

Available in Sizes:
S - 4XL

Unit of Measure:
Each

Available in Colours:



Orange
7IN1OR



Saturn Yellow
7IN1SY



* See the pictogram key for description

Beeswift Elsener Hi-Vis 7-in-1 Jacket and Bodywarmer Waterproof

- Highly versatile garment
- Suitable for "All Seasons" use
- Breathable outer shell
- Removable hood
- External phone pocket
- D rings for attaching identity tags
- Fleece lined collar on outer garment
- Hook and loop adjustable cuffs
- Hand warmer pockets
- Inner jacket zipout sleeves
- 3M Reflective tape

Options :-

- 1, Outer jacket worn with inner jacket.
- 2, Outer jacket only.
- 3, Inner jacket only.
- 4, Inner jacket only reversed.
- 5, Outer jacket with bodywarmer (sleeves removed).
- 6, Bodywarmer only.
- 7, Bodywarmer only reversed.

- Conforms to EN ISO 13688:2013
- Conforms to EN ISO 20471:2013+A1:2016
Class 3 High Visibility
- RIS-3279-TOM - Railway use Certified
- Conforms to EN343:2019
Class 3 Water Penetration
Class 3 Air Permeability
Class X Readymade water tower test



BEESWIFT
FOCUSED ON SAFETY

Product Code:
BSD21OR

Available in Sizes:
S - 5XL

Unit of Measure:
Each

Available in Colours:



Orange
BSD21OR



CE Marked Category 2



Conforms to EN ISO 20471
for Hi Visibility



Conforms to EN343 for
Water Penetration and



UK CA Marked CAT 2

Beeswift Deltic Hi-Vis Ripstop Breathable and Waterproof Rail Jacket

- 75% Ripstop Polyester with a 25% PU Laminate
- 210gsm fabric weight
- Medium weight jacket.
- Bird eye mesh liner allows for Level 4 breathability with an Ret of 9.55
- Water penetration tested to hydrostatic pressure of 177,000 Pa
- Concealed right breast pocket
- Chest pocket with laminated water resistance zip
- D ring hook for security or ID pass
- Detachable concealed 3 panel fully adjustable hood
- Full length zip for complete closures
- Hi viz accents for added styling
- External stud adjuster for cuff
- Inside pocket for phone
- Concealed zip pocket to storm flap
- Double Studded snorkel fleece lined neck
- Fully taped seams
- Soft touch zip pulls on all zips
- Internal wicking strip to reduce water ingress
- Fleece lined zip cover at nape of neck.
- Segmented tape to shoulders for additional visibility
- Generous sizing to interact with other garments
- 60mm segmented tape for greater visibility

- Jacket can be used in combination with the Interactive bodywarmer (BSD31)

- Conforms to EN ISO 13688:2013+A1:2021
- Conforms to EN ISO 20471:2013+A1:2016
Class 3 High Visibility
- RIS-3279-TOM Issue 2 - Railway use certified.
- Conforms to EN343:2019
Class 4 Water Penetration
Class 4 Air Permeability
Class X Readymade water tower test






BEESWIFT
FOCUSED ON SAFETY

Product Code:
BSDJTT

Available in Sizes:
S - 6XL

Unit of Measure:
Each

Available in Colours:



Beeswift Deltic Hi-Vis Two-Tone Ripstop Breathable and Waterproof Rail Jacket

75% Ripstop Polyester with a 25% PU Laminate
210gsm fabric weight
Medium weight jacket.
Bird eye mesh liner enables the Level 4 breathability with an Ret of 9.55
Water penetration tested to hydrostatic pressure of 177,000 Pa
Fully taped seams
60mm segmented tape for greater visibility
Segmented tape to shoulders for additional visibility
Hi viz accents for added styling
Detachable concealed 3 panel fully adjustable hood
Full length heavy duty YKK zip with stud sealed storm flap
Internal wicking strip to reduce water ingress
Double Studded snorkel with fleece lined neck
Soft touch zip pulls on all zips
Concealed right breast pocket
Left breast pocket with laminated water resistance zip
Concealed zip pocket to storm flap
Two lower pockets with stud sealed flaps
Two inside pockets
One internal phone pocket
Internal knitted cuffs
External stud adjusters to storm cuffs
D ring hook for security or ID pass
Contrast colour in areas that soil most
Generous sizing to interact with other garments


- Jacket can be used in combination with the Interactive bodywarmer (BSDBWTT)
- Conforms to EN ISO 13688:2013+A1:2021
- Conforms to EN ISO 20471:2013+A1:2016
Class 3 High Visibility
- RIS-3279-TOM Issue 2 - Railway use certified.
- Conforms to EN343:2019
Class 4 Water Penetration



Beeswift Stormwear Mens Hi-Vis Jacket

100% Polyester stretch 150D PU transfer membrane
180gsm outer fabric weight
Mesh Lining (100% Polyester, 100gsm)
Bird eye mesh liner enables the Level 4 breathability with an Ret of 6.66
Fully taped seams
50mm segmented tape for greater visibility
Detachable concealed 3 panel fully adjustable hood
Full length heavy duty YKK zip with stud sealed storm flap
Internal wicking strip to reduce water ingress
Soft touch zip pulls on all zips
Concealed zip pocket to storm flap
Two lower pockets with hook and loop sealed flaps
Two inside pockets
One internal phone pocket
Internal neoprene cuffs
External hook and loop adjusters to storm cuffs
Generous sizing to interact with other garments

- Conforms to EN ISO 13688:2013+A1:2021
- Conforms to EN ISO 20471:2013+A1:2016
Class 3 High Visibility
- Conforms to EN343:2019
Class 4 Water Penetration
Class 4 Air Permeability
Class X Readymade water tower test




BEESWIFT
ONLINE

Product Code:
BSDSJ

Available in Sizes:
S - 5XL

Unit of Measure:
Each

Available in Colours:






BEESWIFT
ONLINE

Product Code:
BSDWSJ

Available in Sizes:
08 - 18

Unit of Measure:
Each

Available in Colours:



Beeswift Stormwear Womens Hi-Vis Jacket

100% Polyester stretch 150D PU transfer membrane
180gsm outer fabric weight
Mesh Lining (100% Polyester, 100gsm)
Bird eye mesh liner enables the Level 4 breathability with an Ret of 6.66
Fully taped seams
50mm segmented tape for greater visibility
Detachable concealed 3 panel fully adjustable hood
Full length heavy duty YKK zip with stud sealed storm flap
Internal wicking strip to reduce water ingress
Soft touch zip pulls on all zips
Concealed zip pocket to storm flap
Two lower pockets with hook and loop sealed flaps
Two inside pockets
One internal phone pocket
Internal neoprene cuffs
External hook and loop adjusters to storm cuffs
Generous sizing to interact with other garments

Conforms to EN ISO 13688:2013+A1:2021

Conforms to EN ISO 20471:2013+A1:2016
Class 3 High Visibility

Conforms to EN343:2019
Class 4 Water Penetration
Class 4 Air Permeability
Class X Readymade water tower test

- RIS-3279-TOM Issue 2 - Railway use certified.




BEESWIFT
ONLINE

Product Code:
CAR

Available in Sizes:
S - XXXXXL

Unit of Measure:
Each

Available in Colours:



Beeswift Carnoustie Hi-Vis Jacket

Interactive Breathable Jacket with detachable hood.

- 100% polyester with PU coating.
- Concealed hood.
- Mesh lining.
- Two-way heavy duty zip front, double storm flap.
- 2 lower zipped hip pockets.
- Zipped breast pockets with flap.
- Hook and loop adjustable elasticated cuffs.
- Drawcord at hip.
- 3M Reflective tape

Fleece available seperately - code: CARF

- Conforms to EN ISO 13688:2013+A1:2021

- Conforms to EN ISO 20471:2013+A1:2016
Class 3 High Visibility

- RIS-3279-TOM Issue 2 - Railway use certified.

- Conforms to EN343:2019
Class 3 Water Penetration
Class 4 Air Permeability
Class X Readymade water tower test



* See the pictogram key for description



BEESWIFT
ONLINE

Product Code:
CTJENG

Available in Sizes:
S - 5XL

Unit of Measure:
Each

Available in Colours:



Orange
CTJENGOR



Saturn Yellow
CTJENGSY



CE Marked Category 2



Conforms to EN ISO 20471
for Hi Visibility



Conforms to EN343 for
Water Penetration and



Product supplied with retail
tags



Garment comes with a
hood



Garment has welded or
reinforced seams

Beeswift Constructor Hi-Vis Jacket

- PU coated polyester.
- Quilted lining with heavy weight (160gsm) polyester filling.
- Concealed hood.
- Two-way heavy duty zip front with storm flap and security pocket.
- 2 Lower pockets with flaps.
- Inside breast pocket.
- Knitted storm cuffs.
- Internal 'Wicking' strip.
- Fully taped seams.
- Reflective Material.

- Conforms to EN ISO 13688:2013+A1:2021

- Conforms to EN ISO 20471:2013+A1:2016
Class 3 High Visibility

- Conforms to EN343:2019
Class 3 Water Penetration
Class 1 Air Permeability
Class X Readymade water tower test



BEESWIFT
ONLINE

Product Code:
CTJFL

Available in Sizes:
S - 6XL

Unit of Measure:
Each

Available in Colours:



Orange / Navy
CTJFLTORN



Saturn Yellow
CTJFLSY



Saturn Yellow / Navy
CTJFLTTSYN



CE Marked Category 2



Conforms to EN ISO 20471
for Hi Visibility



Conforms to EN343 for
Water Penetration and



Product supplied with retail
tags



Garment has breathable
fabric



Garment comes with a
hood



Taped Seams



Garment Possesses
Weather Resistant

Beeswift Hi-Vis Fleece Lined Traffic Jacket

High Visibility Foulweather Jacket

- PU coated polyester.
- Fleece lined.
- Concealed hood.
- Two-way heavy duty zip front with storm flap and security pocket.
- 2 x Lower pockets with flaps.
- Right hand chest pocket with flap.
- Inside breast pocket.
- Knitted storm cuffs.
- Internal 'Wicking' strip.
- Fully taped seams.
- Retro-Reflective Tape.

- Conforms to EN ISO 13688:2013+A1:2021

- Conforms to EN ISO 20471:2013+A1:2016
Class 3 High Visibility

- Conforms to EN343:2019
Class 3 Water Penetration
Class 1 Air Permeability
Class X Readymade water tower test





BEESWIFT
ONLINE

Product Code:
ET40

Available in Sizes:
S - 6XL

Unit of Measure:
Each

Available in Colours:



Orange / Black
ET41OR



Saturn Yellow / Navy
ET40SY



CE Marked Category 2



Conforms to EN ISO 20471
for Hi Visibility



Product supplied with retail
tags



Garment has breathable
fabric



Conforms to the correct EN
standards

Beeswift Eton Hi-Vis Soft Shell Jacket

- Hi-Vis "Soft shell" Jacket.
- Windproof.
- Fleece backed, breathable fabric.
- 2 hand warmer front pockets.
- Adjustable cuffs.
- 6 cm retro-reflective tape.
- Retro-reflective piping.
- Spiral wound front zip to neck.
- Hip draw cord.
- Lightweight, stylish & comfortable.

• Conforms to EN ISO 13688:2013+A1:2021

• Conforms to EN ISO 20471:2013+A1:2016
Class 3 High Visibility



B-SEEN
BY BEESWIFT

Beeswift Eton Hi-Vis Breathable Jacket

- Breathable PU coated fabric.
- Waterproof jacket fully taped seams.
- Zip front closure to neck.
- Hook and loop fastening storm flap.
- Adjustable cuffs.
- 6cm retro reflective tape.
- Retro reflective piping.
- 2 zip fastening front pockets.
- Concealed hood.
- Hip draw cord.

• Conforms to EN ISO 13688:2013+A1:2021

• Conforms to EN ISO 20471:2013+A1:2016
Class 3 High Visibility

• Conforms to EN343:2019
Class 3 Water Penetration
Class 4 Air Permeability
Class X Readymade water tower test



B-SEEN
BY BEESWIFT



BEESWIFT
ONLINE

Product Code:
ET45

Available in Sizes:
S - 6XL

Unit of Measure:
Each

Available in Colours:



Orange
ET46OR



Saturn Yellow
ET45SY



CE Marked Category 2



Conforms to EN ISO 20471
for Hi Visibility



Conforms to EN343 for
Water Penetration and



Product supplied with retail
tags



Garment has breathable
fabric



Conforms to the correct EN
standards



Garment comes with a
hood



Garment conforms to
RIS-3279-TOM - Railway



Garment has welded or
reinforced seams



BEESWIFT
ONLINE

Product Code:
IFCTJENG5

Available in Sizes:
M - XXXXL

Unit of Measure:
Each

Available in Colours:



Saturn Yellow
IFCTJENG5Y



Garment conforms To
EN471



Garment is weather proof

Initial Constructor Traffic Jacket

- EN471 Class 3.
- PU coated polyester.
- Quilted lining with heavy weight (160gsm) polyester filling.
- Concealed hood.
- Two-way heavy duty zip front with storm flap and security pocket.
- 2 Lower pockets with flaps.
- In side breast pocket.
- Knitted storm cuffs.
- Internal 'Wicking' strip.
- Fully taped seams.
- Reflective Material.



Beeswift Jubilee Hi-Vis Jacket

- Detachable hood with drawcord.
- Two-way heavy duty zip front with storm flap.
- Two lower front patch pockets with hook and loop fastening flap.
- ID card 'D' ring.
- Drawcord at hip.
- Internal mesh lining with mobile phone pocket.
- Two roomy internal pockets at lower front.
- Deep Left breast zipped security pocket under front flap.
- Knitted storm cuffs.
- Internal wicking strip.
- Fully taped seams.
- Retro-Reflective tape.

- Conforms to EN ISO 13688:2013+A1:2021
- Conforms to EN ISO 20471:2013+A1:2016
Class 3 High Visibility
- Conforms to EN343:2019
Class 3 Water Penetration
Class 4 Air Permeability
Class X Readymade water tower test
- RIS-3279-TOM Issue 2 - Railway use certified.



BEESWIFT
ONLINE

Product Code:
JJ

Available in Sizes:
S - XXXXL

Unit of Measure:
Each

Available in Colours:



Orange
JJOR



Saturn Yellow
JJSY



CE Marked Category 2



Conforms to EN ISO 20471
for Hi Visibility



Conforms to EN343 for
Water Penetration and



Product supplied with retail
tags



Garment has breathable
fabric



Conforms to the correct EN
standards



Garment comes with a
detachable hood



Garment has a pocket for
easy ID access



Garment conforms to
RIS-3279-TOM - Railway





BEESWIFT
ONLINE

Product Code:
LSSJHV

Unit of Measure:
Each

Available in Colours:



Orange
LSSJOR
Saturn Yellow
LSSJSY

Beeswift Ladies Soft Shell Jacket

- Hi Vis "Soft Shell" Jacket.
- Lightweight & comfortable.
- Windproof.
- Fleece backed, breathable fabric.
- Full length front zip to neck.
- 2 Angled zipped hip pockets.
- Zipped right breast pocket.
- Plain cuffs.
- Plain hem.
- Retro-reflective tape.
- Conforms to EN ISO 13688:2013+A1:2021
- Conforms to EN ISO 20471:2013+A1:2016
Class 2 High Visibility
- RIS-3279-TOM Issue 2 - Railway use certified.



BEESWIFT
ONLINE

Product Code:
PUJ

Available in Sizes:
S - 4XL

Unit of Measure:
Each

Available in Colours:



Orange
PUJOR

Beeswift Hi-Vis PU Jacket

- Breathable fabric.
- Polyester with PU coating.
- Concealed hood.
- Full zip front with double storm flap.
- Self double yoke back.
- Lower pockets with flap.
- Elasticated storm cuffs.
- Stitched and welded seams.
- Reflective material.
- Conforms to EN ISO 13688:2013+A1:2021
- Conforms to EN ISO 20471:2013+A1:2016
Class 3 High Visibility
- Conforms to EN343:2019
Class 4 Water Penetration
Class 1 Air Permeability
Class X Readymade water tower test



CE Marked Category 2



Conforms to EN ISO 20471
for Hi Visibility



Conforms to EN343 for
Water Penetration and



Product supplied with retail
tags



Garment comes with a
hood



Garment has welded or
reinforced seams



BEESWIFT
ONLINE

Product Code:
PUJ471

Available in Sizes:
XXXL - XXXXL

Unit of Measure:
Each

Available in Colours:



Saturn Yellow
PUJ471SY



CE Marked Category 2



Conforms to EN ISO 20471
for Hi Visibility



Conforms to EN343 for
Water Penetration and



Product supplied with retail
tags



Garment comes with a
hood



Garment has welded or
reinforced seams

Beeswift Hi-Vis Breathable PU Jacket

- Breathable fabric.
- Polyester with PU coating.
- Concealed hood.
- Full zip front with double storm flap.
- Self double yoke back.
- Lower pockets with flap.
- Elasticated storm cuffs.
- Stitched and welded seams.
- Reflective material.

- Conforms to EN ISO 13688:2013+A1:2021
- Conforms to EN ISO 20471:2013+A1:2016
Class 3 High Visibility
- Conforms to EN343:2019
Class 4 Water Penetration
Class 1 Air Permeability
Class X Readymade water tower test



BEESWIFT
ONLINE

Product Code:
RSJ

Available in Sizes:
38 - 54

Unit of Measure:
Each

Available in Colours:



Orange
RSJ



CE Marked Category 2



Conforms to EN ISO 20471
for Hi Visibility



Product supplied with retail
tags



Garment has 3M Scotchlite
tape



Garment comes in a
Euroslot retail bag



Garment conforms to
RIS-3279-TOM - Railway



Garment has welded or
reinforced seams

Beeswift Hi-Vis Railspec Jacket

- 280gsm 80-20 Polyester cotton.
- Teflon coated for improved soil release.
- Durable hard wearing whilst remaining soft and comfortable.
- Retro reflective tape.
- Two breast pockets with flaps.
- Two hip pockets.

- Conforms to EN ISO 13688:2013+A1:2021
- Conforms to EN ISO 20471:2013+A1:2016
Class 3 High Visibility
- RIS-3279-TOM Issue 2 - Railway use certified.





BEESWIFT
ONLINE

Product Code:
SS20471

Available in Sizes:
S - 4XL

Unit of Measure:
Each

Available in Colours:



Saturn Yellow
SS20471SY



CE Marked Category 2



Conforms to EN ISO 20471
for Hi Visibility



Product supplied with retail
tags



Garment has breathable
fabric



Conforms to the correct EN
standards



Garment Possesses
Weather Resistant

Beeswift Hi-vis Soft Shell Lightweight Jacket

- Hi Vis "Soft Shell" Jacket.
- Lightweight & comfortable.
- Windproof.
- Fleece backed, breathable fabric.
- Full length front zip to neck.
- 2 Angled zipped hip pockets.
- Zipped right breast pocket.
- Plain cuffs.
- Plain hem.
- Retro-reflective tape.

• Conforms to EN ISO 13688:2013+A1:2021

• Conforms to EN ISO 20471:2013+A1:2016
Class 3 High Visibility



Beeswift Hi-Vis Soft Shell Lightweight Rail Spec Jacket

- Hi Vis "Soft Shell" Jacket.
- Lightweight & comfortable.
- Windproof.
- Fleece backed, breathable fabric.
- Full length front zip to neck.
- 2 Angled zipped hip pockets.
- Zipped right breast pocket.
- Plain cuffs.
- Plain hem.
- Retro-reflective tape.

• Conforms to EN ISO 13688:2013+A1:2021

• Conforms to EN ISO 20471:2013+A1:2016
Class 3 High Visibility

• RIS-3279-TOM Issue 2 - Railway use certified.



BEESWIFT
ONLINE

Product Code:
SS20471OR

Available in Sizes:
S - 5XL

Unit of Measure:
Each

Available in Colours:



Orange
SS20471OR



CE Marked Category 2



Conforms to EN ISO 20471
for Hi Visibility



Product supplied with retail
tags



Garment has breathable
fabric



Conforms to the correct EN
standards



Garment Possesses
Weather Resistant





BEESWIFT
ONLINE

Product Code:
TJ8

Available in Sizes:
S - XXXXXXL

Unit of Measure:
Each

Available in Colours:



Orange
TJ8OR



Saturn Yellow
TJ8SY



CE Marked Category 2



Conforms to EN ISO 20471
for Hi Visibility



Conforms to EN343 for
Water Penetration and



Product supplied with retail
tags



Conforms to the correct EN
standards



Garment comes in a
Euroslot retail bag



Fully interactive with
another garment



Taped Seams

Beeswift Hi-Vis Lightweight Jacket

- PVC coated 150D polyester.
 - Concealed hood.
 - Two-way heavy duty zip front with studded storm flap.
 - 2 Lower pockets with flaps.
 - Knitted storm cuffs.
 - Fully taped seams.
 - Retro Reflective Tape.
- Conforms to EN ISO 13688:2013+A1:2021
 - Conforms to EN ISO 20471:2013+A1:2016
Class 3 High Visibility
 - Conforms to EN343:2019
Class 3 Water Penetration
Class 1 Air Permeability
Class X Readymade water tower test



BEESWIFT
ONLINE

Product Code:
TJFS

Available in Sizes:
S - XXXXXL

Unit of Measure:
Each

Available in Colours:



Orange
TJFSOR



Saturn Yellow
TJFSSY



CE Marked Category 2



Conforms to EN ISO 20471
for Hi Visibility



Conforms to EN343 for
Water Penetration and



Product supplied with retail
tags



Conforms to the correct EN
standards



Garment comes with a
hood



Garment has welded or
reinforced seams

Beeswift 4 in 1 Hi-Vis Jacket and Bodywarmer

- Heavyweight PU coated polyester.
 - Nylon lining.
 - Concealed hood.
 - Two-way heavy weight zip with storm flap.
 - 2 Lower hip pockets with flaps.
 - Knitted storm cuffs.
 - Fully taped seams.
- Conforms to EN ISO 13688:2013+A1:2021
 - Conforms to EN ISO 20471:2013+A1:2016
Class 3 High Visibility
 - Conforms to EN343:2019
Class 3 Water Penetration
Class 1 Air Permeability
Class X Readymade water tower test





BEESWIFT
ONLINE

Product Code:
TJSTTENG

Available in Sizes:
S - XXXXXL

Unit of Measure:
Each

Available in Colours:



-  CE Marked Category 2
-  Conforms to EN ISO 20471 for Hi Visibility
-  Conforms to EN343 for Water Penetration and
-  Product supplied with retail tags
-  Conforms to the correct EN standards
-  Garment has a Heavy-Duty Zip Fastening
-  Garment comes with a hood

Beeswift Hi-Vis Two-Tone Traffic Jacket

- Heavyweight PU coated polyester.
 - Quilted lining with polyester filling.
 - Concealed hood.
 - Two-way heavy duty zip front.
 - 2 lower pockets.
 - 1 inside pocket.
 - Knitted storm cuffs.
 - Fully taped seams.
 - Retro-Reflective Tape.
- Conforms to EN ISO 13688:2013+A1:2021
 - Conforms to EN ISO 20471:2013+A1:2016
Class 3 High Visibility
 - Conforms to EN343:2019
Class 3 Water Penetration
Class 1 Air Permeability
Class X Readymade water tower test




BEESWIFT
ONLINE

Product Code:
WEJ01

Available in Sizes:
XS - 4XL

Unit of Measure:
Each

Available in Colours:



Beeswift Womens Executive Jacket

- Tailored fit.
 - Fully breathable with grey mesh lining
 - Concealed hood in collar, hook and loop closure.
 - Heavy duty two way front zip to neck with studded storm flap.
 - Zipped security pocket.
 - Part elasticated waist.
 - Angled hip pockets with stud closure flaps & reflective piping.
 - Internal right breast smartphone pocket.
 - Internal left breast pocket with pen holder.
 - Wicking strip.
 - Zipped access for badging.
 - Storm cuffs with hook and loop adjustment.
 - Retro - reflective tape.
- Conforms to EN ISO 13688:2013+A1:2021
 - Conforms to EN ISO 20471:2013+A1:2016
Class 3 High Visibility
 - Conforms to EN343:2019
Class 3 Water Penetration
Class 4 Air Permeability
Class X Readymade water tower test
 - RIS-3279-TOM Issue 2 - Railway use certified.





BEESWIFT
ONLINE

Product Code:
PVCDD30N

Available in Sizes:
10

Unit of Measure:
Bx 10

Available in Colours:



Green
PVCDD30N



Cat 3 - High Risk

Beeswift PVC Double Dip Guantlet Gloves 30CM

PVC double dipped fully coated chemical gauntlet. Tough flexible PVC coating with additional granular. Non slip coating on the hands. Brushed jersey liner. sanitised treatment.

Applications:

- Handling of oils, detergents and alcohols
- General handling
- Chemical handling

CAT III

- EN388: 2016 + A1:2018
- Level 3 - Abrasion
- Level X - Cut Resistance
- Level 1 - Tear Resistance
- Level 1 - Puncture
- Level B - ISO 13997 Cut Resistance
- EN374-1:2016
- Sodium Hydroxide 40% (K) - More than 480 Mins (Level 6)
- Sulphuric Acid 96% (L) - More than 60 Mins (Level 3)



CLICK
HAND PROTECTION

BEESWIFT PVC FULLY COATED KNITTED WRIST GLOVE

- Fully coated pvc glove.
- Stockinette liner.
- Elasticated cuff.

- EN388: 2016 + A1:2018
- Level 4- Abrasion
- Level X - Cut Resistance
- Level 1 - Tear Resistance
- Level 1 - Puncture
- Level A - ISO 13997 Cut Resistance



BEESWIFT
ONLINE

Product Code:
PVCFCWK

Available in Sizes:
7 - 10

Unit of Measure:
Each

Available in Colours:



Red
PVCFCWK



Cat 2 - Intermediate Risk



Mechanical Handling



CLICK
HAND PROTECTION



BEESWIFT
ONLINE

Product Code:
PVC11

Unit of Measure:
Each

Available in Colours:



Red
PVC11



Cat 2 - Intermediate Risk



Mechanical Handling

PVC 11" Gauntlet

- PVC Gauntlet.
- 11" (28cm) overall length.
- Liquid proof.
- EN388: 2016 + A1:2018
- Level 4- Abrasion
- Level X - Cut Resistance
- Level 1 - Tear Resistance
- Level 1 - Puncture
- Level A - ISO 13997 Cut Resistance



CLICK
HAND PROTECTION

PVC 14" Gauntlet

- PVC Gauntlet.
- 14" (36cm) overall length.
- Liquid proof.
- EN388: 2016 + A1:2018
- Level 4- Abrasion
- Level X - Cut Resistance
- Level 1 - Tear Resistance
- Level 1 - Puncture
- Level A - ISO 13997 Cut Resistance



BEESWIFT
ONLINE

Product Code:
PVC14

Unit of Measure:
Each

Available in Colours:



Red
PVC14



Cat 2 - Intermediate Risk



Mechanical Handling



CLICK
HAND PROTECTION



BEESWIFT
O N L I N E

Product Code:
PVC18

Unit of Measure:
Each

Available in Colours:



Red
PVC18



Cat 2 - Intermediate Risk



Mechanical Handling

PVC 18" Gauntlet

- PVC Gauntlet.
- 18" (46cm) overall length.
- Liquid proof.
- EN388: 2016 + A1:2018
- Level 4- Abrasion
- Level X - Cut Resistance
- Level 1 - Tear Resistance
- Level 1 - Puncture
- Level A - ISO 13997 Cut Resistance



CLICK
HAND PROTECTION

Beeswift Fleece Snood

- Polyester Suprafleece for extra warmth.
- Breathable fabric.
- Seam free for comfort.
- Machine washable/non iron.
- Multi-purpose use.



BEESWIFT
O N L I N E

Product Code:
FSB

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Black
FSB



CLICK
WORKWEAR



BEESWIFT
O N L I N E

Product Code:
THLJ

Available in Sizes:
S - XXXL

Unit of Measure:
Each

Available in Colours:



Black
THLJBL



Blue
THLJ



White
THLJW

Beeswift Thermal Long John

Thermal long John Trousers

Perfect for outdoors or cold environments this base layer provides the wearer an additional source of warmth, while still allowing the body to breath and enabling a full range of movement. A comfortable fit that is close to the body and virtually unnoticeable under everyday work clothing.

- Soft, polyester/viscose fibre
- Good insulation against cold conditions
- Lightweight material
- Heat seal labelling for irritation-free fit
- Essential later for cold temperatures

Ideal for;

Warehouse / Distribution
Construction / Trade
Engineering / Fabrication
Farming / Agriculture
Rambling / Walking
Winter sports



CLICK
WORKWEAR

Beeswift Thermal Vest Long Sleeve

Long Sleeved Thermal vest

Perfect for outdoors or cold environments this base layer provides the wearer an additional source of warmth, while still allowing the body to breath and enabling a full range of movement. A comfortable fit that is close to the body and virtually unnoticeable under everyday work clothing.

- Short sleeved thermal vest
- Soft, polyester/viscose fibre
- Good insulation against cold conditions
- Lightweight material

Ideal for;

Warehouse / Distribution
Construction / Trade
Engineering / Fabrication
Farming / Agriculture
Rambling / Walking
Winter sports



BEESWIFT
O N L I N E

Product Code:
THVLS

Available in Sizes:
S - XXXL

Unit of Measure:
Each

Available in Colours:



Black
THVLSBL



Blue
THVLS



White
THVLSW



CLICK
WORKWEAR



BEESWIFT
O N L I N E

Product Code:
THVSS

Available in Sizes:
S - XXXL

Unit of Measure:
Each

Available in Colours:



Black
THVSSBL



Blue
THVSS



White
THVSSW

Beeswift Thermal Vest Short Sleeve

Short Sleeved Thermal vest

Perfect for outdoors or cold environments this base layer provides the wearer an additional source of warmth, while still allowing the body to breath and enabling a full range of movement. A comfortable fit that is close to the body and virtually unnoticeable under everyday work clothing.

- Short sleeved thermal vest
- Soft, polyester/viscose fibre
- Good insulation against cold conditions
- Lightweight material

Ideal for;

Warehouse / Distribution
Construction / Trade
Engineering / Fabrication
Farming / Agriculture
Rambling / Walking
Winter sports



CLICK
WORKWEAR



BEESWIFT
O N L I N E

Product Code:
BS040

Available in Sizes:
ONE SIZE

Unit of Measure:
Pair

Available in Colours:



Grey
BS040

CANADIAN HIGH QUALITY LEATHER RIGGER GLOVE

- Grey split leather.
- Heavyweight cotton backing and safety cuff.
- Vein patch.
- Good fitting large size with fleecy lined palm and thumb-face for added comfort.

- EN388: 2003
- Level 4 - Abrasion
- Level 1 - Cut Resistance
- Level 4 - Tear Resistance
- Level 4 - Puncture



CLICK
HAND PROTECTION



BEESWIFT
O N L I N E

Product Code:
BS047

Available in Sizes:
09 - 10

Unit of Measure:
Pair

Available in Colours:

-  Orange
BS047OR
-  Saturn Yellow
BS047SY

LATEX THERMO-STAR FULLY DIPPED GLOVE

- 7G Brushed polyester heavyweight knitted liner with Latex coated to palm area.
- Double dip to fingers for added protection.
- Vented back
- Highly visible fleese liner.
- Ideal for refrigeration, coldstore, and winter conditions.
- Thick latex coating for durability and grip.

- EN388: 2003
- Level 2 - Abrasion
- Level 2 - Cut Resistance
- Level 4 - Tear Resistance
- Level 1 - Puncture
- Conforms to EN511: 2006 1.4.X
- Conforms to EN407: 2004 X2XXXX



BEESWIFT

BEESWIFT PADDED BAFFLE BODYWARMER

- 300T 100% Polyester Outer Shell Fabric
- 100% Polyester Taffeta padding 68 GSM
- Fully lined and padded for increased warmth
- Lightweight, designed for a comfortable fit
- Stand up collar
- Chin guard provides extra comfort
- Storm flap to protect against the elements
- Soft touch zip pullers
- Elasticated binding to armholes and hem for secure fit
- Two lower secure side zipped pockets for added security
- Two internal pockets for storage
- Spare green soft touch zip pullers for added customisation
- Weather resistant storage bag for Bodywarmer, for easy transportation



CLICK
WORKWEAR



BEESWIFT
ONLINE

Product Code:
CLPCSH

Available in Sizes:
S - XXXL

Unit of Measure:
Each

Available in Colours:



Black
CLPCSHBL



Navy Blue
CLPCSHN



Cat 1 - Minimal Risk



Garment has a hood



Garment has a mobile
phone pocket

Beeswift Hooded Sweatshirt

- 300gsm 65% / 35% polycotton fleece inner
- Hood with draw cord
- Front pouch pocket with hidden mobile phone pocket
- Drop shoulder
- Ribbed cuffs
- Ribbed waistband



CLICK
WORKWEAR



BEESWIFT
ONLINE

Product Code:
CLQZSS

Available in Sizes:
XS - 6XL

Unit of Measure:
Each

Available in Colours:



Black
CLQZSSBL



Navy Blue
CLQZSSN



Cat 1 - Minimal Risk

Beeswift Quarter Zip Sweatshirt

- 280gsm 70% cotton, 30% polyester fleece
- Brushed on the inside
- Quarter length zip
- Drop shoulder
- Ribbed cuffs
- Ribbed waistband



CLICK
WORKWEAR



BEESWIFT
ONLINE

Product Code:
CPPCS

Available in Sizes:
S - XXXL

Unit of Measure:
Each

Available in Colours:



Black
CPPCSBL



Navy Blue
CPPCSN



Cat 1 - Minimal Risk

Beeswift Premium Sweatshirt

- 65% Cotton, 35% Polyester
- Heavy 365gsm fabric
- Fashionable drop shoulder style
- Cover seamed neck, shoulders armholes and waistband
- High quality ribbed cuffs and waistband



CLICK
WORKWEAR



BEESWIFT
ONLINE

Product Code:
EC6N

Available in Sizes:
S - XXL

Unit of Measure:
Bx 10

Available in Colours:



Grey
EC6NGY



Cat 2 - Intermediate Risk

BEESWIFT NITRILE FOAM POLYESTER GLOVES

- 35% polyester + 65% Nitrile
- 100% Polyester shell with nitrile coated palm and fingers.
- Ventilated back.
- Lightweight for maximum dexterity and comfort with sensitivity.
- Suitable for general assembly handling and light engineering.
- Ideal for dry or slightly oily applications.
- EN388: 2016
- Level 4 - Abrasion
- Level X - Cut Resistance
- Level 2 - Tear Resistance
- Level 1 - Puncture
- Level A - ISO 13997 Cut Resistance



CLICK
HAND PROTECTION



BEESWIFT
ONLINE

Product Code:
EC7N

Available in Sizes:
S - XL

Unit of Measure:
Bx 10

Available in Colours:



Grey
EC7NGY



Cat 2 - Intermediate Risk



Mechanical Handling

BEESWIFT NITRILE PALM COATED POLYESTER GLOVES

- 35% polyester + 65% Nitrile
- Nitrile coated palm and fingers.
- Ventilated back.
- Lightweight for maximum dexterity and comfort with sensitivity.
- Suitable for general assembly handling and engineering applications

- EN388: 2016
- Level 4 - Abrasion
- Level X - Cut Resistance
- Level 2 - Tear Resistance
- Level 1 - Puncture
- Level A - ISO 13997 Cut Resistance



CLICK
HAND PROTECTION

BEESWIFT NITRILE RUBBER CHEMICAL GLOVES

- Nitrile glove
- Flocklined
- Overall length 31.5cm
- A high level of resistance to abrasion, solvents and animal fats.
- Embossed pattern to palm
- Silicon and wax free

EN388:2016+A1:2018

- Level 4 - Abrasion Resistance
- Level 1 - Blade Cut Resistance
- Level 0 - Tear Resistance
- Level 1 - Puncture
- Level X - ISO 13997 Blade Cut Resistance

EN ISO 374-5:2016

- Level Pass - Protection against bacteria and fungi
- Level Pass - Protection against viruses

EN ISO 374-1:2016+A1:2018/TYPE A

- Level 6 - n-Heptane (J)
- Level 6 - 40% Sodium Hydroxide (K)
- Level 3 - 96% Sulphuric acid (L)
- Level 5 - 25% Ammonium Hydroxide (O)
- Level 6 - 30% Hydrogen Peroxide (P)
- Level 6 - 37% Formaldehyde (T)

ISO 18889:2019

- Level G2 Protection against liquid pesticides



BEESWIFT
ONLINE

Product Code:
NCG

Available in Sizes:
S-XXL

Unit of Measure:
Each

Available in Colours:



Green
NCG



Cat 3 - High Risk



Chemical Hazards



Mechanical Handling



CLICK
HAND PROTECTION



BEESWIFT
ONLINE

Product Code:
NDGFCBL

Available in Sizes:
S - XL

Unit of Measure:
Each

Available in Colours:



Black
NDGFC



Cat 2 - Intermediate Risk



Mechanical Handling

Beeswift Nitrile Fully Coated Polyester Gloves

- 20% polyester + 80% Nitrile
- Heavy duty nitrile fully dipped fingers and palm
- Lightweight for maximum dexterity
- The extended dipping process produces a uniformly thick coverage of nitrile; ideal for the most demanding of applications
- Liquid proof.
- Provides wearer with a combination of durability and comfort

- EN388: 2016
- Level 4 - Abrasion
- Level X - Cut Resistance
- Level 2 - Tear Resistance
- Level 1 - Puncture
- Level A - ISO 13997 Cut Resistance



CLICK
HAND PROTECTION

Beeswift Nitrile Disposable Powder Free Gloves

- Powder Free blue textured Nitrile Gloves
- CE category III
- CE class I examination glove
- Excellent elasticity
- Suitable for applications which are visible to the public catering, beauty and body art sectors.
- Dual labelling. Fulfilling medical requirements in the tattoo and piercing sector
- Skin friendly: free from phthalates/ softeners and allergenic latex proteins
- Tested and certified according to 1935/2004 - suitable for food contact
- AQL 1.5

Chemical - Breakthrough Time
Formaldehyde 37% (T) - More than 480 Mins (Level 6)
Sodium Hydroxide 40% (K) - More than 480 Mins (Level 6)
Hydrogen Peroxide 30% (P) - More than 30 Mins (Level 2)

- EN420: 2003 +A1:2009
- EN ISO 374-1: 2016
- EN ISO 374-5: 2016
- EN 455: 2000



BEESWIFT
ONLINE

Product Code:
NDGPF50NB

Available in Sizes:
S - M

Unit of Measure:
Bx 1Th

Available in Colours:



Blue
NDGPF50NB



CLICK
WORKWEAR



BEESWIFT
ONLINE

Product Code:
NFNG

Available in Sizes:
08 - 11

Unit of Measure:
Each

Available in Colours:



Grey
NFNG



Cat 2 - Intermediate Risk



Mechanical Handling

Beeswift Nitrile Foam Nylon Gloves

- 100% Nylon seamless shell with nitrile coated palm and fingers.
- Ventilated back.
- Lightweight for maximum dexterity and comfort with sensitivity.
- Suitable for general assembly handling and light engineering.
- Ideal for dry or slightly oily applications.

- EN ISO 21420:2020
- EN388: 2016+A1:2018
- Level 4 - Abrasion
- Level X - Cut Resistance
- Level 2 - Tear Resistance
- Level 1 - Puncture
- Level A - ISO 13997 Cut Resistance



CLICK
HAND PROTECTION



BEESWIFT
ONLINE

Product Code:
NG18

Available in Sizes:
L - XL

Unit of Measure:
Each

Available in Colours:



Green
NG18



Cat 3 - High Risk



Chemical Hazards



Mechanical Handling

Beeswift Nitrile Gloves 18"

- Unsupported nitrile glove.
- Overall Length 45cm
- A high level of resistance to abrasion, solvents and animal fats.
- Pebble finish to palm
- Silicon and wax free

- EN ISO 374-1: 2016: Type B
Chemical - Breakthrough Time
Methanol (A) - More than 60 Mins (Level 3)
Toluene (F) - More than 10 Mins (Level 1)
n-Heptane (J) - More than 480 Mins (Level 6)
Sulphuric Acid 96% (L) - More than 240 Mins (Level 5)
Sodium Hydroxide 40% (K) - More than 480 Mins (Level 6)

- EN388: 2016
- Level 4 - Abrasion
- Level X - Cut Resistance
- Level 0 - Tear Resistance
- Level 2 - Puncture
- Level X - ISO 13997 Blade Cut

- EN ISO 374-5:2016
Protection Against Bacteria and Fungi - Pass
Protection Against Viruses - Not Tested



CLICK
HAND PROTECTION



BEESWIFT
ONLINE

Product Code:
NKWFCHWN

Available in Sizes:
09 - 10

Unit of Measure:
Bx 10

Available in Colours:



Blue
NKWFCHWN



Cat 2 - Intermediate Risk



Mechanical Handling

Beeswift Nitrile Knitted Wrist Fully Coated Heavy Weight Gloves

- Excellent protection for heavy duty applications.
- Soft jersey liner for wearer comfort
- Nitrile coating resists puncture cuts and abrasions.

- EN388: 2016
- Level 4 - Abrasion
- Level X - Cut Resistance
- Level 1 - Tear Resistance
- Level 1 - Puncture
- Level B - ISO 13997 Cut Resistance



CLICK
HAND PROTECTION



BEESWIFT
ONLINE

Product Code:
NKWFCLWN

Available in Sizes:
10

Unit of Measure:
Bx 10

Available in Colours:



Yellow
NKWFCLWN



Cat 2 - Intermediate Risk



Mechanical Handling

Beeswift Nitrile Knitted Wrist Fully Coated Light Weight Gloves

- Good flexibility and comfort.
- Resists abrasion, cuts and punctures.
- General purpose handling in many industrial sectors.

- EN388: 2016
- Level 3 - Abrasion
- Level X - Cut Resistance
- Level 1 - Tear Resistance
- Level 1 - Puncture
- Level B - ISO 13997 Cut Resistance



CLICK
HAND PROTECTION



BEESWIFT
ONLINE

Product Code:
NSCFCHWN

Available in Sizes:
09 - 10

Unit of Measure:
Bx 10

Available in Colours:



Blue
NSCFCHWN



Cat 2 - Intermediate Risk



Mechanical Handling

Beeswift Nitrile Safety Cuff Fully Coated Heavy Weight Gloves

- Excellent protection for heavy duty applications.
- Soft jersey liner for wearer comfort
- Nitrile coating resists puncture cuts and abrasions.

- EN388: 2016
- Level 4 - Abrasion
- Level X - Cut Resistance
- Level 2 - Tear Resistance
- Level 1 - Puncture
- Level B - ISO 13997 Cut Resistance



CLICK
HAND PROTECTION

Beeswift Nite Star Gloves

- 100% Nylon seamless shell.
- Nitrile coated palm and fingers.
- Ventilated back.
- Lightweight for maximum dexterity and comfort with sensitivity.
- Suitable for general assembly handling and engineering applications

- EN388: 2016
- Level 3 - Abrasion
- Level X - Cut Resistance
- Level 2 - Tear Resistance
- Level 1 - Puncture
- Level A - ISO 13997 Cut Resistance



CLICK
HAND PROTECTION



BEESWIFT
ONLINE

Product Code:
NSG

Available in Sizes:
07 - 10

Unit of Measure:
Each

Available in Colours:



Black
NSGBL



Cat 2 - Intermediate Risk



Mechanical Handling



BEESWIFT
ONLINE

Product Code:
CLCPSN

Available in Sizes:
30 - 46

Unit of Measure:
Each

Available in Colours:



Black
CLCPSBL



Navy Blue
CLCPSN



Product supplied with retail tags



Garment has a mobile phone pocket

Beeswift Cargo Pocket Shorts

- 100% Cotton
- Zip fastening with button closure
- 2 Hip pockets and side mobile phone pocket
- 2 Patch pockets on leg with button fastening
- 1 Rear pocket.



CLICK
WORKWEAR

Beeswift Nylon Coverall

- Lightweight with PVC coating to reverse
- Concealed hood
- Plastic front zip with storm flap
- Studded cuffs and ankles
- Fully taped seams



BEESWIFT
ONLINE

Product Code:
NBDC

Available in Sizes:
M - XXXL

Unit of Measure:
Each

Available in Colours:



Orange
NBDCOR



Saturn Yellow
NBDCSY



Cat 1 - Minimal Risk



Garment has welded or reinforced seams



Garment comes with a hood



B-DRI
BY BEESWIFT



BEESWIFT
O N L I N E

Product Code:
SBDC

Available in Sizes:
S - XXL

Unit of Measure:
Each

Available in Colours:



Navy Blue
SBDCN



Olive Green
SBDCO



Saturn Yellow
SBDCSY



Cat 1 - Minimal Risk



Conforms to the correct
EN Standards



Garment comes with a
hood



Garment conforms to
EN343



BDRi Welded Re-inforced
Seams

Beeswift Super Coverall

- Polyester with PU coating
- Hood with drawcord
- Zip front with stud flap
- Elasticated wind cuffs
- Studded ankles
- Stitched and welded seams



BEESWIFT
O N L I N E

Product Code:
BG218GYM

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Grey
BG218GYM

Bagbase Two-Tone Digital Messenger Bag

BagBase Two Tone Digital Messenger
Material: 600D polyester.
Grab handle.
Adjustable shoulder strap with pad.
Padded laptop compartment compatible up to 15.6".
Internal organiser section.
Rear zip pocket.
Tear out label.



BagBase



BEESWIFT
ONLINE

Product Code:
QD70

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Green
QD70G



Cat 1 - Minimal Risk

Beeswift QD70 Holdall Bag

- Material 420D
- Webbing Handles and detachable/adjustable padded shoulder strap
- Pocket with zip at each end
- Capacity 32 litres
- Dimensions: 53 x 32 x 26 cm



B-SAFE
BY BEESWIFT

Beeswift QD80 Holdall Bag

- 420D Polyester
- Detachable adjustable shoulder strap with pad
- Zippered end pockets
- 74 Litre
- Wet Pocket
- Dimensions 75 X 35 X 30 CM



BEESWIFT
ONLINE

Product Code:
QD80

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Black
QD80BL



Cat 1 - Minimal Risk



B-SAFE
BY BEESWIFT



BEESWIFT
ONLINE

Product Code:
CFRLR3456

Available in Sizes:
S - XXXXL

Unit of Measure:
Each

Available in Colours:



Saturn Yellow
CFRLR3456SY



Anti Static



Conforms to EN ISO 20471
for Hi Visibility



Conforms to EN343 for
Water Penetration and



Fire Retardant

Beeswift Fire Retardant Hi-Vis Anti-Static Padded Jacket

- 50% Polyamide, 50% polyurethane, 170 g/m²
- FR quilted cotton lining with polyester padding
- Microflex flame-retardant Hi-Viz winter rain jacket
- High frequency welded seams
- Zipper under storm flap with press studs
- Sleeves with adjustable press stud
- Hood with drawstring, hidden in collar
- Drawstring at waist. With reflective tape
- 2 patch pockets
- Inside pocket

EN343 3 1 2003 + A1 2007
EN ISO 20471:2013 + A1 2016
EN ISO 14116 2008 OUTER INDEX 1 INNER INDEX 3
EN1149-5 2008 EN1149-3 2004



CLICK
FLAME RETARDANT



BEESWIFT
ONLINE

Product Code:
CFRLR55

Available in Sizes:
S - 5XL

Unit of Measure:
Each

Available in Colours:



Saturn Yellow
CFRLR55SY



Garment has anti static
fabric



Cat 2 - Intermediate Risk



Garment conforms To
EN471



Garment is fire retardant



Garment is weather proof

Beeswift Fire Retardant Hi-Vis Anti-Static Jacket

- EN 343 2003 + A1:2007
- EN 471 2003 + A1:2007
- EN ISO 14116 : 2008 Index 1
- EN 1149-5:2008 EN 1149-3:2004
- Flame retardant Anti Static Hi Vis
- High frequency welded seams
- Fixed hood with drawstring
- Concealed stud front zip fastening
- Adjustable press stud on sleeves
- 2 Lower Patch pockets



CLICK
FLAME RETARDANT



BEESWIFT
ONLINE

Product Code:
CFRPKJ

Available in Sizes:
S - 7XL

Unit of Measure:
Each

Available in Colours:



Orange
CFRPKJOR



Saturn Yellow
CFRPKJSY



CE Marked Category 2



Conforms to EN ISO 20471
for Hi Visibility



Fire Retardant



Product supplied with retail
tags



Conforms to the correct EN
Standards

Beeswift Fire Retardant Hi-Vis Jerkin

- 100% Polyester Flame Retardant long sleeve jerkin.
- Retro-Reflective tape.
- Hook and loop front fastening

- Conforms to:
EN ISO 13688:2013+A1:2021
EN ISO 20471:2013+A1:2016 (Class 3)
EN 1149-5: 2018
EN ISO 14116:2015 (Index 1)

- Do not wear next to skin.
- Must be worn over Index 2 or 3 garments.



BEESWIFT
ONLINE

Product Code:
AT

Available in Sizes:
12MM X 2M

Unit of Measure:
Each

Available in Colours:



White
AT



Cat 1 - Minimal Risk

Beeswift Apron Cotton Ties 12MM X 2M

Tan colored Strong cotton tie, used to secure the neck and back of multiple aprons.

Can be used in conjunction with
CPA42-10
CPA48-10
PAHWBL42-10
PAHWW42-10
PAHWW48-10
PALWW48-10
RAB42





BEESWIFT
O N L I N E

Product Code:
ATR

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Brown
ATR



Cat 1 - Minimal Risk

Beeswift Apron Cotton Tie Roll 1/2"X50M

Tan colored Strong cotton tie, used to secure the neck and back of multiple aprons.

Can be used in conjunction with
CPA42-10
CPA48-10
PAHWBL42-10
PAHWW42-10
PAHWW48-10
PALWW48-10
RAB42



BEESWIFT
O N L I N E

Product Code:
CPA42-10

Available in Sizes:
ONE SIZE

Unit of Measure:
Bx 10

Available in Colours:



Clear
CPA42-10



Cat 1 - Minimal Risk

Beeswift Clear PVC Apron 42" X 36" Pack of 10

- Waterproof
- Durable & easy to clean
- Plastic eyelets for adjustment and securing
- Good resistance to fats and oils

Apron ties not included see
Product code : AT
Product code : ATR





BEESWIFT
O N L I N E

Product Code:
CPA48-10

Available in Sizes:
48"X36"

Unit of Measure:
Bx 10

Available in Colours:



Clear
CPA48-10



Cat 1 - Minimal Risk

Beeswift Clear PVC Apron 48" X 36" Pack of 10

- Waterproof
- Durable & easy to clean
- Plastic eyelets for adjustment and securing
- Good resistance to fats and oils

Apron ties not included see
Product code : AT
Product code : ATR



B-SAFE
BY BEESWIFT

Beeswift Disposable Apron

- White colour
- Halter neck and ties around the waist
- Bacteria and fluid penetration resistant
- Aprons measure 42" x 27" (107x69mm) approx.



BEESWIFT
O N L I N E

Product Code:
DA42

Available in Sizes:
ONE SIZE

Unit of Measure:
Bx 1Th

Available in Colours:



Blue
DAB42DP



White
DA42DP



Cat 1 - Minimal Risk



CLICK
ONCE



BEESWIFT
O N L I N E

Product Code:
PAHW

Available in Sizes:
42

Unit of Measure:
Bx 10

Available in Colours:



Black
PAHW



White
PAHW



Cat 1 - Minimal Risk

Beeswift PVC Apron Heavyweight 42"X36" Pack 10

- Waterproof
- Durable & easy to clean
- Plastic eyelets for adjustment and securing
- Good resistance to fats and oils

Apron ties not included see

Product code : AT

Product code : ATR



B-SAFE
BY BEESWIFT

Beeswift Nyplax Apron 10 Pack

48" X 36" with self halter neck and ties.

Made from Nyplax which is a PVC/Nylon amalgam.

Good tensile strength.

Resistant to animal fats and minor chemicals (cleaning agents). NOT ACIDS AND TOXIC CHEMICALS.



BEESWIFT
O N L I N E

Product Code:
PNA

Available in Sizes:
48" X 36"

Unit of Measure:
Bx 10

Available in Colours:



Blue
PNADB



Green
PNAG



Red
PNARE



White
PNAW



Yellow
PNAY



Cat 1 - Minimal Risk



B-SAFE
BY BEESWIFT



BEESWIFT
O N L I N E

Product Code:
RAB42

Available in Sizes:
42" X 36"

Unit of Measure:
Each

Available in Colours:



Black
RAB42



Cat 1 - Minimal Risk

Beeswift Rubber Apron 42" X 36"

- 42" long by 36" wide
 - Eyeleted
 - The apron design is bib front style with metal eyelets & hemmed all round
 - Minimal Risk Apron
- Apron ties not included.



Beeswift Cotton Drill Boilersuit

- Pre-shrunk 100% cotton (250gsm)
- Concealed stud front
- 1 breast pocket with stud flap
- Reinforced elasticated waist
- 2 swing hip pockets with side access
- 1 rear pocket
- 1 rule pocket



BEESWIFT
O N L I N E

Product Code:
CDBS

Available in Sizes:
34 - 54

Unit of Measure:
Each

Available in Colours:



Navy Blue
CDBSN



White
CDBSW



Cat 1 - Minimal Risk



Garment has a Reinforced
Elasticated Waist





BEESWIFT
ONLINE

Product Code:
CPC

Available in Sizes:
36 - 54

Unit of Measure:
Each

Available in Colours:



Black
CPCBL



Navy Blue
CPCN



Cat 1 - Minimal Risk



Garment has a Reinforced
Elasticated Waist

Beeswift Premium Boilersuit

- Unique Stretch-plus design for enhanced comfort
- Elasticated back design allows garment to move with you as you work
- Hardwearing 250gsm 65/35 polycotton fabric
- Internal kneepad pockets
- Concealed nylon zipped front
- 2 x breast pockets with unique design
- 2 x hook and loop hip pockets
- 2 x thigh pockets
- 2 x rear pockets
- 1 x left sleeve pocket
- Under arm ventilation system



CLICK
WORKWEAR

Beeswift Boilersuit

- 65% polyester 35% cotton
- Lay down collar
- Yoke back
- Concealed stud front
- 2 breast pockets with stud flap
- 2 lower welted pockets
- 2" (5cm) waistband with side elastication



BEESWIFT
ONLINE

Product Code:
PCBS

Available in Sizes:
34 - 54

Unit of Measure:
Each

Available in Colours:



Navy Blue
PCBSN



Orange
PCBSOR



Red
PCBSRE



Royal Blue
PCBSR



Spruce Green
PCBSS



White
PCBSW



Cat 1 - Minimal Risk



Garment has a Fully
Elasticated Waistband



CLICK
WORKWEAR



BEESWIFT
ONLINE

Product Code:
PCBSHW

Available in Sizes:
36 - 58

Unit of Measure:
Each

Available in Colours:

-  Black
PCBSHWBL
-  Navy Blue
PCBSHWN
-  Orange
PCBSHWOR
-  Red
PCBSHWRE
-  Royal Blue
PCBSHWR

 Cat 1 - Minimal Risk

 Garment has a Reinforced Elasticated Waist

Beeswift Heavyweight Boilersuit

- 65% polyester, 35% cotton
- Concealed two-way zip
- 2 zip breast pockets
- Reinforced elasticated waist
- Double pen pocket on sleeve
- 2 swing hip pockets with side access
- 2 rear pockets, one with hook and loop fastening
- Internal Knee pad pockets
- 1 rule pocket
- 1 hammer loop



BEESWIFT
ONLINE

Product Code:
QBS

Available in Sizes:
36 - 58

Unit of Measure:
Each

Available in Colours:

-  Navy Blue
QBSN

 Cat 1 - Minimal Risk

 Garment has a Reinforced Elasticated Waist

Beeswift Quilted Boilersuit

- 65% polyester, 35% cotton
- Quilt Lined
- Concealed two way zip front
- 2 breast pockets
- Reinforced elasticated waist
- 2 swing pockets with side access
- 2 rear pockets, one with hook and loop flap
- 1 rule pocket





BEESWIFT
O N L I N E

Product Code:
CANCHQ

Available in Sizes:
ONE SIZE

Unit of Measure:
Bx 10

Available in Colours:



White
CANCHQN



Cat 1 - Minimal Risk



Minimal Risk

Beeswift Canadian Chrome High Quality Gloves

- Natural grey heavy tanned leather
- Natural colour promotes REACH and SVHC compliance.
- Natural leather thumb & first finger.
- Cotton drill back.
- Natural leather knuckle strip..
- Rubberized cuff.
- Lined palm & fingers.
- Minimal Risk.



CLICK
HAND PROTECTION

Beeswift Canadian High Quality Rigger Gloves

- Natural grey heavy tanned leather
- Natural colour promotes REACH and SVHC compliance.
- Heavyweight cotton backing and safety cuff.
- Vein patch.
- Good fitting large size with fleecy lined palm and thumb-face for added comfort.
- EN ISO 21420:2020
- EN388: 2016+A1:2018
- Level 4 - Abrasion
- Level X - Cut Resistance
- Level 4 - Tear Resistance
- Level 4 - Puncture
- Level A - ISO 13997 Cut Resistance



BEESWIFT
O N L I N E

Product Code:
CANCHQP

Available in Sizes:
ONE SIZE

Unit of Measure:
Bx 10

Available in Colours:



White
CANCHQPN



Cat 2 - Intermediate Risk



Mechanical Handling



CLICK
HAND PROTECTION



BEESWIFT
ONLINE

Product Code:
CANCSP

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



White
CANCSP



Cat 2 - Intermediate Risk



Mechanical Handling

Beeswift Canadian High Quality Rigger Gloves

- Natural grey heavy tanned leather
- Natural colour promotes REACH and SVHC compliance.
- Safety cuff fabric
- Superior performance and durability.
- Generously sized.
- Comfortable fleece lined palm and thumb-face.

- EN ISO 21420:2020
- EN388: 2016+A1:2018
- Level 4 - Abrasion
- Level X - Cut Resistance
- Level 4 - Tear Resistance
- Level 4 - Puncture
- Level B - ISO 13997 Cut Resistance



CLICK
HAND PROTECTION



BEESWIFT
ONLINE

Product Code:
CANDPP

Available in Sizes:
ONE SIZE

Unit of Measure:
Bx 10

Available in Colours:



White
CANDPPN



Cat 2 - Intermediate Risk



Mechanical Handling



Minimal Risk

Beeswift Canadian Double Palm High Quality Rigger Gloves

- Heavy duty double palm rigger style glove.
- Generous hand size.
- Robust yet supple.
- Part fleece lined.
- Cotton drill back.
- Knuckle strap.
- Pasted cuff with vein patch.

- EN ISO 21420:2020
- EN388: 2013+A1:2018
- Level 4 - Abrasion
- Level X - Cut Resistance
- Level 4 - Tear Resistance
- Level 4 - Puncture
- Level C - ISO 13997 Cut Resistance



CLICK
HAND PROTECTION



BEESWIFT
O N L I N E

Product Code:
CANYHSP

Available in Sizes:
ONE SIZE

Unit of Measure:
Bx 10

Available in Colours:



Yellow
CANYHSPN



Cat 2 - Intermediate Risk



Mechanical Handling



Minimal Risk

Beeswift Canadian Hide Rigger Gloves

- Natural grey heavy tanned leather
- Natural colour promotes REACH and SVHC compliance.
- Canadian pattern yellow grain leather glove.
- Cotton drill back and pasted safety cuff.
- Large hand size with fleece lining.

- EN388: 2016
- Level 3 - Abrasion
- Level X - Cut Resistance
- Level 4 - Tear Resistance
- Level 4 - Puncture
- Level B - ISO 13997 Cut Resistance



CLICK
HAND PROTECTION

Beeswift B-Cool Performance Polo Shirt

- 150gsm Polyester
- Wicking treatment
- Moisture absorbing
- Anti-Perspiring



BEESWIFT
O N L I N E

Product Code:
BCPKS

Available in Sizes:
S - 4XL

Unit of Measure:
Each

Available in Colours:



Black
BCPKSBL



Navy Blue
BCPKSN



Cat 1 - Minimal Risk



CLICK
WORKWEAR



BEESWIFT
O N L I N E

Product Code:
CLPKS

Available in Sizes:
S - XXXL

Unit of Measure:
Each

Available in Colours:



Black
CLPKSBL



Bottle Green
CLPKSBG



Grey
CLPKSGY



Navy Blue
CLPKSN



Red
CLPKSRE



Royal Blue
CLPKSR



White
CLPKSW



Cat 1 - Minimal Risk

Beeswift Standard Polo Shirt

- 200gms 65/35% polycotton
- 3 Buttons
- Cuffed sleeves
- Side vents
- Drop needle collar



CLICK
WORKWEAR

Beeswift Premium Polo Shirt

- 50% Cotton, 50% Polyester
- 260gsm heavy knit pique Polo Shirt
- High natural cotton content for wearer comfort
- 3 matching button placket
- Cuffed Sleeves
- Taped Neck



CLICK
WORKWEAR



BEESWIFT
O N L I N E

Product Code:
CPPKS

Available in Sizes:
S - XXXL

Unit of Measure:
Each

Available in Colours:



Black
CPPKSBL



Navy Blue
CPPKSN



Cat 1 - Minimal Risk



BEESWIFT
O N L I N E

Product Code:
IW027

Available in Sizes:
XS - XXXXXL

Unit of Measure:
Each

Available in Colours:



Royal Blue
IW027

Initial Polo Shirt

- 200gms 65/35% polycotton
- 3 Buttons
- Cuffed sleeves
- Side vents.



Initial



BEESWIFT
O N L I N E

Product Code:
CDDCMS

Available in Sizes:
03 - 13

Unit of Measure:
Each

Available in Colours:



Black
CDDCMSBL

Beeswift 4 D-Ring Midsole Boot

- 4 D-ring boot
- Dual density PU
- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Slip resistant
- Leather upper
- Conforms to EN ISO 20345:2011 S1P SRC



- Anti Slip Sole
- Anti Static Sole
- Cat 2 - Intermediate Risk
- Leather Upper
- Fuel Oil Resistant Sole
- Shock Absorber Heel
- Steel Midsole
- 200 Joule Steel Toecap
- Conforms to EN ISO 20345 S1P SRC



CLICK
FOOTWEAR



BEESWIFT
O N L I N E

Product Code:
CDDTBBL

Available in Sizes:
03 - 13

Unit of Measure:
Each

Available in Colours:



Black
CDDTBBL



Anti Slip Sole



Anti Static Sole



Cat 2 - Intermediate Risk



Leather Upper



Fuel Oil Resistant Sole



Shock Absorber Heel



Steel Midsole



200 Joule Steel Toecap



Conforms to EN ISO 20345
S1P SRC

Beeswift Safety Trainer Boot

- Dual density PU
- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Slip resistant
- Leather upper
- Conforms to EN ISO 20345:2011 S1P SRC



CLICK
FOOTWEAR

BEESWIFT SMOOTH LEATHER 6 INCH BOOT

- Smooth leather 6 inch boot
- Dual Density PU
- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Slip resistant
- Leather upper
- TPU heel support
- Conforms to EN ISO 20345:2011 S1P SRC



BEESWIFT
O N L I N E

Product Code:
CF2

Available in Sizes:
06 - 13

Unit of Measure:
Each

Available in Colours:



Black
CF2BL



Anti Slip Sole



Anti Static Sole



Cat 2 - Intermediate Risk



Leather Upper



Fuel Oil Resistant Sole



Shock Absorber Heel



Steel Midsole



200 Joule Steel Toecap



Conforms to EN ISO 20345
S1P SRC



CLICK
FOOTWEAR



BEESWIFT
ONLINE

Product Code:
CF35

Available in Sizes:
03 - 13

Unit of Measure:
Each

Available in Colours:



Black/Blue
CF35B



Black/Orange
CF35



Anti Slip Sole



Anti Static Sole



Cat 2 - Intermediate Risk



Composite Midsole



200 Joule Composite Toe
Cap



Fuel Oil Resistant Sole



Shock Absorber Heel



Conforms to EN ISO 20345
S3 SRC

BEESWIFT HIKER S3 COMPOSITE BOOT

- Nubuck leather, PU and black action mesh upper with printed decoration
- EVA/TPU/Rubber outsole
- Breathable orange mesh lining
- Comfortable, shock absorbing insole
- Composite Toe
- Composite midsole
- Water resistant
- Very lightweight
- Conforms to EN ISO 20345:2011
- S3 SRC



CLICK
FOOTWEAR



BEESWIFT
ONLINE

Product Code:
CF37

Available in Sizes:
02-12

Unit of Measure:
Each

Available in Colours:



Black
CF37



Anti Slip Sole



Anti Static Sole



Composite Midsole



200 Joule Composite Toe
Cap



Fuel Oil Resistant Sole



Shock Absorber Heel



Water Resistant

BEESWIFT HIMLEY TPU TEK COMPOSITE MID LIGHTWEIGHT SAFETY WORK BOOT S3S

- Black/Grey 50% TPU/50% Polyester upper
- High abrasion resistance upper fabric
- Black/Grey Dual Density PU sole with foam heel insert
- Nylon mesh inner lining
- Metal free
- Composite toe
- Composite midsole
- Heel support
- Water penetration and absorption
- Lightweight
- Shock absorber heel
- Antistatic
- FO sole resistant to fuel oil
- SR slip resistance

- Conforms to EN ISO 20345:2022.
- S3S FO SR



CLICK
FOOTWEAR



BEESWIFT
ONLINE

Product Code:
CF50BL

Available in Sizes:
03 - 13

Unit of Measure:
Each

Available in Colours:



Black
CF50BL



* See the pictogram key for description

BEESWIFT NON METALLIC CHUKKA BOOT

- Dual density PU
- 200 Joule composite toe cap
- Composite midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant
- Slip resistant
- Water resistant leather upper
- Conforms to ENISO 20345:2011 S3 SRC



CLICK
FOOTWEAR



BEESWIFT
ONLINE

Product Code:
CF55BL

Available in Sizes:
03 - 13

Unit of Measure:
Each

Available in Colours:



Black
CF55BL



* See the pictogram key for description

BEESWIFT DUAL DENSITY CHUKKA BOOT S3

- 4 D-ring boot
- Dual Density PU
- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Water resistant leather upper with grey stitching
- Contrast grey mesh lining
- Conforms to EN ISO 20345:2011 S3 SRC



CLICK
FOOTWEAR



BEESWIFT
O N L I N E

Product Code:
CF56

Available in Sizes:
03 - 13

Unit of Measure:
Each

Available in Colours:



Black
CF56BL

BEESWIFT STEEL TOE CAP ANKLE BOOT

- Black Action Waxy Leather upper
 - Dual Density PU black/grey Sole
 - 200 Joule Steel Toe Cap
 - Steel midsole protection
 - Shock Absorber heel
 - Anti-static
 - Water repellent upper
 - Slip resistant
- EN ISO 20345:2011 S3 SRC



CLICK
FOOTWEAR

BEESWIFT CHUKKA BOOT SBP

- 4 D-ring boot
- PU Padded collar and tongue
- PU sole
- 200 Joule steel toe cap
- Steel midsole
- Oil resistant sole
- Energy absorbing heel
- Leather upper
- Slip resistant

- Conforms to EN ISO 20345:2022 SBP E FO SR



CLICK
FOOTWEAR



BEESWIFT
O N L I N E

Product Code:
CF57BL

Available in Sizes:
03 - 13

Unit of Measure:
Each

Available in Colours:



Black
CF57BL



BEESWIFT
ONLINE

Product Code:
CF58

Unit of Measure:
Each

Available in Colours:



Black
CF58BL



Anti Slip Sole



Anti Static Sole



Cat 2 - Intermediate Risk



Leather Upper



Fuel Oil Resistant Sole



Shock Absorber Heel



Steel Midsole



200 Joule Steel Toecap

Double Density Site Boot

- Dual density PU black / grey sole
- Embossed leather upper
- 200 Joule steel toe cap
- Perforation resistant steel midsole Type P
- Cleated outsole
- Energy absorbing heel (E)
- Water penetration and absorption of the upper (WPA)
- Anti-static (A)
- Resistance to fuel oil (FO)
- Slip Resistance (Ceramic tile floor with NaLS)
- SR Slip resistance (ceramic tile floor with glycerine)
- Conforms to EN ISO 20345:2022 S3 FO SR



CLICK
FOOTWEAR



BEESWIFT
ONLINE

Product Code:
CF5BL

Available in Sizes:
06 - 13

Unit of Measure:
Each

Available in Colours:



Black
CF5BL



Anti Slip Sole



Anti Static Sole



Cat 2 - Intermediate Risk



Leather Upper



Fuel Oil Resistant Sole



Shock Absorber Heel



Steel Midsole



200 Joule Steel Toecap

BEESWIFT METATARSAL BOOT S3

- 4 'D' Ring Boot.
- PU/Rubber
- 200 Joule steel toe cap
- Metatarsal impact protection
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Heat resistant to 300°C
- Slip resistant
- Water resistant leather upper
- Conforms to EN ISO 20345:2011 S3 M SRC



* See the pictogram key for description



CLICK
FOOTWEAR



BEESWIFT
ONLINE

Product Code:
CF62

Available in Sizes:
04 - 13

Unit of Measure:
Each

Available in Colours:



Black
CF62BL



* See the pictogram key for description

BEESWIFT PU RUBBER S3 BOOT

- PU/RUBBER
- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Heat resistant to 300°C
- Slip resistant
- Full grain water resistant leather upper
- Honeycomb gel heel insole for excellent comfort
- Breathable water resistant membrane lining
- Conforms to EN ISO 20345:2011 S3 WR SRC HRO



BEESWIFT NON METALLIC S3 PUR BOOT

- PU/RUBBER
- 200 Joule composite toe cap
- Composite midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Heat resistant to 300°C
- Slip resistant
- Water resistant leather upper
- Honeycomb gel heel insole for excellent comfort
- Conforms to EN ISO 20345:2011 S3 SRC HRO



BEESWIFT
ONLINE

Product Code:
CF65BL

Available in Sizes:
03 - 13

Unit of Measure:
Each

Available in Colours:



Black
CF65BL



* See the pictogram key for description



BEESWIFT
ONLINE

Product Code:
CF66


Available in Sizes:
03 - 13

Unit of Measure:
Pair

Available in Colours:



Black
CF66BL



* See the pictogram key for description

BEESWIFT TRENCHER BOOT

Internal metatarsal boot made with Poron XRD technology.
Designed for comfort and to carry out the same tasks as a normal, less flexible external metatarsal boot.
Extreme impact protection

- PU/RUBBER
- Non metallic
- 200 Joule composite toe cap
- Composite Reinforced midsole protection
- Metatarsal impact protection
- Shock absorber heel
- Anti-static
- Heat resistant sole unit to 300°C
- Slip resistant
- Water resistant leather upper
- Waterproof membrane lining
- Breathable Thinsulate membrane lining
- Full length foam fabric footbed for excellent comfort
- Conforms to EN ISO 20345:2011 S3 WR M SRC HRO



BEESWIFT
ONLINE

Product Code:
CF67BL

Available in Sizes:
03 - 13

Unit of Measure:
Pair

Available in Colours:



Black
CF67BL



* See the pictogram key for description

BEESWIFT TRENCHER PLUS SIDE ZIP BOOT

Internal metatarsal boot made with poron XRD technology.
Designed for comfort and to carry out the same tasks as a normal, less flexible external metatarsal boot.
Extreme impact protection.

- Black full grain water resistant leather upper
- YKK H/Duty side zip for easy on/off action
- Padded collar
- Waterproof membrane lining
- Breathable thinsulate insulated mesh lining
- Full length foam fabric foot bed for excellent comfort
- Poron XRD internal M-Guard metatarsal impact protection
- Heel support
- Ankle protection
- TPU protective scuff cap
- Polyurethane/rubber injected sole
- Heat resistant outsole to 300 degrees Celsius HRO
- Anti-static
- ESD
- Non Metallic
- 200 Joule composite toe cap
- Reinforced midsole
- Shock absorber heel
- SRC slip resistance
- Winter grip compound within the outsole for enhanced slip resistance
- Conforms to EN 20345:2011 S3 M HRO WR SRC





BEESWIFT
ONLINE

Product Code:
CF68

Available in Sizes:
05 - 13

Unit of Measure:
Pair

Available in Colours:

 Nubuck
CF68NB



* See the pictogram key for description

BEESWIFT WATERPROOF SIDE ZIP BOOT

Lightweight S3 composite side zip boot with Poron XRD extreme impact metatarsal protection
Poron XRD technology is designed for comfort and to carry out the same tasks as a normal less flexible external metatarsal boot

- Nubuck top grain leather upper
- YKK heavy duty side zip for easy on/off action
- Breathable thinsulate CI cold insulating mesh lining
- Waterproof membrane lining
- Quality comfortable PU insole
- Poron XRD internal M-Guard
- EVA/Rubber cemented HRO heat resistant outsole
- Anti-static
- 200 joule composite toe cap
- Kevlar midsole
- Shock absorber heel
- TPU protective scuff cap
- SRC rated slip resistance
- Conforms to EN 20345:2011 S3 WR M CI HRO SRC



BEESWIFT
ONLINE

Product Code:
CF701

Available in Sizes:
03-15

Unit of Measure:
Each

Available in Colours:

 Black
CF701

PATROL BOOT SAFETY S7L

Full grain leather & oxford mesh upper
PU /Rubber outsole (HRO)
Safety Composite Toecap to 200J of energy
Composite Safety midsole (type PL)
Metal free construction
Waterproof, breathable inner membrane liner
Water Penetration Resistance and absorption
Water Resistance of whole footwear
Cold insulating (CI)
Closed heel area
Energy absorbing heel
Anti-Static (A)
Cleated Outsole
Resistance to fuel oil of the outsole (FO)

EN ISO 20345:2022 S7L CI HRO FO SR slip resistance





BEESWIFT
O N L I N E

Product Code:
CF85

Available in Sizes:
03 - 13

Unit of Measure:
Each

Available in Colours:



White
CF852



Anti Slip Sole



Anti Static Sole



Cat 2 - Intermediate Risk



Machine Washable 40°C



Fuel Oil Resistant Sole



Shock Absorber Heel



200 Joule Steel Toecap



Water Resistant



Conforms to EN ISO 20345
S2 SRC

BEESWIFT MICRO-FIBRE BOOT S2

- 200 Joule steel toe cap
- Shock absorber heel
- Anti-Static
- Slip Resistant
- Washable to 40°C
- EN ISO 20345 S2 SRC



CLICK
FOOTWEAR



BEESWIFT
O N L I N E

Product Code:
CF9M

Available in Sizes:
04 - 13

Unit of Measure:
Each

Available in Colours:



Black
CF9MBL



Anti Slip Sole



Anti Static Sole



Cat 2 - Intermediate Risk



Machine Washable 40°C



Fuel Oil Resistant Sole



Shock Absorber Heel



200 Joule Steel Toecap



Water Resistant



Conforms to EN ISO 20345:2011
S3 M SRC

BEESWIFT INTERNAL METATARSAL BOOT

Internal metatarsal boot made with Poron XRD technology. Designed for comfort and to carry out the same tasks as a normal, less flexible external metatarsal boot.

- Dual Density PU
- 200 Joule steel toe cap
- Composite midsole protection
- Metatarsal impact protection
- Shock absorber heel
- Anti-static
- Slip resistant
- Water resistant leather upper
- Conforms to EN ISO 20345:2011 S3 M SRC



CLICK
FOOTWEAR

* See the pictogram key for description



BEESWIFT
ONLINE

Product Code:
CTF20

Available in Sizes:
06 - 13

Unit of Measure:
Each

Available in Colours:



Black
CTF20BL



* See the pictogram key for description

Beeswift S3 6 inch Boot

- Dual Density PU
- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Slip resistant
- Water resistant leather upper
- Conforms to EN ISO 20345:2011 S3 SRC



CLICK
FOOTWEAR

Beeswift S3 Thinsulate Boot

- Dual Density PU - TPU
- 200 Joule steel toe cap
- Steel midsole protection
- Shock Absorber heel
- Anti-static
- Oil resistant sole
- Slip resistant
- Nubuck leather upper
- Water penetration resistant
- Breathable water resistant membrane lining
- Conforms to EN ISO 20345:2011 S3 WR SRC



BEESWIFT
ONLINE

Product Code:
CTF24

Available in Sizes:
06 - 13

Unit of Measure:
Each

Available in Colours:



Black
CTF24BL



* See the pictogram key for description



CLICK
FOOTWEAR



BEESWIFT
ONLINE

Product Code:
CTF25

Available in Sizes:
06 - 13

Unit of Measure:
Each

Available in Colours:



Nubuck
CTF25NB



* See the pictogram key for description

Beeswift S3 Thinsulate Boot

- Dual Density PU - TPU
- 200 Joule steel toe cap
- Steel midsole protection
- Shock Absorber heel
- Anti-static
- Oil resistant sole
- Slip resistant
- Nubuck leather upper
- Water penetration resistant
- Conforms to EN ISO 20345:2011 S3 WR SRC



Beeswift S3 Hiker Boot

- Dual density PU - TPU
- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Slip resistant
- Water penetration resistant
- Breathable water resistant membrane lining
- Conforms to EN ISO 20345:2011 S3 WR SRC



BEESWIFT
ONLINE

Product Code:
CTF30

Available in Sizes:
06 - 10.5

Unit of Measure:
Each

Available in Colours:



Black
CTF30BL



* See the pictogram key for description





BEESWIFT
ONLINE

Product Code:
CTF32

Available in Sizes:
06 - 12

Unit of Measure:
Each

Available in Colours:



Black
CTF32BL



Nubuck
CTF33NB



Anti Slip Sole



Cat 2 - Intermediate Risk



Leather Upper



Steel Midsole



200 Joule Steel Toecap



Conforms to EN ISO 20345
SBP GRA

Beeswift SBP Chukka Boot

- Dual density Eva/Rubber
- 200 Joule steel toe cap
- Steel midsole protection
- Slip resistant
- Conforms to EN ISO 20345:20011 SBP SRA



CLICK
FOOTWEAR



BEESWIFT
ONLINE

Product Code:
CTF42

Available in Sizes:
05 - 13

Unit of Measure:
Each

Available in Colours:



Brown
CTF42BR



S3 SRC



Cat 2

* See the pictogram key for description

Beeswift S3 PUR Dealer Boot

- Brown dealer boot.
- PU/Rubber
- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Heat resistant to 300°C
- Slip resistant
- Water resistant leather upper
- Conforms to EN ISO 20345:2011 S3 SRC HRO



CLICK
FOOTWEAR



BEESWIFT
ONLINE

Product Code:
GWB

Available in Sizes:
06 - 10.5

Unit of Measure:
Each

Available in Colours:

 Brown
GWBBR

 Nubuck
GWBNB

 Anti Slip Sole

 Cat 2 - Intermediate Risk

 Heat Resistant Sole 300°C

 Leather Upper

 Fuel Oil Resistant Sole

 Steel Midsole

 200 Joule Steel Toecap

 Conforms to EN ISO 20345
SBP SRC

BEESWIFT GOODYEAR WELTED 6 INCH BOOT

- Goodyear Welted
- 200 Joule steel toe cap
- Steel midsole protection
- Oil resistant sole
- Heat resistant sole to 300°C
- Slip resistant
- Leather upper
- Conforms to EN ISO 20345:2011 SBP HRO SRC



Beeswift Sherpa Dual Density 6 Inch Boot

- Sherpa PU Rubber
- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Heat resistant sole to 300°C
- Slip resistant
- Water resistant leather upper
- Conforms to EN ISO 20345:2012 S3 SRC HRO



BEESWIFT
ONLINE

Product Code:
SB

Available in Sizes:
06 - 12

Unit of Measure:
Each

Available in Colours:

 Black
SBBL

 Brown
SBBR



* See the pictogram key for description





BEESWIFT
ONLINE

Product Code:
SDB

Available in Sizes:
06 - 10.5

Unit of Measure:
Each

Available in Colours:



Brown
SDB



* See the pictogram key for description

Beeswift Sherpa Dealer Boot

- Sherpa PU Rubber
- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Heat resistant sole to 300°C
- Slip resistant
- Water resistant leather upper
- Conforms to ENISO 20345:2012 S3 SRC HRO



CLICK
FOOTWEAR

Beeswift Traxion Boot

Traxion Xtra Grip Boot has been designed to ensure maximum safety and protection: this shoe is aggressive and sturdy on the ground, but lightweight and comfortable on the foot.

- Dual Density PU - TPU
- 200 Joule steel toe cap
- Steel midsole protection
- Shock Absorber heel
- Anti-static
- Oil resistant sole
- Slip resistant
- Water penetration resistant
- Breathable water resistant membrane lining
- Conforms to EN ISO 20345:2011 S3 SRC



BEESWIFT
ONLINE

Product Code:
TB

Available in Sizes:
06 - 06.5

Unit of Measure:
Each

Available in Colours:



Black
TBBL



Brown
TBBR



* See the pictogram key for description



CLICK
FOOTWEAR



BEESWIFT
O N L I N E

Product Code:
IFPCTAB

Available in Sizes:
S - XXL

Unit of Measure:
Each

Available in Colours:



Navy Blue
IFPCTABN

TABBARD NAVY LARGE C/W INITIAL EMBROIDERY

- Poly cotton tabard
- Front pouch pocket
- Tab side fastening



BEESWIFT
O N L I N E

Product Code:
CCFBT

Available in Sizes:
S - XXXL

Unit of Measure:
Each

Available in Colours:



Navy Blue
CCFBTN

Beeswift Coldstar Freezer Bib Trousers

- Robust Oxford nylon outer fabric
- 3M Thinsulate lining
- Knee pad pouch pockets
- Adjustable elasticated shoulder braces
- 3 Patch pockets
- Heavy duty zip front.
- Zip & stud legs for ease of fitting
- 2" Reflective leg bands

- Conforms to EN ISO 13688:2013+A1:2021

- Conforms to EN342:2017
Thermal Insulation, $I_{cler} = 0.364 \text{ m}^2\text{K/W}$
Air Permeability = Class 3

Temperature usage times
In an air velocity environment that is 0.4m/s

Standing Still 10C for 8 Hours
Light Activity -2C for 8 Hours
Medium Activity -18C for 8 Hours

- *Please be aware this is a guide, please check the table on the user sheets for more information.



- Garment has 3M Thinsulate Lining
- Cat 2 - Intermediate Risk
- Conforms to the correct EN standards
- Garment has a Heavy-Duty Zip Fastening
- Garment has Knee Pad Pockets





BEESWIFT
O N L I N E

Product Code:
CCFC

Available in Sizes:
S - XXXL

Unit of Measure:
Each

Available in Colours:



Navy Blue
CCFCN



Garment has 3M
Thinsulate Lining



Cat 2 - Intermediate Risk



Conforms to the correct EN
standards



Garment has a Heavy-Duty
Zip Fastening



Garment has Knee Pad
Pockets

Beeswift Coldstar Freezer Coverall

- Robust Oxford nylon outer fabric
- 3M Thinsulate lining
- Knee pad pouch pockets
- 3 patch pockets
- Heavy duty zip & fly front
- 2" Reflective body band
- 2" Reflective leg bands

- Conforms to EN ISO 13688:2013+A1:2021

- Conforms to EN342:2017

Thermal Insulation, $I_{cler} = 0.355 \text{ m}^2\text{K/W}$
Air Permeability = Class 3

Temperature usage times
In an air velocity environment that is 0.4m/s

Standing Still 10C for 8 Hours
Light Activity -2C for 8 Hours
Medium Activity -18C for 8 Hours

- *Please be aware this is a guide, please check the table on the user sheets for more information.



CLICK
WORKWEAR

Beeswift Coldstar Freezer Hood

- Hood with drawcord
- Stud fastening to coverall, jacket or long coat
- Conforms to EN342



BEESWIFT
O N L I N E

Product Code:
CCFH

Available in Sizes:
One Size

Unit of Measure:
Each

Available in Colours:



Navy Blue



Cat 2 - Intermediate Risk



Conforms to the correct EN
standards



Garment Conforms to
EN342



CLICK
WORKWEAR



BEESWIFT
ONLINE

Product Code:
CCFJ

Available in Sizes:
S - XXXL

Unit of Measure:
Each

Available in Colours:



Navy Blue
CCFJN



Garment has 3M
Thinsulate Lining



Cat 2 - Intermediate Risk



Conforms to the correct EN
standards



Garment Conforms to
EN342



Garment has a Heavy-Duty
Zip Fastening

Beeswift Coldstar Freezer Jacket

- Robust Oxford nylon outer fabric
- 3M Thinsulate lining
- 3 patch pockets
- Heavy duty zip & fly front.
- Hook and loop throat tab collar closure
- Zipped Sleeve pocket
- 2" Reflective body band.

- Conforms to EN ISO 13688:2013+A1:2021

- Conforms to EN342:2017
Thermal Insulation, $I_{cler} = 0.364 \text{ m}^2\text{K/W}$
Air Permeability = Class 3

Temperature usage times
In an air velocity environment that is 0.4m/s

Standing Still 10C for 8 Hours
Light Activity -2C for 8 Hours
Medium Activity -18C for 8 Hours

- *Please be aware this is a guide, please check the table on the user sheets for more information.



CLICK
WORKWEAR



BEESWIFT
ONLINE

Product Code:
ZLFA30

Available in Sizes:
30L

Unit of Measure:
Each

Available in Colours:



White
ZLFA30

Beeswift Loose Fibre Spill Absorbant 30 Ltr

- Conforms to British Standard 476 Part 7 Class 2, 1987 (Modified Version)
- Highly absorbent, fire retardant compound
- Non toxic
- Environmentally friendly
- Cost effective against granule type absorbents



BEESWIFT



BEESWIFT
O N L I N E

Product Code:
BBSHYCSN

Available in Sizes:
ONE SIZE

Unit of Measure:
Bx 10

Available in Colours:



Black
BBSHYCSN



Cat 1 - Minimal Risk

Beeswift Helmet Type Y Chin Strap

- 4 point Chinstrap
- Easy to Connect to helmet
- Chin Cup
- Fits BBSHRP Helmet



BEESWIFT
O N L I N E

Product Code:
LPMGLA

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Chrome
LPMGLA

LITTER PICKER LONG ARM

"Long Arm" Mechanical Gripper for safe waste collection
80cm (32")
Made from Aluminium
Ideal for picking up litter, cans, bottles, wastepaper etc





BEESWIFT
O N L I N E

Product Code:
RS160

Available in Sizes:
18X29X39

Unit of Measure:
Bx 200

Available in Colours:

 Black
RS160

Beeswift Refuse Sacks Bin Liners 160G 18X29X39

Good quality gusseted bags made from recycled low density polythene
4 packs of 50 per box
Selling Unit = 1 Box of 200



 **BEESWIFT**



BEESWIFT
O N L I N E

Product Code:
RT50H

Available in Sizes:
ONE SIZE

Unit of Measure:
100Mtr

Available in Colours:

 Grey
RT50H

REFLECTIVE TAPE 50MM X 100MTR HEAT APPLY



 **BEESWIFT**



BEESWIFT
ONLINE

Product Code:
AWT

Available in Sizes:
30S - 48T

Unit of Measure:
Each

Available in Colours:



Black
AWTBL



Navy Blue
AWTN



Product supplied with retail
tags



Cat 1 - Minimal Risk

Beeswift Action Work Trousers

- Poly Cotton.
- Zip fly.
- 7 zippered, multi-sized pockets
- Double seat and knee patches.
- Available in regular, short (S) and tall fit (T)



CLICK
WORKWEAR

Beeswift Premium Multi Purpose Trousers

- Rugged heavyweight polyester cotton fabric
- Multi-feature design
- Holster pockets
- Large pockets, tool holder, fasteners
- Hard wearing 'Duratex' kneepad pockets and hip linings
- All main seams are triple stitched for maximum strength
- Available in Regular and Tall fit (T)
- Also available in Navy Reg & Tall fit



CLICK
WORKWEAR



BEESWIFT
ONLINE

Product Code:
CPMPT

Available in Sizes:
30 - 46T

Unit of Measure:
Each

Available in Colours:



Black
CPMPTBL



Navy Blue
CPMPTN



Product supplied with retail
tags



Cat 1 - Minimal Risk



Garment has Knee Pad
Pockets



BEESWIFT
ONLINE

Product Code:
CTRANT

Available in Sizes:
30 - 48T

Unit of Measure:
Each

Available in Colours:



Black
CTRANTBL



Navy Blue
CTRANTN



Product supplied with retail tags



Cat 1 - Minimal Risk



Garment has Knee Pad Pockets

Beeswift Newark Trousers

- 320gsm 65% Polyester / 35% Cotton
- Cargo trousers with triple stitched seams
- 2 Side pockets and ticket pocket
- Metal zip fly
- Reinforced back pockets with flaps and velco fastening
- 2 Large thigh pockets with flaps and special pockets
- Internal knee pad pockets
- Can be used in conjunction with B-Brand folding knee pads (sold separately)



CLICK
WORKWEAR

Beeswift Fleece Jogging Trousers

- Fleece jogging bottom
- 50% polyester 50% cotton fleece to inside - 320gsm
- Elasticated waist and ankles
- 2 side hip pockets with zip fastening
- 1 rear pocket and 1 tool pocket
- Knee pad pocket



CLICK
WORKWEAR



BEESWIFT
ONLINE

Product Code:
FLJBCGY

Available in Sizes:
S - 3XL

Unit of Measure:
Each

Available in Colours:



Grey
FLJBCGY



Product supplied with retail tags



Cat 1 - Minimal Risk



BEESWIFT
ONLINE

Product Code:
LPCTHW

Available in Sizes:
24 - 48

Unit of Measure:
Each

Available in Colours:



Navy Blue
LPCTHWN



Product supplied with retail tags



Cat 1 - Minimal Risk

Beeswift Ladies Polycotton Trousers

- Poly Cotton
- Zip fly with hook/bar and button fastening
- Belt loops
- Part elastic waist band
- 2 swing hip pockets
- 2 cargo pockets
- 1 rear pockets with hook and loop flap
- Internal knee pad pockets



CLICK
WORKWEAR



BEESWIFT
ONLINE

Product Code:
PCNT27

Available in Sizes:
30 - 52T

Unit of Measure:
Each

Available in Colours:



Navy Blue
PCNT27N



Product supplied with retail tags



Cat 1 - Minimal Risk

Beeswift Poly Cotton Nylon Patch Trousers

- 250gsm 65/35 Polyester cotton trouser
- 7 Belt loops
- Sewn front seams
- Heavy duty outer leg reinforcement fabric from thigh to bottom leg
- 2 hip pockets
- Available in regular and tall fit (T)
- 100% Polyester cordura patch

THESE GARMENTS ARE NOT HI VISIBILITY
They meet no recognised standards.



CLICK
WORKWEAR



BEESWIFT
ONLINE

Product Code:
PCTHW

Available in Sizes:
30 - 48

Unit of Measure:
Each

Available in Colours:

-  Black
PCTHWBL
-  Bottle Green
PCTHWBG
-  Navy Blue
PCTHWN
-  Royal Blue
PCTHWR

 Product supplied with retail tags

 Cat 1 - Minimal Risk

 Garment has Knee Pad Pockets

Beeswift Super Drivers Trousers

- 235gsm Poly Cotton
- Zip fly with hook/bar and button fastening
- Belt loops
- 2 Swing hip pockets
- 2 Cargo pockets
- 2 Rear pockets with stud flap
- Sewn in crease
- Knee pad pockets
- Available in tall fit (T) and short (S)



BEESWIFT
FOCUSED ON SAFETY

Product Code:
SFT

Available in Sizes:
28S - 50T

Unit of Measure:
Each

Available in Colours:

-  Black
SFTBL
-  Black/Grey
SFTBLGY
-  Bottle Green
SFTBGBL
-  Grey / Black
SFTGYBL
-  Navy Blue
SFTN
-  White/Grey
SFTWHGY

 4 Way Stretchable Fabric

 CE Marked Category 1

 UK CA Marked CAT 1

Beeswift Flex Workwear Trousers

89% Nylon with 11% Spandex outer fabric
225gsm Fabric weight
Medium weight trouser
Four way stretch fabric
Flex stretch fabric allows for a comfortable and functional fit
Cordura on heel for harder wearing
Cordura fabric to knees
Knee pad pouch pockets
YKK heavy duty zip
Heavy duty button fastener
Half elasticated waist for added comfort
Five loop belt waistband
D ring for security or ID tag
Hi viz accents and bartacks for added styling
Tapered leg for comfort and styling
Two angled hip pockets
Multipurpose pocket to right thigh
Stationary pocket to left thigh
Two rear pockets
Available in regular, short and tall leg fit



FLEX



BEESWIFT
O N L I N E

Product Code:
SFTBU

Available in Sizes:
30S - 46T

Unit of Measure:
Each

Available in Colours:



Black
SFTBURBL

Beeswift Burgos Stretch Ripstop Holster Work Trousers

- Stretch fabric allows for a comfortable and functional fit
- Durable and strong fabric integrated with Ripstop fabric
- Heavy duty button fastener
- YKK heavy duty zip
- Five wide belt loops
- Crotch reinforced diamond patch for added robustness
- Extra sturdy triple-stitched seams for reinforced strength
- Tapered leg for comfort and styling
- Two hip pockets for easy access storage
- Two Holster pockets for tool storage
- Two rear pockets, one with hook and loop closure
- Right leg large hook and loop closure cargo pocket
- Left leg mobile phone pocket with hook and loop closure
- Additional multipurpose storage cargo pockets to both legs
- Reinforced knee patches
- External knee pad pockets
- Lower trouser reinforced with ripstop fabric
- Reinforced fabric to base heel of each leg for durability
- Available in short, regular and tall leg fit

- Main fabric: Stretch Twill 50% Polyester, 30% Polyester, 20% Elasmultiester (ESM) 250GSM
- Pocket fabrics and Lower Trouser: Ripstop 65% Polyester, 35% Cotton 210GSM with 600D Oxford 100% polyester (uncoated) on select pockets
- Upper Holster and Knee fabric: 600D Oxford 100% Polyester (Uncoated)
- Crotch Reinforcement fabric: 93% Nylon / 7% Spandex 270gsm



CLICK
WORKWEAR

Beeswift Granada Stretch Ripstop Work Trousers

- Stretch fabric allows for a comfortable and functional fit
- Durable and strong fabric integrated with Ripstop fabric
- Heavy duty button fastener
- YKK heavy duty zip
- Five wide belt loops
- Crotch reinforced diamond patch for added robustness
- Extra sturdy triple-stitched seams for reinforced strength
- Tapered leg for comfort and styling
- Two hip pockets for easy access storage
- Two rear pockets, one bellow with ripstop fabric
- Right leg large hook and loop closure cargo pocket
- Left leg mobile phone pocket with hook and loop closure
- Additional multipurpose storage cargo pockets to both legs
- Internal knee pad pockets
- Lower trouser reinforced with ripstop fabric for durability
- Available in short, regular and tall leg fit

- Main fabric: Stretch Twill 50% Polyester, 30% Polyester, 20% Elasmultiester (ESM) 250GSM
- Pocket fabrics and Lower Trouser: Ripstop 65% Polyester, 35% Cotton 210GSM with 600D Oxford 100% polyester (Uncoated) on select pockets
- Crotch Reinforcement fabric: 93% Nylon / 7% Spandex 270gsm



CLICK
WORKWEAR



BEESWIFT
O N L I N E

Product Code:
SFTGRA

Available in Sizes:
30S - 46T

Unit of Measure:
Each

Available in Colours:



Black
SFTGRABL



Navy Blue
SFTGRAN



BEESWIFT
O N L I N E

Product Code:
SMPT

Available in Sizes:
30 - 50T

Unit of Measure:
Each

Available in Colours:



Black
SMPTBL



Navy Blue
SMPTN



Product supplied with retail tags



Cat 1 - Minimal Risk



Garment has Knee Pad Pockets

Beeswift Shawbury Multi Purpose Trousers

- 250gsm Polycotton twill fabric
- Multi pocket design with tool pouches
- Tuck away holster pockets
- 1 rear pocket with hook and loop flap
- Hammer loop
- External knee pad pouches
- Reinforced knees
- Side elastic on waist for comfort and ease of fitting
- 30cm gusset at ankles with zip closure
- Available in regular and tall fit (T)



CLICK
WORKWEAR



BEESWIFT
O N L I N E

Product Code:
TRHP

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Black
TRHP

Beeswift Trouser Holster Pockets

- Four frontal tactical ribbon loops
- 2 large storage sections behind the loops
- One full holster pocket behind the 2 partitioned pockets
- Sold as pairs



CLICK
WORKWEAR



BEESWIFT
O N L I N E

Product Code:
TSSPT

Available in Sizes:
28S-46T

Unit of Measure:
Each

Available in Colours:



Black
TSSPTBL

Beeswift Tornio Fleece Lined Soft Shell Stretch Work Trousers

- High stretch soft shell fabric
- Warm fleece lining
- Water resistant, windproof and breathable outer fabric
- YKK heavy duty zip
- Heavy duty button fastener
- Seven wide belt loops
- Crotch reinforced patch for added robustness
- Extra sturdy triple-stitched seams for reinforced strength
- Tapered leg for comfort and styling
- Two hip pockets for easy access storage
- D-Ring for ID tag on left hip pocket
- Two rear pockets, one with hook and loop closure
- Right leg large hook and loop closure cargo pocket
- Three reinforced stationary cargo pockets to right leg
- Reflective accents for visibility
- Reinforced knee patches
- Internal knee pad pockets
- Reinforced fabric to base of each leg for added durability
- Available in short, regular and tall leg fit



CLICK
WORKWEAR



BEESWIFT
O N L I N E

Product Code:
WWSECTR

Available in Sizes:
28 - 50

Unit of Measure:
Each

Available in Colours:



Black
WWSECTRL



Navy Blue
WWSECTRN

Beeswift Guardian Safety Combat Trousers

- 240gsm 65% Polyester, 35% Cotton. Twill Fabric
- Multi pocket design
- 2 Side hip pockets
- 2 rear pocket with hook and loop flap
- Metal YKK zip and teeth
- 8 belt loops, with D-ring on the front
- 2 hook and loop closure thigh pockets
- External knee pad pouches (Doesn't include knee pads)
- Triple stitched inside leg and crutch seam for increased reinforcement
- Available in short (S), regular, and tall fit (T)

•**THESE TROUSERS DO NOT TO CONFORM TO THE HIGH VISIBILITY STANDARD EN ISO 20471



CLICK
WORKWEAR



BEESWIFT
O N L I N E

Product Code:
WWTR01

Available in Sizes:
28 - 50

Unit of Measure:
Each

Available in Colours:



Black
WWTR01BL



Navy Blue
WWTR01N

BEESWIFT WORKWEAR TROUSERS

- 240gsm 65% Polyester, 35% Cotton. Twill Fabric
- Multi pocket design
- Tuck away holster pockets
- 2 rear pocket with hook and loop flap
- Metal YKK zip and teeth
- External knee pad pouches
- 8 belt loops, with D-ring on the front
- Available in short (S), regular, and tall fit (T)



CLICK
WORKWEAR



BEESWIFT
O N L I N E

Product Code:
BPKSLSEN

Available in Sizes:
S - XXXXXL

Unit of Measure:
Each

Available in Colours:



Orange
BPKSLSEOR



Saturn Yellow
BPKSLSESY

Beeswift Long Sleeve Hi-Vis Polo Shirt

- 100% polyester "Bird Eye" fabric.
- 3 Button placket.
- Grey trim to collar and cuffs.
- Retro-Reflective tape.
- Conforms to EN ISO 13688:2013+A1:2021
- Conforms to EN ISO 20471:2013+A1:2016
Class 3 High Visibility



B-SEEN
BY BEESWIFT



CE Marked Category 2



Conforms to EN ISO 20471
for Hi Visibility



Product supplied with retail
tags



Conforms to the correct EN
standards



BEESWIFT
ONLINE

Product Code:
CPKSTTEN

Available in Sizes:
XS - XXXXL

Unit of Measure:
Each

Available in Colours:



Orange / Navy
CPKSTTENOR



Saturn Yellow / Navy
CPKSTTENS



CE Marked Category 2



Conforms to EN ISO 20471
for Hi Visibility



Product supplied with retail
tags



Conforms to the correct EN
standards

Beeswift Hi-Vis Two-Tone Polo Shirt

- "Two tone" Hi Vis Polo Shirt
- 100% Polyester
- 3 Button placket
- Retro-Reflective tape
- Navy contrast collar shoulders and hem
- Conforms to EN ISO 13688:2013+A1:2021
- Conforms to EN ISO 20471:2013+A1:2016
Class 2 High Visibility (Sizes M+)
Class 1 High Visibility (Sizes XS & S)



BEESWIFT
ONLINE

Product Code:
BBED

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Red



Cat 3 - High Risk

Beeswift Economy Ear Defenders

- Economy Ear Defender
- Lightweight robust design
- Adjustable headband
- Metal Free
- Conforms to EN352-1:2020
- SNR 26.9dB, H=33.5, M=23.9, L=17.2





BEESWIFT
O N L I N E

Product Code:
BBFED

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Yellow



Cat 3 - High Risk

Beeswift Folding Ear Defenders

- Premium quality ear defender
- Adjustable fold away headband
- Self aligned earcups
- Conforms to EN 352-1:2020
- SNR 30.4dB, H=33.4, M=28.1, L=21.7



BEESWIFT
O N L I N E

Product Code:
BBSED

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Blue
BBSED



Cat 2 - Intermediate Risk

Beeswift Superior Ear Defenders

- Superior Ear Defender
- Metal Free
- Padded adjustable headband
- Conforms to EN352-1:2020
- SNR 27.2dB, H=30.5, M=25.1, L=17.5





BEESWIFT
ONLINE

Product Code:
BS031

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



White
BS031

FFP2V MOULDED VALVED RESPIRATOR 5 PACK

- Polypropylene (P.P) outer layer provides smooth lining and avoids loose fibres.
- Embossed fringe seal avoids fluffy open layers around the edges.
- Latex free synthetic rubber head strap.
- Contour design ensures the compatibility of glasses / goggles and reduces fogging.
- Soft close-cell nose foam and adjustable nosepiece ensure custom shape and increase the worker comfort and acceptance.

- Conforms to EN149:2001 + A1:2009 FFP2 NR

For Hazard Type: Toxic dusts, fumes and water-based mists.

Example: Working with hardwood, glass fibres and plastic (non PVC) and some metalwork.



Beeswift Balaclava

- Acrylic material
- Offers good insulation
- Ideal for winter use.
- Available in a 3M Lines Thinsulate version (THBBL)



BEESWIFT
ONLINE

Product Code:
B

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Black
B



Cat 1 - Minimal Risk





BEESWIFT
ONLINE

Product Code:
THB

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Black
THBBL



Garment has 3M
Thinsulate Lining



Cat 1 - Minimal Risk

Beeswift Thinsulate Balaclava

- Acrylic material
- Offers good insulation
- Ideal for winter use
- 3M Lined Thinsulate



CLICK
WORKWEAR



BEESWIFT
ONLINE

Product Code:
THBVC

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Black
THBVCBL



Orange
THBVCOR



Cat 1 - Minimal Risk

Beeswift Balaclava Hook and Loop Thinsulate Lined

- 100% Acrylic material
- Offers excellent insulation
- 3M C40 premium Thinsulate
- Ideal for winter use
- Comes with Hook & Loop flaps for attaching to helmet harnesses
- Earpieces open to aid hearing
- One size only



B-SAFE
BY BEESWIFT



BEESWIFT
ONLINE

Product Code:
THH

Available in Sizes:
One Size

Unit of Measure:
Each

Available in Colours:



Black
THHBL



Navy Blue
THHN



Garment has 3M
Thinsulate Lining



Cat 1 - Minimal Risk

Beeswift Watch Beanie Thinsulate Hat

- Microfibre technology traps air to keep user warm
- Effective when wet and dries quickly
- Ideal for winter use
- Made from 3M Thinsulate
- Available as a non Thinsulate version (WHBL)



CLICK
WORKWEAR

Beeswift Disposable Trilby Hat

- Disposable white Trilby hat
- Smart lightweight nylon mesh
 - Offers good head coverage
 - Good for achieving hygiene standards
 - Washable
 - Large - 59cm



BEESWIFT
ONLINE

Product Code:
TW

Available in Sizes:
S - XL

Unit of Measure:
Each

Available in Colours:



White



Cat 1 - Minimal Risk



CLICK
ONCE





BEESWIFT
O N L I N E

Product Code:
WHBL

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Black
WHBL



Cat 1 - Minimal Risk

Beeswift Watch Beanie Hat

- Microfibre technology traps air to keep the wearer warm
- Effective when wet and dries quickly
- Ideal for winter use



CLICK
WORKWEAR



BEESWIFT
O N L I N E

Product Code:
WHOR

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Orange
WHOR



Cat 1 - Minimal Risk

Beeswift Winter Beanie Hat

- 100% soft touch acrylic.
- Double layer knit.
- Cuffed design for optimal decoration



B-SAFE
BY BEESWIFT



BEESWIFT
O N L I N E

Product Code:
CDDSMS

Available in Sizes:
03 - 13

Unit of Measure:
Each

Available in Colours:



Black
CDDSMS



Anti Slip Sole



Anti Static Sole



Cat 2 - Intermediate Risk



Leather Upper



Fuel Oil Resistant Sole



Shock Absorber Heel



Steel Midsole



200 Joule Steel Toecap



Conforms to EN ISO 20345
S1P SRC

Beeswift Economy Shoe S1P

- Dual Density PU
- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Slip resistant
- Leather upper
- Conforms to EN ISO 20345:2011 S1P SRC



CLICK
FOOTWEAR

BEESWIFT MANAGERS SHOE

- Mono Density PU
- 200 joule steel toe cap
- Composite midsole
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Slip resistant
- Leather upper
- Conforms to EN ISO 20345:2022 S1 PS FO SR



BEESWIFT
O N L I N E

Product Code:
CF110

Available in Sizes:
05 - 12

Unit of Measure:
Each

Available in Colours:



Black
CF110



Anti Slip Sole



Anti Static Sole



Cat 2 - Intermediate Risk



Leather Upper



Fuel Oil Resistant Sole



Shock Absorber Heel



200 Joule Steel Toecap



CLICK
FOOTWEAR



BEESWIFT
ONLINE

Product Code:
CF115

Unit of Measure:
Each

Available in Colours:



Black
CF115



Anti Slip Sole



Anti Static Sole



Cat 2 - Intermediate Risk



Leather Upper



Fuel Oil Resistant Sole



Shock Absorber Heel



200 Joule Steel Toecap

BEESWIFT BROGUE SHOE

- Mono Density PU
- 200 joule steel toe cap
- Composite midsole
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Slip resistant
- Leather upper
- Conforms to EN ISO 20345:2022 S1 PS FO SR



CLICK
FOOTWEAR



BEESWIFT
ONLINE

Product Code:
CF53BL

Available in Sizes:
04 - 12

Unit of Measure:
Each

Available in Colours:



Black
CF53BL



Anti Slip Sole



Anti Static Sole



Cat 2 - Intermediate Risk



Leather Upper



Fuel Oil Resistant Sole



Shock Absorber Heel



200 Joule Steel Toecap

BEESWIFT DUAL DENSITY SHOE S3

- Dual Density PU
- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Water resistant leather upper with grey stitching
- Contrast grey mesh lining
- Conforms to EN ISO 20345: S3 SRC



CLICK
FOOTWEAR

* See the pictogram key for description



BEESWIFT
O N L I N E

Product Code:
CF54BL

Available in Sizes:
03 - 13

Unit of Measure:
Each

Available in Colours:



Black
CF54BL



Anti Slip Sole



Anti Static Sole



Cat 2 - Intermediate Risk



Leather Upper



Fuel Oil Resistant Sole



Shock Absorber Heel



Steel Midsole



200 Joule Steel Toecap

BEESWIFT SAFETY SHOE SBP

- PU Padded collar and tongue
- PU Sole
- 200 Joule steel toe cap
- Steel midsole
- Oil resistant sole
- Energy absorbing heel
- Leather upper
- Slip resistant

- Conforms to EN ISO 20345:2022 SBP E
FO SR



CLICK
FOOTWEAR



BEESWIFT
O N L I N E

Product Code:
CF83

Available in Sizes:
03 - 13

Unit of Measure:
Each

Available in Colours:



Black
CF833



White
CF832



Anti Slip Sole



Anti Static Sole



Cat 2 - Intermediate Risk



Machine Washable 40°C



Fuel Oil Resistant Sole



Shock Absorber Heel



200 Joule Steel Toecap



Water Resistant



Conforms to EN ISO 20345
S2 SRC

BEESWIFT MICRO-FIBRE SLIP ON SHOE S2

- 200 Joule steel toe cap
- Shock absorber heel
- Anti-Static
- Slip Resistant
- Washable to 40°C
- EN ISO 20345 S2 SRC



CLICK
FOOTWEAR



BEESWIFT
O N L I N E

Product Code:
CSK01

Available in Sizes:
3/6 - 9/12

Unit of Measure:
Each

Available in Colours:



Grey
CSK01



Cat 1 - Minimal Risk

Beeswift Marshall Work Sock

- Medium length sock

MATERIAL:

- 70% cotton
- 17% nylon
- 10% silica gel
- 3% lycra
- Machine washable
- Stretch fit for extra comfort and to prevent socks from slipping.



CLICK
WORKWEAR

Beeswift Sea Boot Socks

- Good insulation
- Heavyweight material
- 54% Wool
- 21% Polyester
- 15% Acrylic
- 1% Elastine
- 9% Viscose
- UK Size 6-8



BEESWIFT
O N L I N E

Product Code:
SBS

Available in Sizes:
10.5 - 11.5

Unit of Measure:
Each

Available in Colours:



Navy Blue
SBSN



White
SBSW



Cat 1 - Minimal Risk



CLICK
WORKWEAR



BEESWIFT
ONLINE

Product Code:
TS

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Black
TS



Cat 1 - Minimal Risk

Beeswift Thermal Terry Socks

- 20% polyester +80% cotton
- Sold as a pair
- Gentle welt for comfort
- Offers protection against cold conditions
- Looped terry for extra warmth and comfort
- Colour black
- Also available in longer length (TSLL)



CLICK
WORKWEAR

Beeswift Thermal Terry Sock Long Length

- Sold as a pair
- 80% cotton 20% polyester
- Gentle welt for comfort
- Offers protection against cold conditions
- Looped terry for extra warmth and comfort
- Colour black



BEESWIFT
ONLINE

Product Code:
TSLL

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Black
TSLL



Cat 1 - Minimal Risk



CLICK
WORKWEAR



BEESWIFT
O N L I N E

Product Code:
CARC161

Available in Sizes:
S - 6XL

Unit of Measure:
Each

Available in Colours:



Orange
CARC161OR

Beeswift Arc Compliant Hi-Vis Polo Shirt

- Fire Retardant, Hi-Vis, Anti-Static, ARC Flash long sleeved polo shirt.
- RIS-3279-TOM Issue 2 for use on or around railway lines.
- 240gsm 50% Polyester, 26% Modacrylic, 17% Cotton, 7% Aramid with antistatic.
- Inherently flame retardant.
- Fire Retardant properties will not diminish with repeated laundering.
- For industrial workers exposed to heat.
- Not suitable for fire fighters.
- 3 Button placket.
- Ribbed cuffs.
- Very robust yet soft and comfortable to wear.
- As part of the garment qualification process, this garment has undergone testing through 25 wash cycles

- Conforms to:
EN ISO 13688:2013+A1:2021

EN ISO 20471:2013+A1:2016 (Class 3)

RIS-3279-TOM Issue 2:2019

EN 1149-5:2018

EN ISO 11612:2015 (A1 B1 C1 F2)

EN 61482-2:2020 - (ATPV = 5.3 Cal/cm²)
(ELIM = 4.9 Cal/cm²)
(APC = 1)



CLICK
ARC FLASH



BEESWIFT
O N L I N E

Product Code:
CDBB

Available in Sizes:
32 - 48

Unit of Measure:
Each

Available in Colours:



Navy Blue
CDBBN



White
CDBBW



Cat 1 - Minimal Risk

Beeswift Cotton Drill Bib and Brace

- Pre-shrunk cotton drill fabric
- Concealed button fly
- Bib pocket and pouch pocket
- Open side hip access
- 1 rear pocket
- 1 rulepocket
- Braces with clips



CLICK
WORKWEAR



BEESWIFT
O N L I N E

Product Code:
EC10

Available in Sizes:
S - XL

Unit of Measure:
Bx 10

Available in Colours:



Red
EC10N



Cat 2 - Intermediate Risk



Mechanical Handling

BEESWIFT PU COATED 3 FINGERLESS GLOVES

- 35% polyester + 65% PU
- Polyurethane coated palm
- Machine knitted
- Integrated elasticated wrist
- EN388
- Level 3 - Abrasion
- Level X - Cut Resistance
- Level 2 - Tear Resistance
- Level 1 - Puncture
- Level A - ISO 13997 Cut Resistance



CLICK
HAND PROTECTION

BEESWIFT PU COATED GLOVES

- 35% polyester + 65% PU
- Polyurethane coated palm
- Machine knitted
- Integrated elasticated wrist
- EN388: 2016
- Level 3 - Abrasion
- Level X - Cut Resistance
- Level 2 - Tear Resistance
- Level 1 - Puncture
- Level A - ISO 13997 Cut Resistance



BEESWIFT
O N L I N E

Product Code:
EC9N

Available in Sizes:
XS - XXL

Unit of Measure:
Bx 10

Available in Colours:



Black
EC9NBL



Cat 2 - Intermediate Risk



Mechanical Handling



CLICK
HAND PROTECTION



BEESWIFT
ONLINE

Product Code:
PUG

Available in Sizes:
S - XL

Unit of Measure:
Each

Available in Colours:



Black
PUGBL



Grey
PUGGY



White
PUGW



Cat 2 - Intermediate Risk



Mechanical Handling

Beeswift PU Coated Gloves

- Nylon Glove.
- Polyurethane palm coated.
- Machine Knitted.
- Integral elasticated wrist.
- Ideal for handling light components.

- EN388: 2016
- Level 3 - Abrasion
- Level X - Cut Resistance
- Level 3 - Tear Resistance
- Level 1 - Puncture
- Level A - ISO 13997 Cut Resistance



CLICK
HAND PROTECTION

Beeswift Mercury Jacket

- Polyester/Pongee fabric
- 2 Zipped side pockets
- 1 Zipped security pocket
- Adjustable hook and loop cuffs
- Draw cord waist
- Half fleece lined
- Zipped logo access
- 2 Internal zipped pockets
- Internal mobile phone pocket
- Taped Seams
- Zip away hood



BEESWIFT
ONLINE

Product Code:
MUJ

Available in Sizes:
S - 5XL

Unit of Measure:
Each

Available in Colours:



Black
MUJBL



Cat 1 - Minimal Risk



Garment has welded or reinforced seams



Garment comes with a hood



Garment has a mobile phone pocket



B-DRI
BY BEESWIFT



BEESWIFT
ONLINE

Product Code:
NBDJ

Available in Sizes:
S - XXXL

Unit of Measure:
Each

Available in Colours:



Navy Blue
NBDJN



Olive Green
NBDJO



Saturn Yellow
NBDJSY



Cat 1 - Minimal Risk



BDri Fully Interactive



Garment has welded or
reinforced seams



Garment comes with a
hood

Beeswift Nylon Jacket

- Lightweight nylon with PVC coating on inside
- Zip front
- Concealed hood
- Lower front pockets with flap
- Studded cuffs
- Hip drawcord
- Fully taped seams



BEESWIFT
ONLINE

Product Code:
PJ01

Available in Sizes:
S - 5XL

Unit of Measure:
Each

Available in Colours:



Black
PJ01BL



Navy Blue
PJ01N

BEESWIFT PADDED BAFFLE JACKET

- 300T 100% Polyester Outer Shell Fabric
- 100% Polyester Taffeta padding 68 GSM
- Fully lined and padded for increased warmth
- Lightweight, designed for a comfortable fit
- Stand up collar
- Metal zip front with metal teeth
- Chin guard provides extra comfort
- Full length internal storm flap to protect against the elements
- Soft touch zip pullers
- Elasticated binding to cuffs and hem for secure fit
- Two lower secure side zipped pockets for added security
- Two internal pockets for storage
- Spare green soft touch zip pullers for added customisation
- Weather resistant storage bag for Bodywarmer, for easy transportation





BEESWIFT
ONLINE

Product Code:
SBDJ

Available in Sizes:
S - XXXL

Unit of Measure:
Each

Available in Colours:



Navy Blue
SBDJN



Olive Green
SBDJO



Saturn Yellow
SBDJSY



Cat 1 - Minimal Risk



Conforms to the correct
EN Standards



Garment has welded or
reinforced seams



Garment comes with a
hood



Garment conforms to
EN343

Beeswift Super PU Jacket

- Polyester with PU coating
- Concealed hood
- Full zip front with double storm flap
- Self double yoke back
- Lower pockets with flap
- Elasticated wind cuffs
- Stitched and welded seams



BEESWIFT
ONLINE

Product Code:
SFPRJ

Available in Sizes:
S - 5XL

Unit of Measure:
Each

Available in Colours:



Black/Grey
SFPRJBLGY



Conforms to EN343 for
Water Penetration and



Product supplied with retail
tags



Garment comes with a
detachable hood




Taped Seams

Beeswift Padded Rain Jacket

- Insulated filling for increased warmth
- Water resistant outer shell fabric for adverse weather conditions
- Fully taped seams for added water resistance
- Zipped detachable lined hood with adjusters for comfort fit
- Hook and loop internal fastening for hood into snorkel collar
- Hook and loop collar cover for zip when hood removed
- External metal zips are all quality laminated water resistant
- Chin guard provides extra comfort
- Full length internal storm flap to protect against the elements
- Right breast zipped pocket for additional storage
- Two lower secure side zipped pockets for added security
- Soft touch zip pulls on all external zips
- Internal lower zipped pocket for extra security
- Hook and loop wrist fasteners
- Rear reflective accents and piping for added visibility
- Extended back length to protect against water ingress
- Internal side hip adjusters for improved fit
- Lower embellishment access zip
- Spare black soft touch zip pullers for added customisation
- Generous sizing to interact with other garments

- Outer shell fabric: 300D Polyester mechanical stretch outer with TPU laminate 190gsm
- Outer Fabric conforms with EN 343: 2019, Class 4 Water Penetration, Class 4 Breathability.
- Padding fabric: 100% polyester soft padding 80gsm
- Upper Lining fabric: 100% polyester premium mesh 140gsm
- Lower Lining fabric: 100% polyester quilted taffeta 60gsm





BEESWIFT
ONLINE

Product Code:
VDG

Available in Sizes:
S - XL

Unit of Measure:
Bx 1Th

Available in Colours:



Blue
VDBG



Clear
VDG



Conforms to the correct EN
standards



Cat 1 - Minimal Risk

Beeswift Vinyl Disposable Examination Gloves

- Pre powdered vinyl disposable gloves
- 100% synthetic PVC
- Contains no latex / protein
- Ambidextrous
- Easy to pull on beaded cuff
- MINIMAL RISK PRODUCT



CLICK
ONCE



BEESWIFT
ONLINE

Product Code:
VDGPF

Available in Sizes:
L - XL

Unit of Measure:
Bx 1Th

Available in Colours:



Clear
VDGPF



Cat 1 - Minimal Risk

Beeswift Vinyl Gloves Powder Free

- Powder free vinyl disposable gloves
- 100% synthetic PVC.
- Contains no Latex / Protein.
- Ambidextrous.
- Easy to pull on beaded cuff.
- MINIMAL RISK PRODUCT.



CLICK
ONCE



BEESWIFT
ONLINE

Product Code:
BD900

Available in Sizes:
S - 3XL

Unit of Measure:
Each

Available in Colours:



Orange / Navy
BD900ORN



Saturn Yellow / Navy
BD900SYN



Beeswift EN 342 -
Protection against cold



Conforms to EN ISO 20471
for Hi Visibility



Conforms to EN343 for
Water Penetration and



Product supplied with retail
tags

Beeswift Thermal Two-Tone Hi-Vis Waterproof Overall

Two Tone Quilted Coverall suitable for freezer or cold storage use

- 300 Denier outer fabrics with sewn on tape.
- Heavyweight 100% polyester with PU coating.
- Two-way heavy duty YKK zip, with stud fastened storm flap.
- 2 Front stud fastened pockets.
- 2 leg cargo pockets with stud fastening.
- Security and phone pockets.
- Rear hem access for ease of logo applications.
- Concealed Hood.
- Retro-reflective tape.

- Conforms to EN ISO 20471 - Class 3.

- Conforms to EN 343 - Class 3 1.

- Conforms to EN 342 - Icler 0.474
Air Permeability - Class 2



Beeswift Hi-Vis PU Breathable Coverall

- Breathable fabric
- Polyester with PU coating.
- Hood with drawcord.
- Zip front with stud flap.
- Elasticated storm cuffs.
- Studded ankles.
- Stitched and welded seams.
- Retro reflective tape.

- Conforms to EN ISO 13688:2013+A1:2021

- Conforms to EN ISO 20471:2013+A1:2016
Class 3 High Visibility

- Conforms to EN343:2019
Class 4 Water Penetration
Class 1 Air Permeability
Class X Readymade water tower test



BEESWIFT
ONLINE

Product Code:
PUC471

Available in Sizes:
S - XXXXL

Unit of Measure:
Each

Available in Colours:



Saturn Yellow
PUC471SY



Product supplied with retail
tags



Garment has breathable
fabric



Cat 2 - Intermediate Risk



Conforms to the correct EN
standards



Garments conforms to EN
ISO 20471



Garment comes with a
hood



Garment has welded or
reinforced seams



Garment is weather proof





BEESWIFT
ONLINE

Product Code:
RSC

Available in Sizes:
36 - 54T

Unit of Measure:
Each

Available in Colours:



Orange
RSC



Garment has 3M Scotchlite tape



Cat 2 - Intermediate Risk



Conforms to the correct EN standards



Garment comes in a Euroslot retail bag



Garment has pockets for knee pad access



Garment conforms to RIS-3279-TOM - Railway



Garment has welded or reinforced seams

Beeswift Hi-Vis Railspec Coverall

- 270gsm
- 80-20 polyester cotton
- Teflon treatment for improved soil release
- Durable hard wearing whilst remaining soft and comfortable
- Double sewn seams for extra strength
- 2 cargo pockets
- Knee pad pockets
- 3M retro reflective tape

- Conforms to ISO 20471 Class 3 High Visibility
- RIS-3279-TOM - Railway use certified.



B-SEEN
BY BEESWIFT

Beeswift Hi-Vis Lightweight Waterproof Suit

- PVC coated 150D polyester.
- Concealed hood.
- Two-way heavy duty zip front with studded storm flap.
- 2 Lower pockets with flaps.
- Knitted storm cuffs.
- Fully taped seams.
- Retro Reflective Tape.

- Conforms to EN ISO 13688:2013+A1:2021

- Conforms to EN ISO 20471:2013+A1:2016
Class 3 High Visibility

- Conforms to EN343:2019
Class 3 Water Penetration
Class 1 Air Permeability
Class X Readymade water tower test



BEESWIFT
ONLINE

Product Code:
TS8

Available in Sizes:
S - 6XL

Unit of Measure:
Each

Available in Colours:



Orange
TS8OR



Saturn Yellow
TS8SY



CE Marked Category 2



Conforms to EN ISO 20471 for Hi Visibility



Conforms to EN343 for Water Penetration and Product supplied with retail tags



Conforms to the correct EN standards



Garment comes in a Euroslot retail bag



Fully interactive with another garment



Garment has welded or reinforced seams



B-SEEN
BY BEESWIFT



BEESWIFT
ONLINE

Product Code:
NBDS

Available in Sizes:
S - XXXXL

Unit of Measure:
Each

Available in Colours:



Navy Blue
NBDSN



Orange
NBDSOR



Saturn Yellow
NBDSY



Cat 1 - Minimal Risk



Garment has a Fully
Elasticated Waistband



BDri Fully Interactive



Garment has welded or
reinforced seams



Garment comes with a
hood

Beeswift Nylon Weatherproof Suit

Jacket and Trouser Pack

Jacket:

- Lightweight nylon with PVC coating to the inside
- Zip front
- Concealed Hood
- lower front pocket with flaps
- Studded cuffs
- Hip drawcord
- Fully taped seams

Trousers:

- Elasticated waist
- Access to pockets
- Stud fastening to ankles
- Fully taped seams

Manufactured in lightweight nylon with PVC waterproof coating to the inside surface, fully taped seams. Jacket with full zip front opening with attached hood/drawcord fully retractable into 'mandarin' collar, two lower front pockets concealed under wide flap, hip drawcord.

Trousers with elasticated waist, through access pockets and adjustable stud fastening at ankle.



B-DRI
BY BEESWIFT

Beeswift Fire Retardant Anti-Static Bib

- Flame retardant, anti static, hi visibility bib and brace
- High frequency welded seams
- Elasticated shoulder straps with buckles
- Press stud adjustments by the ankles

- EN 343 2003 + A1:2007
- EN 471 2003 + A1:2007
- EN ISO 14116: 2008 INDEX 1
- EN 1149-5 : 2008 EN1149-3 : 2004



CLICK
FLAME RETARDANT



BEESWIFT
ONLINE

Product Code:
CFRLR59

Available in Sizes:
M - 3XL

Unit of Measure:
Each

Available in Colours:



Saturn Yellow
CFRLR59SY



Cat 2 - Intermediate Risk



BEESWIFT
ONLINE

Product Code:
BSCNTSEN

Available in Sizes:
S - XXXL

Unit of Measure:
Each

Available in Colours:

 Orange
BSCNTSEOR

 Saturn Yellow
BSCNTSENSY

 CE Marked Category 2

 Conforms to EN ISO 20471
for Hi Visibility

 Product supplied with retail
tags

 Garment has 3M Scotchlite
tape

 Conforms to the correct EN
standards

Beeswift Crew Neck Hi-Vis Short Sleeve T-shirt

- High visibility tee shirt
- 100% Bird Eye Polyester fabric
- Reflective tape
- Conforms to EN ISO 13688:2013+A1:2021
- Conforms to EN ISO 20471:2013+A1:2016
Class 2 High Visibility



BEESWIFT
ONLINE

Product Code:
BBVHPH

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:

 White
BBVHPH

 Cat 1 - Minimal Risk

Beeswift Replacement Plastic Hard Hat Harness

Replacement plastic harness for Beeswift vented helmets.
Comes with sweatband.





BEESWIFT
O N L I N E

Product Code:
BBVHRH

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Black
BBVHRH



Cat 1 - Minimal Risk

Beeswift Replacement Hard Hat Harness with Ratchet

Replacement ratchet harness for Beeswift vented helmets.
Comes with sweatband.



Beeswift Endeavour Fleece

- High quality
- 360gsm micro fleece with full zip front
- Concealed lightweight hood with drawcord
- Yoke shoulders with contrast piping
- Rib knitted waistband and cuffs
- Two lower pockets with zip closure
- Fully lined



BEESWIFT
O N L I N E

Product Code:
EN28

Available in Sizes:
XXS - 6XL

Unit of Measure:
Each

Available in Colours:



Navy / Royal
EN28NR



Cat 1 - Minimal Risk





BEESWIFT
O N L I N E

Product Code:
EN29

Available in Sizes:
XS - XXXXXL

Unit of Measure:
Each

Available in Colours:



Black
EN29



Cat 1 - Minimal Risk

Beeswift Endeavour Fleece

- High quality
- 360gsm micro fleece with full zip front
- Concealed lightweight hood with drawcord
- Yoke shoulders with contrast piping
- Rib knitted waistband and cuffs
- Two lower pockets with zip closure
- Fully lined



Beeswift Endeavour Fleece

- High quality
- 360gsm micro fleece with full zip front
- Concealed lightweight hood with drawcord
- Yoke shoulders with contrast piping
- Rib knitted waistband and cuffs
- Two lower pockets with zip closure
- Fully lined



BEESWIFT
O N L I N E

Product Code:
EN30

Available in Sizes:
S - XXXL

Unit of Measure:
Each

Available in Colours:



Grey
EN30GY



Cat 1 - Minimal Risk





BEESWIFT
O N L I N E

Product Code:
FLJ

Available in Sizes:
XS - XXXXXL

Unit of Measure:
Each

Available in Colours:



Black
FLJBL



Navy Blue
FLJN



Cat 1 - Minimal Risk

Beeswift Standard Fleece Jacket

- 280gsm polyester
- Chunky zip front fastening
- Drawcord waist
- Two zipped side pockets



CLICK
WORKWEAR

Beeswift ID Vest Hi-Vis

- Hi Visibility Vest with Id Pocket to left breast
- 100% polyester
- Hook and loop fastening
- Retro-reflective tape
- 2 x body bands
- 2 x braces
- Conforms to EN ISO 13688:2013+A1:2021
- Conforms to EN ISO 20471: 2013+A1:2016
 - Class 2 high visibility (sizes S+)
 - Class 1 high visibility (size XS)

ID Pocket dimensions - 12 x 10.5cm



BEESWIFT
O N L I N E

Product Code:
BD108

Available in Sizes:
S - XS

Unit of Measure:
Each

Available in Colours:



Orange
BD108OR



Saturn Yellow
BD108SY



CE Marked Category 2



Conforms to EN ISO 20471
for Hi Visibility



Product supplied with retail
tags



Conforms to the correct EN
standards



Garment has a pocket for
easy ID access



B-SEEN
BY BEESWIFT



BEESWIFT
ONLINE

Product Code:
BWC

Available in Sizes:
S - 4XL

Unit of Measure:
Bx 100

Available in Colours:



Orange
BWCOR



Saturn Yellow
BWCSY



Cat 2 - Intermediate Risk



Conforms to the correct EN standards



Garments conforms to EN ISO 20471

Beeswift Essential Bulk Buy Hi-Vis Vest (Pack of 100)

- Bulk pack
- Hi visibility waistcoat
- 100% polyester
- Hook and loop fastening
- Retro-reflective tape
- 2 x body bands
- 2 x braces

- EN ISO 20471
Class 2 high visibility



B-SEEN
BY BEESWIFT

Beeswift Hi-Vis Executive Mesh Vest

- Polyester Stretchy mesh fabric
- Zip front fastening
- Conforms to EN ISO 13688:2013+A1:2021
- Conforms to EN ISO 20471:2013 +A1:2018
Class 2 high visibility (sizes S+)
Class 1 high visibility (size XS)



BEESWIFT
ONLINE

Product Code:
HVMWEXEC

Available in Sizes:
XS - 4XL

Unit of Measure:
Each

Available in Colours:



Orange
HVMWEXECOR



Saturn Yellow
HVMWEXESY



Cat 2 - Intermediate Risk



Garments conforms to EN ISO 20471



Garment has a pocket for easy ID access



Garment has a mobile phone pocket



B-SEEN
BY BEESWIFT



BEESWIFT
ONLINE

Product Code:
HVMWOR

Available in Sizes:
XS - 4XL

Unit of Measure:
Each

Available in Colours:



Orange
HVMWOR



Saturn Yellow
HVMWSY



Cat 2 - Intermediate Risk



Garments conforms to EN
ISO 20471

Beeswift Hi-Vis Mesh Vest

- Polyester Stretchy mesh fabric
- Hook and loop front fastening
- Conforms to EN ISO 13688:2013+A1:2021
- Conforms to EN ISO 20471:2013 +A1:2018
Class 2 high visibility (sizes S+)
Class 1 high visibility (size XS)



BEESWIFT
ONLINE

Product Code:
HVWC2T

Available in Sizes:
XS - 7XL

Unit of Measure:
Each

Available in Colours:



Orange / Saturn Yellow
HVWC2TORSY



Saturn Yellow / Orange
HVWC2TSYOR

Beeswift Hi-Vis Two Tone Executive ID Vest

- Orange/Saturn Yellow Hi Vis superior waistcoat
- 100% Polyester
- Front zip fastening
- Two large front pockets with flaps
- Mobile phone pocket with hook and loop fastening flap
- Radio loop
- Pen & pencil pockets
- Transparent ID pouch pocket
- Retro-reflective tape
- Covered mesh back panel
- Conforms to EN ISO 13688:2013+A1:2021
- Conforms to EN ISO 20471:2013 +A1:2018
Class 2 high visibility (sizes S+)
Class 1 high visibility (size XS)





BEESWIFT
ONLINE

Product Code:
RSV02P

Available in Sizes:
M - XXXXL

Unit of Measure:
Each

Available in Colours:



Orange
RSV02P



CE Marked Category 2



Conforms to EN ISO 20471
for Hi Visibility



Product supplied with retail
tags



Conforms to the correct EN
standards



Garment conforms to
RIS-3279-TOM - Railway

Beeswift Hi-Vis Rail Spec Vest (Polyester)

- Hi Vis "Railspec" vest
- 100% polyester fabric
- Quick release to shoulders and sides
- All hook and loop closure
- Retro reflective tape
- Conforms to EN ISO 13688:2013+A1:2021
- Conforms to EN ISO 20471:2013+A1:2016
Class 2 High Visibility
- RIS-3279-TOM Issue 2 - Railway use certified.



B-SEEN
BY BEESWIFT

Beeswift Hi-Vis Vest

- Hi visibility waistcoat
- 100% polyester
- Hook and loop fastening
- Retro-reflective tape
- 2 x body bands
- 2 x braces
- EN ISO 20471
Class 2 high visibility
- High visibility Red fades to Orange after Xenon
- Conforms to EN ISO 20471 Class 2 high visibility
- XS size only conform to EN ISO 20471 Class 1 High Visibility



BEESWIFT
ONLINE

Product Code:
WCENG

Available in Sizes:
S - 6XL

Unit of Measure:
Each

Available in Colours:



Orange
WCENGOR



Red
WCENGRE



Saturn Yellow
WCENG



Cat 2 - Intermediate Risk



Conforms to the correct EN
standards



Garments conforms to EN
ISO 20471



B-SEEN
BY BEESWIFT



BEESWIFT
ONLINE

Product Code:
WCENGEXEC

Available in Sizes:
XS - 5XL

Unit of Measure:
Each

Available in Colours:



Cat 2 - Intermediate Risk

Conforms to the correct EN standards

Garments conforms to EN ISO 20471

Garment has a pocket for easy ID access

Garment has a mobile phone pocket

Garment comes with a radio loop

Beeswift Hi-vis Executive Id Vest

- Red hi vis executive waistcoat
- 100% Polyester
- Front zip fastening
- Retro reflective hi vis bands and braces
- Two large front pockets with flaps
- Mobile phone pocket with hook and loop fastening flap
- Pen & pencil pockets
- Radio loop
- Transparent ID pouch pocket
- Covered mesh back panel
- EN ISO 20471
- Class 2 high visibility (sizes S+)
- Class 1 high visibility (size XS)
- High visibility Red fades to Orange after exposure to Xenon



Beeswift Hi-Vis Vest Short Length

- Hi visibility short length waistcoat
- 100% polyester
- Hook and loop fastening
- Retro-reflective tape
- 2 x body bands
- 2 x braces
- EN ISO 20471
- Class 1 high visibility



BEESWIFT
ONLINE

Product Code:
WCENGSH

Available in Sizes:
L - XXL

Unit of Measure:
Each

Available in Colours:



Cat 2 - Intermediate Risk

Garment conforms To EN471



BEESWIFT
ONLINE

Product Code:
WCENGSYZ

Available in Sizes:
M - 4XL

Unit of Measure:
Each

Available in Colours:



Saturn Yellow
WCENGSYZ



Cat 2 - Intermediate Risk



Garments conforms to EN
ISO 20471

Beeswift Hi-vis Vest Zip Fastened

- Hi visibility waistcoat
- 100% polyester
- Zip fastening
- Retro-reflective tape
- 2 x body bands
- 2 x braces
- EN ISO 20471 Class 2 high visibility
- Conforms to EN ISO 20471 Class 2 high visibility
- XS size only conform to EN ISO 20471 Class 1 High Visibility



BEESWIFT
ONLINE

Product Code:
WEWCOR

Unit of Measure:
Each

Available in Colours:



Orange
WEWCOR



Saturn Yellow
WEWCSY

BEESWIFT WOMENS HI-VIS EXEC WAISTCOAT

- 100% Polyester
- Front zip fastening
- Two large front pockets with flaps
- Mobile phone pocket with hook and loop fastening flap
- Radio loop
- Pen & pencil pockets
- Transparent ID pouch pocket
- Retro-reflective tape
- Covered mesh back panel
- Conforms to EN ISO 13688:2013+A1:2021
- Conforms to EN ISO 20471:2013+A1:2016 Class 1 High Visibility





BEESWIFT
ONLINE

Product Code:
WWC

Unit of Measure:
Each

Available in Colours:



BEESWIFT WOMENS HI-VIS WAISTCOAT

- Hi visibility waistcoat
 - 100% polyester
 - Hook and loop fastening
 - Retro-reflective tape (50mm width)
 - 2 x body bands
 - 2 x braces
- Conforms to EN ISO 13688:2013+A1:2021
 - Conforms to EN ISO 20471:2013+A1:2016 Class 1 High Visibility




BEESWIFT
ONLINE

Product Code:
PKJENG

Available in Sizes:
S - 6XL

Unit of Measure:
Each

Available in Colours:



Beeswift Hi-Vis Long Sleeve Jerkin

- 100% polyester.
 - Hook and loop fastening.
 - Reflective material.
- Conforms to EN ISO 20471 Class 3 high visibility



Garments conforms to EN ISO 20471





BEESWIFT
O N L I N E

Product Code:
PKJEXEC

Available in Sizes:
S - 4XL

Unit of Measure:
Each

Available in Colours:



Orange
PKJEXECOR



Garments conforms to EN
ISO 20471



Garment has a pocket for
easy ID access



Garment has a mobile
phone pocket

Beeswift Hi-Vis Long Sleeve Executive ID Jerkin

- 100% polyester.
- Zip fastening.
- Reflective material.
- Conforms to EN ISO 13688:2013+A1:2021
- Conforms to EN ISO 20471:2013+A1:2016
Class 3 High Visibility



Beeswift Poly Cotton Warehouse Coat

- 65% polyester, 35% cotton
- Concealed stud front
- 1 breast pocket with pen divide
- 2 lower pockets
- Rear vents



BEESWIFT
O N L I N E

Product Code:
PCWC

Available in Sizes:
32 - 58

Unit of Measure:
Each

Available in Colours:



Navy Blue
PCWCN



Royal Blue
PCWCR



Spruce Green
PCWCS



White
PCWCW





BEESWIFT
O N L I N E

Product Code:
EC11

Available in Sizes:
M - XL

Unit of Measure:
Bx 10

Available in Colours:



White
EC11



Cat 1 - Minimal Risk

BEESWIFT POLYESTER KNITTED LINER GLOVES

- 15 gauge seamless machine knitted polyester glove
- Minimal risk
- Excellent dexterity and comfort
- Recommended for general handling, inspection and assembly of components
- Can also be used as a thermal liner glove



Initial High Visibility Vest

- EN471 Class 2.
- 100% polyester.
- Hook and loop fastening.
- Reflective material.



BEESWIFT
O N L I N E

Product Code:
IFWCENG

Available in Sizes:
M - XXXXXXL

Unit of Measure:
Each

Available in Colours:



Saturn Yellow
IFWCENGSY



Garment conforms To
EN471



BEESWIFT
O N L I N E

Product Code:
RSS

Available in Sizes:
30 - 46

Unit of Measure:
Each

Available in Colours:



Orange
RSS

Beeswift Hi-Vis Rail Spec Shorts

- "Railspec" Shorts
 - 280gsm 80-20 polyester cotton
 - Teflon treatment coated for improved soil release
 - Durable hard wearing whilst remaining soft and comfortable
 - Triple sewn seams for extra strength
 - 7 Belt loop waistband
 - 2 x cargo pockets
 - 2 x 3M Scotchlite - Retro-reflective leg bands
-
- EN ISO 20471
Class 1 high visibility
-
- RIS-3279-TOM - Railway use certified. (Only when worn with a class 2 upper)



Beeswift Stretch Work Belt

This belt is fully adjustable and ergonomic, constructed to look good whilst taking on every day wear and tear. It uses a strong but easy release buckle, making it an all-round quality product.

- Constructed using high grade elasticated webbing
- Fits all Beeswift trousers
- One size

Product Code:
BT1000


Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Black
BT1000





BEESWIFT
O N L I N E

Product Code:
DOSB16

Available in Sizes:
16

Unit of Measure:
Bx 2th

Available in Colours:



Blue
DOSB



Cat 1 - Minimal Risk

Beeswift Disposable Overshoe Covers 16"

- High quality overshoes
- Elasticated for extra grip around shoes
- Anti-slip textured surface at the bottom
- Tear resistant
- Waterproof
- Ideal for decorating to protect carpets and flooring



CLICK
ONCE

Beeswift Ice Scraper

- Large ice scraper
- With foam non slip, insulated grip



BEESWIFT
O N L I N E

Product Code:
CM0152

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Black
CM0152



BEESWIFT



BEESWIFT
O N L I N E

Product Code:
CM0154

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Yellow
CM0154

Beeswift Demister Pad

- Small Chamois Demist pad
- Highly absorbent
- Provides a smear free finish on misted windows



BEESWIFT
O N L I N E

Product Code:
CM0142-23

Available in Sizes:
ONE SIZE

Unit of Measure:
Each

Available in Colours:



Clear
CM0142-23

Beeswift Winter Driving Kit

- Essential supplies for motoring in winter conditions
- Ideal for keeping in any vehicle to be prepared for unexpected winter weather
- Fast acting screen wash and de-icer work in conditions down to minus 15 for safer driving
- Dynamo torch stores energy in a flywheel so you will never be caught without a working torch
- Comes housed in a durable case - case colour can vary

Contents

- Foil blanket x 1
- De-icer aerosol 400ml
- Anti-mist pad
- Ice scraper
- Screen wash 500ml
- Dynamo torch
- Vinyl gloves (pair) x 2





BEESWIFT
O N L I N E

Product Code:
CM0153

Available in Sizes:
400ML

Unit of Measure:
Each

Beeswift De-Icer Aerosol 400ML

The Beeswift de-icer is perfect to use on frosty mornings and evening to quickly clear ice from vehicle windows.

- Melts ice fast and prevents re-freezing
- Fast acting formula
- Effective down to -15
- 400 ml aerosol



BEESWIFT



BEESWIFT
O N L I N E

Product Code:
CM0156

Available in Sizes:
500ML

Unit of Measure:
Each

Available in Colours:



Blue
CM0156

Beeswift Screen Wash 500ML

- Maximum performance and economy
- Removes road grime, flies and salt deposits
- Convenient ready to use formulation
- Active formula to provide a smear-free clear windscreen
- 500 ML bottle
- Effective down to -2 when used neat



BEESWIFT



BEESWIFT
ONLINE

Product Code:
CDDTB

Available in Sizes:
3 - 13

Unit of Measure:
Each

Available in Colours:



Black
CDDTB



Anti Slip Sole



Anti Static Sole



Cat 2 - Intermediate Risk



Leather Upper



Fuel Oil Resistant Sole



Shock Absorber Heel



Steel Midsole



200 Joule Steel Toecap



Conforms to EN ISO 20345
S1P SRC

Beeswift Safety Trainer Shoe

- Dual Density PU
- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Slip resistant
- Leather upper
- Conforms to EN ISO 20345:2011 S1P SRC



CLICK
FOOTWEAR



BEESWIFT
ONLINE

Product Code:
CF101

Available in Sizes:
03-12

Unit of Measure:
Each

Available in Colours:



Black
CF101



Anti Slip Sole



Anti Static Sole



Composite Midsole



200 Joule Composite Toe Cap



Shock Absorber Heel

BEESWIFT SUTTON FLYKNIT COMPOSITE BUBBLE SOLE SAFETY WORK TRAINER S1PL

- Black/Mid grey flyknit trainer
- Dual Density PU, air bubble sole for additional comfort
- Upper, lining and laces are made from recycled materials
- PU foam 100% recycled insole
- Metal free
- Composite toecap
- Composite midsole
- Black woven elasticated heel for ease of fitting
- Shock absorbing cushioned heel
- Antistatic
- Sole resistant to fuel oil
- SR Slip resistance

- Conforms to EN ISO 20345:2022
- S1 PL FO SR



CLICK
FOOTWEAR



BEESWIFT
O N L I N E

Product Code:
CF18

Available in Sizes:
03 - 13

Unit of Measure:
Each

Available in Colours:



Black
CF18



Anti Slip Sole



Anti Static Sole



Cat 2 - Intermediate Risk



Composite Midsole



Leather Upper



Fuel Oil Resistant Sole



Shock Absorber Heel



200 Joule Steel Toecap



Conforms to EN ISO 20345
S1P SRC

BEESWIFT SNEAKER TRAINER

- Nubuck leather sneaker trainer
- Dual Density PU Sole
- Orange sandwich mesh lining
- Orange contrast eyelet
- 200 Joule steel toe cap
- Composite midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Slip resistant
- Leather upper
- Conforms to EN ISO 20345:2011 S1P SRC



CLICK
FOOTWEAR



BEESWIFT
O N L I N E

Product Code:
CF26

Available in Sizes:
03 - 13

Unit of Measure:
Each

Available in Colours:



Black/Grey
CF26



Anti Slip Sole



Anti Static Sole



Cat 2 - Intermediate Risk



Composite Midsole



200 Joule Composite Toe
Cap



Fuel Oil Resistant Sole



Shock Absorber Heel



Water Resistant



Conforms to EN ISO 20345
S3 SRC

BEESWIFT TRAINER SHOE S3 NON METALLIC

- Black Action Mesh Upper with grey/silver stripes
- Grey EVA/Black rubber sole
- 3 woven black/grey lace loop fixings and 1 plastic grey eyelet
- Comfort insole
- Click branding
- Metal free
- Composite toe cap
- Reinforced midsole
- Water resistant
- Conforms to EN ISO 20345:2011 S3 SRC



CLICK
FOOTWEAR



BEESWIFT
O N L I N E

Product Code:
CF29

Available in Sizes:
04 - 13

Unit of Measure:
Each

Available in Colours:



Black/Blue
CF29B



Black/Orange
CF29



Anti Slip Sole



Anti Static Sole



Cat 2 - Intermediate Risk



Composite Midsole



200 Joule Composite Toe
Cap



Fuel Oil Resistant Sole



Shock Absorber Heel



Water Resistant



Conforms to EN ISO 20345
S3 SRC

BEESWIFT SAFETY TRAINER S3 COMPOSITE

- Nubuck leather, PU and black action mesh upper with printed decoration
- EVA/TPU/Rubber outsole
- Breathable orange mesh lining
- Comfortable, shock absorbing insole
- Composite Toe cap
- Composite midsole
- Water resistant
- Very lightweight
- Conforms to EN ISO 20345:2011
- S3 SRC



CLICK
FOOTWEAR



BEESWIFT®
FOCUSED ON SAFETY

YOUR LOCAL  **BEESWIFT** DISTRIBUTOR

SANDYCROFT WORKWEAR LTD
26 BABBAGE ROAD
ENGINEER PARK
SANDYCROFT
CH5 2QD

t: 01244638747
e: sales@sandycroft-workwear.co.uk

TRADEMARKED AND COPYRIGHT © PROTECTED ALL RIGHTS RESERVED